



GAS

PRO SERIES | RESTAURANT RANGES

IR-6-P

Shown with optional casters



IR-6

Shown with optional casters



IR-8-P-XB

Shown with optional casters




PRO SERIES RANGE FEATURES

- New 1.5 diameter oven door handle.
- Larger oven door opening.
- Metal knobs with on/off indicator engraved into all knobs.
- 2 piece top grate design with deep bowl for higher efficiencies from the 32,000 BTU Burners.
- All stainless steel burner box, top grate and burner supports.
- Stainless steel tubing used throughout all units.
- Low profile landing ledge.
- New door assembly with designed self-sealing feature.


NEW TOP GRATE AND DOOR HANDLE






24" PRO SERIES RANGES


MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4	155,000	45	210	465	\$10,426
IR-4-XB	128,000	38	183	405	\$7,573



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-2-G12	111,000	33	213	470	\$13,039
IR-2-G12-XB	84,000	25	185	410	\$10,221




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-G24	67,000	20	224	495	\$13,405
IR-G24-XB	40,000	12	196	435	\$10,312




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-SU	155,000	45	210	465	\$14,196
IR-4-SU-XB	128,000	38	183	405	\$13,532

36" PRO SERIES RANGES



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6	227,000	67	274	605	\$11,798
IR-6-C	222,000	65	301	665	\$20,645
IR-6-P	244,000	71	310	684	\$22,360
IR-6-XB	192,000	56	246	545	\$9,062




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-G12	183,000	54	283	625	\$14,734
IR-4-G12-C	178,000	52	310	685	\$22,748
IR-4-G12-P	200,000	59	319	704	\$25,297
IR-4-G12-XB	148,000	43	256	565	\$11,379




GAS

PRO SERIES | RESTAURANT RANGES


36" PRO SERIES RANGES




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-2-G24	139,000	41	288	635	\$15,227
IR-2-G24-C	134,000	39	314	695	\$23,206
IR-2-G24-P	156,000	46	324	714	\$25,788
IR-2-G24-XB	104,000	30	260	575	\$11,502



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-G36	95,000	28	297	655	\$15,928
IR-G36-C	90,000	26	319	705	\$23,954
IR-G36-P	112,000	33	333	734	\$26,491
IR-G36-XB	60,000	18	269	595	\$12,418




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-S18	163,000	48	272	600	\$14,852
IR-4-S18-C	158,000	46	298	660	\$22,967
IR-4-S18-P	180,000	53	308	679	\$25,417
IR-4-S18-XB	128,000	38	244	540	\$11,923




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6-SU	227,000	67	274	605	\$16,552
IR-6-SU-C	222,000	65	301	665	\$24,075
IR-6-SU-P	244,000	71	310	684	\$27,115
IR-6-SU-XB	192,000	56	246	545	\$13,614


48" PRO SERIES RANGES




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-8	310,000	91	322	710	\$21,100
IR-8-XB	291,000	85	290	640	\$18,172
IR-8-C-XB	286,000	84	303	670	\$26,317
IR-8-P-XB	308,000	90	326	719	\$28,736




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6-G12	266,000	78	344	760	\$23,767
IR-6-G12-XB	247,000	72	312	690	\$20,928
IR-6-G12-C-XB	242,000	71	326	720	\$29,072
IR-6-G12-P-XB	264,000	77	349	769	\$31,490




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-G24	222,000	65	367	810	\$23,892
IR-4-G24-XB	203,000	59	335	740	\$21,100
IR-4-G24-C-XB	198,000	58	348	770	\$29,232
IR-4-G24-P-XB	220,000	64	371	819	\$31,662



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-RG24	222,000	65	385	850	\$25,561
IR-4-RG24-XB	203,000	59	353	780	\$22,391
IR-4-RG24-C-XB	198,000	58	367	810	\$30,486
IR-4-RG24-P-XB	220,000	64	390	859	\$32,953



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-2-G36	178,000	52	385	850	\$24,979
IR-2-G36-XB	159,000	47	353	780	\$21,967
IR-2-G36-C-XB	154,000	45	367	810	\$30,198
IR-2-G36-P-XB	176,000	52	390	859	\$32,533



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-G48	134,000	39	394	870	\$26,733
IR-G48-XB	115,000	34	361	800	\$23,767
IR-G48-C-XB	110,000	32	376	830	\$31,957
IR-G48-P-XB	132,000	39	399	879	\$34,330



GAS

PRO SERIES | RESTAURANT RANGES



IR-6-G24-C

Shown with optional casters.

OPEN BURNER FEATURES

- PyroCentric burner heads with two rings of flames for even cooking no matter the pan size.
- PyroCentric burners are 32,000 BTU/hr 9KW with a 7,000 BTU/hr 2KW low simmer feature.
- Cast iron burners are anti-clogging and removable for easy cleaning.
- Grates are in sections to lift-off easily.
- No gaskets or screws.
- Anti-clogging shield designed in the grate protects the pilot from grease and debris.
- Pots slide easily from section to section.


GRIDDLE TOP FEATURES

- Griddle tops are highly polished 3/4" thick (19) plate for 24", 36", 48" and 60" ranges.
- 72" wide griddles are highly polished 1" thick (25) plates.
- 3" (76) wide stainless steel grease trough and removable grease can for easy cleaning.
- 20,000 BTU/hr 6KW burners are located every 12" (305) of griddle surface.
- Manual controls are standard, thermostatic controls optional.




IR-10

Shown with optional casters.




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-10	390,000	114	444	980	\$19,135
IR-10-C	385,000	113	468	1,035	\$26,884
IR-10-CC	380,000	111	493	1,090	\$33,708
IR-10-XB	355,000	104	425	940	\$15,856
IR-10-C-XB	350,000	103	451	995	\$26,299
IR-10-P-XB	372,000	109	462	1019	\$26,418


60" PRO SERIES RANGES




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6-G24	302,000	89	480	1,060	\$21,592
IR-6-G24-C	297,000	87	506	1,115	\$29,344
IR-6-G24-CC	292,000	86	530	1,170	\$36,201
IR-6-G24-XB	267,000	78	457	1,010	\$18,578
IR-6-G24-C-XB	262,000	77	483	1,065	\$28,791
IR-6-G24-P-XB	284,000	83	494	1089	\$29,141



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-G36	258,000	76	491	1,085	\$23,268
IR-4-G36-C	253,000	74	517	1,140	\$31,016
IR-4-G36-CC	248,000	73	540	1,195	\$37,881
IR-4-G36-XB	223,000	65	468	1,035	\$20,327
IR-4-G36-C-XB	218,000	64	494	1,090	\$30,474
IR-4-G36-P-XB	240,000	70	505	1114	\$30,892



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-2-G48	214,000	63	496	1,095	\$24,537
IR-2-G48-C	209,000	61	522	1,150	\$32,283
IR-2-G48-CC	204,000	60	540	1,195	\$39,152
IR-2-G48-XB	179,000	52	472	1,045	\$21,218
IR-2-G48-C-XB	174,000	51	499	1,100	\$31,748
IR-2-G48-P-XB	196,000	57	510	1124	\$31,781



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-G60	170,000	50	505	1,115	\$28,503
IR-G60-C	165,000	48	531	1,170	\$36,641
IR-G60-CC	160,000	47	554	1,225	\$43,810
IR-G60-XB	135,000	40	483	1,065	\$25,061
IR-G60-C-XB	130,000	38	508	1,120	\$36,030
IR-G60-P-XB	152,000	45	519	1,144	\$35,625



Notes: Measurements in () are metric equivalents. "CC" specifies (2) 26 1/2" (673) Convection Ovens. "C-XB" specifies (1) 26 1/2" (673) Convection Oven and a Cabinet Base. "C" specifies (1) 26 1/2" (673) Convection Oven and (1) 26 1/2" (673) Standard Oven. "XB" specifies (1) 26 1/2" (673) Standard Oven and Cabinet Base. "G" specifies Griddle Top. "SU" specifies Step-up.



IR-6-RG24

Shown with legs.

RAISED GRIDDLE WITH BROILER


- Raised griddle broilers are available in 24" and 36" (610 and 914) widths.
- Griddle tops are highly polished 3/4" (19) plate.
- Manual controls are conveniently located.
- Burners have 20,000 6KW BTU/hr output with a heat deflector every 12" (305) for even heating.
- Large griddle grease can and full width broiler drip tray are removable for easy cleaning.




RADIANT BROILER

- Individually controlled 15,000 BTU/hr 4KW stainless steel burners.
- Burners are located every 5" (127 mm) with individual controls.
- Removable, reinforced cast iron radiants prevent clogging of burners and provide even broiling.
- Heavy duty cast iron top grates provide attractive char-broiler markings.
- Slanted cooking surface provides a range of cooking temperatures.
- Each top grate blade has a cast-in grease trough that allows excess fat to flow to the front grease gutter minimizing flare-up.
- 3" (76) sections remove easily and safely for cleaning.
- Full width grease gutter and large capacity removable drip pan.

60" PRO SERIES RANGES




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-10-SU	390,000	114	444	980	\$28,155
IR-10-SU-C	385,000	113	468	1,035	\$35,903
IR-10-SU-CC	380,000	111	493	1,090	\$44,366
IR-10-SU-XB	355,000	104	425	940	\$26,707
IR-10-SU-C-XB	350,000	103	451	995	\$35,572
IR-10-SU-P-XB	372,000	109	462	1019	\$37,271




60" PRO SERIES RANGES


MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6-RG24	302,000	89	496	1,095	\$22,819
IR-6-RG24-C	297,000	87	522	1,150	\$30,569
IR-6-RG24-CC	292,000	86	540	1,195	\$37,433
IR-6-RG24-XB	267,000	78	468	1,045	\$19,837
IR-6-RG24-C-XB	262,000	77	499	1,100	\$30,026
IR-6-RG24-P-XB	319,000	93	532	1,174	\$30,400



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-RG36	258,000	76	508	1,185	\$32,563
IR-4-RG36-C	253,000	74	533	1,140	\$40,309
IR-4-RG36-CC	248,000	73	558	1,195	\$47,670
IR-4-RG36-XB	223,000	65	485	1,035	\$29,519
IR-4-RG36-C-XB	218,000	64	510	1,090	\$39,767
IR-4-RG36-P-XB	240,000	70	505	1,114	\$40,082



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6-RB24	322,000	94	472	1,060	\$31,907
IR-6-RB24-C	317,000	93	497	1,115	\$39,655
IR-6-RB24-CC	312,000	91	522	1,170	\$44,044
IR-6-RB24-XB	287,000	84	449	1,010	\$47,028
IR-6-RB24-C-XB	282,000	83	474	1,065	\$39,111
IR-6-RB24-P-XB	304,000	89	494	1,089	\$57,589



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-RB36	288,000	84	483	1,085	\$37,691
IR-4-RB36-C	283,000	83	508	1,140	\$45,440
IR-4-RB36-CC	278,000	81	533	1,195	\$56,581
IR-4-RB36-XB	253,000	74	460	1,035	\$38,411
IR-4-RB36-C-XB	248,000	73	485	1,090	\$44,893
IR-4-RB36-P-XB	270,000	79	505	1,114	\$48,972



GAS

PRO SERIES | RESTAURANT RANGES

IR-6-G36-C

Shown with optional casters.

STANDARD OVEN FEATURES


- Chef depth standard oven interior accommodates standard 18" x 26" (457 x 660) sheet pans front-to-back and side-by side.
- Interior is 26½" w x 26" d x 14" h (673 w x 660 d x 356 h) 35,000 BTU/hr 10KW oven.
- 100% oven safety pilot.
- Heavy duty thermostat with temperature range from 150°F to 500°F (65°C to 260°C).
- Porcelainized sides, rear, deck and door lining.
- Unique baffle above the burner distributes heat flow to provide even cooking temperatures throughout the 35,000 BTU/hr 10KW oven.
- Stamped inner door liner provides extra strength while optimizing heat retention.
- One chrome oven rack included - 2 positions.

CONVECTION OVEN FEATURES


- Convection oven with ¼ hp blower motor cooks products quickly and evenly with less shrinkage.
- Convection oven interior dimensions 26½" w x 22½" d x 14" h (673 w x 572 d x 356 h).
- Three position switch for cooking or cool down.
- Fan shuts off automatically when door is open.
- 30,000 BTU/hr 9KW
- Three chrome oven racks included - 5 positions.



72" PRO SERIES RANGES



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-12	454,000	133	514	1,135	\$25,816
IR-12-C	449,000	132	540	1,190	\$33,956
IR-12-CC	444,000	130	568	1,255	\$42,095
IR-12-XB	419,000	123	493	1,085	\$22,431
IR-12-C-XB	414,000	121	517	1,140	\$33,579
IR-12-PP	488,000	143	586	1,293	\$46,943
IR-12-P-XB	436,000	128	528	1,164	\$32,994




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-8-G24	386,000	113	536	1,185	\$29,232
IR-8-G24-C	381,000	112	562	1,240	\$37,373
IR-8-G24-CC	356,000	104	590	1,305	\$45,606
IR-8-G24-XB	331,000	97	513	1,135	\$25,604
IR-8-G24-C-XB	326,000	96	540	1,190	\$36,845
IR-8-G24-PP	420,000	123	609	1,343	\$50,357
IR-8-G24-P-XB	348,000	102	551	1,214	\$36,166



Notes: Measurements in () are metric equivalents.|"CC" specifies (2) 26 ½" (673) Convection Ovens.|"C-XB" specifies (1) 26 ½" (673) Convection Oven and a Cabinet Base.|"C" specifies (1) 26½" (673) Convection Oven and (1)26 ½" (673) Standard Oven.|"XB" specifies (1) 26 ½" (673) Standard Oven and Cabinet Base.|"G" specifies Griddle Top.|"SU" specifies Step-up.


72" PRO SERIES RANGES




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6-G36	322,000	94	541	1,195	\$29,232
IR-6-G36-C	317,000	93	567	1,250	\$37,373
IR-6-G36-CC	312,000	91	595	1,315	\$45,606
IR-6-G36-XB	287,000	84	518	1,145	\$25,604
IR-6-G36-C-XB	282,000	83	544	1,200	\$36,845
IR-6-G36-PP	356,000	104	614	1353	\$50,357
IR-6-G36-P-XB	304,000	89	555	1224	\$36,166




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-G48	278,000	81	518	1,145	\$31,867
IR-4-G48-C	273,000	80	544	1,200	\$40,012
IR-4-G48-CC	268,000	79	572	1,265	\$48,228
IR-4-G48-XB	243,000	71	495	1,095	\$28,153
IR-4-G48-C-XB	238,000	70	522	1,150	\$40,197
IR-4-G48-PP	312,000	91	591	1303	\$52,992
IR-4-G48-P-XB	260,000	76	532	1174	\$38,715



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-2-G60	234,000	69	602	1,330	\$38,896
IR-2-G60-C	229,000	67	628	1,385	\$47,447
IR-2-G60-CC	224,000	66	656	1,450	\$55,995
IR-2-G60-XB	199,000	58	579	1,280	\$34,909
IR-2-G60-C-XB	194,000	57	606	1,335	\$47,053
IR-2-G60-PP	268,000	79	675	1488	\$60,024
IR-2-G60-P-XB	216,000	63	616	1359	\$45,470



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-G72	190,000	56	643	1,420	\$39,333
IR-G72-C	185,000	54	669	1,475	\$47,886
IR-G72-CC	180,000	53	697	1,540	\$56,609
IR-G72-XB	155,000	45	620	1,370	\$35,480
IR-G72-C-XB	150,000	44	646	1,425	\$47,410
IR-G72-PP	224,000	66	716	1578	\$60,460
IR-G72-P-XB	172,000	50	657	1449	\$46,044



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-12-SU	454,000	133	514	1,135	\$35,248
IR-12-SU-C	449,000	132	540	1,190	\$43,391
IR-12-SU-CC	444,000	130	568	1,255	\$50,531
IR-12-SU-XB	419,000	123	545	1,085	\$33,534
IR-12-SU-C-XB	414,000	121	517	1,140	\$42,987
IR-12-SU-PP	488,000	143	586	1293	\$56,373
IR-12-SU-P-XB	436,000	128	528	1164	\$44,097



GAS

PRO SERIES | OPTIONAL ACCESSORIES

EXTERIOR OPTIONS

SWIVEL CASTERS, 3 WITH BRAKES SET OF 6, FOR 72" (1829)	SWIVEL CASTERS, 2 WITH BRAKES SET OF 4	GAS SHUT-OFF VALVE 3/4" N.P.T.
\$1,649	\$1,099	\$169/VALVE

STAINLESS STEEL CABINET BASE DOOR		
24" (610) SINGLE DOOR	36" (914) DOUBLE DOORS	48" (1219) DOUBLE DOORS
\$1,824	\$2,341	\$2,932

OVEN OPTIONS

EXTRA OVEN RACK		
20" (508)	26½" (673) STANDARD OVEN	26½" (673) CONVECTION OVEN
\$476	\$476	\$476

BURNER OPTIONS

OPTIONAL BURNER HEAD	
10" (254) STAINLESS STEEL WOK RING (FITS OVER ANY IR TOP GRATE)	
\$985	

GRIDDLE OPTIONS

- Manual Griddle Control is standard.
- Flat griddle standard on left.
- Safety valves, contact Imperial for prices.
- Raised griddle standard on right.

THERMOSTAT GRIDDLE CONTROL (ADD "T" TO MODEL NUMBER)			GROOVED GRIDDLE TOP (ADD "GG" TO MODEL #) SPECIFY LEFT OR RIGHT SIDE FOR GROOVED SECTION	
12" (305) GRIDDLE	24" (610) GRIDDLE	36" (914) GRIDDLE	\$2,296/12" LINEAL FT	
\$2,236	\$2,558	\$3,167	CHROME GRIDDLE TOP (ADD "CG" TO MODEL #)	
48" (1219) GRIDDLE	60" (1524) GRIDDLE	72" (1829) GRIDDLE	\$3,162/LINEAL FT	
\$4,180	\$6,528	\$7,332		

1" GRIDDLE PLATE (ADD "1" TO MODEL NUMBER)				
12" (305) GRIDDLE	24" (610) GRIDDLE	36" (914) GRIDDLE	48" (1219) GRIDDLE	60" (1524) GRIDDLE
\$861	\$861	\$861	\$1,444	\$1,804

COOK TOP OPTIONS

- Heavy duty polished top 12"w x 24"d (305 x 610) to replace two open burners.
- Add -"HT" to model number, \$1,837 per 12" x 24" section.
- 24" and 36" radiant broiler sections may be added to all IR Ranges. Contact Imperial for prices.
- Safety Valves, contact Imperial for prices.
- CE models, contact Imperial for prices.




GAS

PRO SERIES | RANGE MATCH




IR-36BR-126




RANGE MATCH RADIANT BROILERS

WIDTH	MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
24" (610)	IR-24BR-120	87,000	26	238	525	\$22,836
24" (610)	IR-24BR-XB	60,000	18	154	340	\$21,719



WIDTH	MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
36" (914)	IR-36BR-126	125,000	37	290	641	\$23,251
36" (914)	IR-36BR-C	120,000	35	313	692	\$24,494
36" (914)	IR-36BR-P	142,000	42	327	720	\$32,518
36" (914)	IR-36BR-XB	90,000	26	204	450	\$20,446



WIDTH	MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
48" (1219)	IR-48BR-220	174,000	51	376	830	\$34,199
48" (1219)	IR-48BR-XB-P	172,000	50	398	878	\$30,654
48" (1219)	IR-48BR-XB-126	155,000	45	362	799	\$41,219



Notes: Measurements in () are metric equivalents. 24" (610) and 48" (1219) units utilize 20" (610) wide ovens | "XB-126" specifies 1 26 1/2" (673) Standard Oven and Cabinet Base | "C" specifies 1 26 1/2" (673) Convection Oven | "XB" specifies no oven, Cabinet Base only.



ELECTRIC

PRO SERIES | RESTAURANT RANGE



73

2022 ELECTRIC | PRO SERIES



IR-6-E

Shown with optional casters

RESTAURANT RANGE FEATURES

- Solid top prevents spills from entering unit and makes clean-up easy.
- Sealed 2 KW round plates provide a solid flat surface for faster even heating.
- Independent, infinite heat controls for precise temperature flexibility.
- Oven controls protected from heat in an insulated side compartment.
- Stainless steel front, sides, kick plate, landing ledge, back splash and shelf from heat in an insulated side compartment.
- Griddle tops measuring 24", 36" and 48" are 1/2" (13) thick.
- Griddle tops measuring 60" and 72" are 3/4" (19) thick.



- High performance 5.3 KW element provides even heating throughout the oven.
- Exclusive heat deflector reflects heat into the oven, not the floor.
- Deep oven cavity accommodates standard 18" x 26" sheet pans front-to-back and side-to-side.
- Stamped inner door liner provides extra strength while improving heat retention.



- 9" (229) diameter round plate elements with easy to clean surface.
- 2 KW round plates with easy-to-clean surface.
- Provides a solid flat surface for faster, even heating.



IR-4-E

Shown with optional casters.

ELECTRIC SPACE SAVER OVEN

- Space Saver oven features are the same as the Chef depth except for the oven width.
- Oven dimensions are 20" w x 26" d x 14" h (508 x 660 x 356).
- Interior accommodates standard 18" x 26" (457 x 660) sheet pans front-to-back.
- One chrome oven rack is included.

ELECTRIC CONVECTION OVEN

- 5.3 KW convection oven with 1/4 hp blower motor cooks products quickly and evenly with less shrinkage.
- Convection oven interior dimensions: 26 1/2" w x 22 1/2" d x 14" h (673 x 572 x 356).
- Three position switch for cooking or cool down. Fan shuts off automatically when door is open.
- Porcelainized sides, rear, deck and door lining for easy cleaning.
- Three chrome oven rack included.

ELECTRIC STANDARD OVEN

- Chef depth standard oven interior accommodates standard 18" x 26" (457 x 660) sheet pans front-to-back and side-by side.
- Oven is 26 1/2" w x 26" d x 14" h (673 x 660 x 356).
- High performance 5.3 KW element provides even heating throughout the oven interior.
- Splatter screen protects the element from spills.
- Heavy duty thermostat with temperature range from 150°F to 500°F (65°C to 260°C).
- Porcelainized side, rear, deck and door lining.
- Unique baffle above the element distributes heat flow to provide even cooking temperatures throughout the oven cavity.
- Stamped inner door liner provides extra strength while optimizing heat retention.
- One chrome oven rack is included.

IR-6-G36T-E

Shown with optional casters.





ELECTRIC


PRO SERIES | RESTAURANT RANGE

24" WIDE RESTAURANT RANGES






MODEL	WIDTH	DEPTH	HEIGHT TO COOKTOP	SHIP WEIGHT (KG) LBS	LIST PRICE
IR-4-E	24" (610)	34 $\frac{3}{4}$ " (883)	36" (914)	(210) 465	\$15,402
IR-4-E-XB	24" (610)	34 $\frac{3}{4}$ " (883)	36" (914)	(184) 405	\$11,824
IR-G24T-E	24" (610)	34 $\frac{3}{4}$ " (883)	36" (914)	(225) 495	\$18,410
IR-G24T-E-XB	24" (610)	34 $\frac{3}{4}$ " (883)	36" (914)	(197) 435	\$14,850

36" WIDE RESTAURANT RANGES







MODEL	WIDTH	DEPTH	HEIGHT TO COOKTOP	SHIP WEIGHT (KG) LBS	LIST PRICE
IR-6-E	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(274) 605	\$17,616
IR-6-E-C	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(302) 665	\$22,713
IR-6-E-XB	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(247) 545	\$13,682
IR-4-G12T-E	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(283) 625	\$19,560
IR-4-G12T-E-C	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(311) 685	\$28,780
IR-4-G12T-E-XB	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(256) 565	\$15,706
IR-2-G24T-E	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(288) 635	\$20,503
IR-2-G24T-E-C	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(315) 695	\$29,682
IR-2-G24T-E-XB	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(261) 575	\$16,222
IR-G36T-E	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(297) 655	\$21,068
IR-G36T-E-C	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(320) 705	\$29,902
IR-G36T-E-XB	36" (914)	34 $\frac{3}{4}$ " (883)	36" (914)	(270) 595	\$17,208

48" WIDE RESTAURANT RANGES







MODEL	WIDTH	DEPTH	HEIGHT TO COOKTOP	SHIP WEIGHT (KG) LBS	LIST PRICE
IR-8-E	48" (1219)	34 $\frac{3}{4}$ " (883)	36" (914)	(322) 710	\$23,212
IR-8-E-XB	48" (1219)	34 $\frac{3}{4}$ " (883)	36" (914)	(290) 640	\$19,989
IR-4-G24T-E	48" (1219)	34 $\frac{3}{4}$ " (883)	36" (914)	(367) 810	\$29,143
IR-4-G24T-E-C-XB	48" (1219)	34 $\frac{3}{4}$ " (883)	36" (914)	(349) 770	\$36,610
IR-2-G36T-E	48" (1219)	34 $\frac{3}{4}$ " (883)	36" (914)	(386) 850	\$31,349
IR-2-G36T-E-XB	48" (1219)	34 $\frac{3}{4}$ " (883)	36" (914)	(395) 870	\$29,179
IR-G48T-E	48" (1219)	34 $\frac{3}{4}$ " (883)	36" (914)	(395) 870	\$35,642
IR-G48T-E-C-XB	48" (1219)	34 $\frac{3}{4}$ " (883)	36" (914)	(376) 830	\$41,645

60" WIDE RESTAURANT RANGES



MODEL	WIDTH	DEPTH	HEIGHT TO COOKTOP	SHIP WEIGHT (KG) LBS	LIST PRICE
IR-10-E	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(445) 980	\$27,980
IR-10-E-C	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(469) 1,035	\$36,943
IR-10-E-CC	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(494) 1,090	\$38,966
IR-10-E-XB	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(426) 940	\$23,598
IR-6-G24T-E	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(481) 1,060	\$27,824
IR-6-G24T-E-C	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(506) 1,115	\$36,784
IR-6-G24T-E-CC	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(531) 1,170	\$45,749
IR-6-G24T-E-XB	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(458) 1,010	\$23,444
IR-4-G36T-E	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(492) 1,085	\$30,451
IR-4-G36T-E-C	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(517) 1,140	\$39,409
IR-4-G36T-E-CC	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(542) 1,195	\$48,369
IR-4-G36T-E-XB	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(469) 1,035	\$26,067
IR-G60T-E	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(506) 1,115	\$40,466
IR-G60T-E-C	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(531) 1,170	\$49,429
IR-G60T-E-CC	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(556) 1,225	\$58,390
IR-G60T-E-XB	60" (1524)	34 $\frac{3}{4}$ " (883)	36" (914)	(483) 1,065	\$36,083

72" WIDE RESTAURANT RANGES



MODEL	WIDTH	DEPTH	HEIGHT TO COOKTOP	SHIP WEIGHT (KG) LBS	LIST PRICE
IR-12-E	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(515) 1,135	\$28,399
IR-12-E-C	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(540) 1,190	\$37,362
IR-12-E-CC	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(569) 1,255	\$46,319
IR-8-G24T-E	72" (1829)	34 ³ / ₄ " (883)	36" (914)	538) 1,185	\$36,610
IR-8-G24T-E-C	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(562) 1,240	\$45,570
IR-8-G24T-E-CC	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(592) 1,305	\$54,536
IR-6-G36T-E	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(542) 1,195	\$35,705
IR-6-G36T-E-C	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(567) 1,250	\$44,669
IR-6-G36T-E-CC	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(596) 1,315	\$53,629
IR-4-G48T-E	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(519) 1,145	\$41,549
IR-4-G48T-E-C	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(544) 1,200	\$50,508
IR-4-G48T-E-CC	72" (1829)	34 ³ / ₄ " (883)	36" (914)	(574) 1,265	\$59,473

RANGE OPTIONS

- 6" (152) Casters, set of 4 \$1,099 per set.
- 6" (152) Casters, set of 6 for 72" model \$1,649 per set.
- 12"W x 24"D Hot top section to replace 2 round plates, (add "-HT") \$1,837.
- 6" (152) stainless steel stub back, in lieu of standard backguard, No Charge.
- Chrome griddle top \$3,162 per lineal ft.
- Extra oven rack \$476.

ELECTRICAL INFORMATION

- Available in 208 and 240, 1 and 3 phase, please indicate at time of order.
- 2 J-Boxes for 48", 60" and 72" (1219, 1524 and 1829) ranges.
- 480 volts, 3 phase, 24" - \$2,481, 36" - \$3,061, 48" - \$4,928, 60" - \$6,159, 72" - \$7,216.

ELECTRICAL REQUIREMENTS

24" WIDE RESTAURANT RANGES

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IR-4-E	13.3	208	1	64
	13.3	208	3	38
	13.3	240	1	56
	13.3	240	3	33
	13.3	480	3	17
IR-4-E-XB	8	208	1	39
	8	208	3	23
	8	240	1	24
	8	240	3	25
	8	480	3	13

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IR-G24T-E	11.3	208	1	55
	11.3	208	3	31
	11.3	240	1	48
	11.3	240	3	28
	11.3	480	3	14
IR-G24T-E-XB	6	208	1	29
	6	208	3	17
	6	240	1	25
	6	240	3	15
	6	480	3	13

36" WIDE RESTAURANT RANGES

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IR-6-E	17.3	208	1	84
	17.3	208	3	51
	17.3	240	1	72
	17.3	240	3	44
	17.3	480	3	22
IR-6-E-C	17.3	208	1	91
	17.3	208	3	58
	17.3	240	1	79
	17.3	240	3	51
	17.3	480	3	29
IR-6-E-XB	12	208	1	58
	12	208	3	38
	12	240	1	50
	12	240	3	33
	12	480	3	17

CONTINUED ON PAGE 77

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IR-4-G12T-E	16.3	208	1	79
	16.3	208	3	46
	16.3	240	1	68
	16.3	240	3	40
	16.3	480	3	20
IR-4-G12T-E-C	16.3	208	1	86
	16.3	208	3	53
	16.3	240	1	75
	16.3	240	3	47
	16.3	480	3	27
IR-4-G12T-E-XB	11	208	1	53
	11	208	3	31
	11	240	1	46
	11	240	3	27
	11	480	3	14



ELECTRIC

PRO SERIES | RESTAURANT RANGE

36" WIDE RESTAURANT RANGES

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IR-2-G24T-E	15.3	208	1	74
	15.3	208	3	43
	15.3	240	1	64
	15.3	240	3	37
	15.3	480	3	19
IR-2-G24T-E-C	15.3	208	1	81
	15.3	208	3	50
	15.3	240	1	71
	15.3	240	3	44
	15.3	480	3	26
IR-2-G24T-E-XB	10	208	1	49
	10	208	3	28
	10	240	1	42
	10	240	3	25
	10	480	3	13

CONTINUED FROM PAGE 76

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IR-G36T-E	14.3	208	1	69
	14.3	208	3	42
	14.3	240	1	60
	14.3	240	3	36
	14.3	480	3	18
IR-G36T-E-C	14.3	208	1	76
	14.3	208	3	47
	14.3	240	1	67
	14.3	240	3	41
	14.3	480	3	24
IR-G36T-E-XB	9	208	1	44
	9	208	3	26
	9	240	1	38
	9	240	3	22
	9	480	3	10

48" WIDE RESTAURANT RANGES

MODEL	TOTAL KW	VOLTAGE	PH	AMPS J BOX "A"	AMPS J BOX "B"
IR-8-E	26.6	208	1	64	64
	26.6	208	3	38	38
	26.6	240	1	56	56
	26.6	240	3	33	33
	26.6	480	3	17	17
IR-8-E-XB	21.3	208	1	64	39
	21.3	208	3	38	29
	21.3	240	1	56	24
	21.3	240	3	33	25
	21.3	480	3	17	13
IR-4-G24T-E	24.6	208	1	64	55
	24.6	208	3	37	31
	24.6	240	1	56	48
	24.6	240	3	33	27
	24.6	480	3	17	14
IR-4-G24T-E-C-XB	19.3	208	1	29	71
	19.3	208	3	17	44
	19.3	240	1	25	63
	19.3	240	3	15	40
	19.3	480	3	13	24

MODEL	TOTAL KW	VOLTAGE	PH	AMPS J BOX "A"	AMPS J BOX "B"
IR-2-G36T-E	23.6	208	1	45	69
	23.6	208	3	26	40
	23.6	240	1	39	60
	23.6	240	3	23	34
	23.6	480	3	12	17
IR-G48T-E	22.6	208	1	55	55
	22.6	208	3	31	31
	22.6	240	1	48	48
	22.6	240	3	28	28
	22.6	480	3	14	14
IR-G48T-E-C-XB	17.3	208	1	29	62
	17.3	208	3	17	38
	17.3	240	1	25	56
	17.3	240	3	15	36
	17.3	480	3	13	21

60" WIDE RESTAURANT RANGES

MODEL	TOTAL KW	VOLTAGE	PH	AMPS J BOX "A"	AMPS J BOX "B"
IR-10-E	30.6	208	1	74	74
	30.6	208	3	43	43
	30.6	240	1	64	64
	30.6	240	3	37	37
	30.6	480	3	19	19

CONTINUED ON PAGE 78

MODEL	TOTAL KW	VOLTAGE	PH	AMPS J BOX "A"	AMPS J BOX "B"
IR-10-E-C	30.6	208	1	74	81
	30.6	208	3	43	50
	30.6	240	1	64	71
	30.6	240	3	37	44
	30.6	480	3	19	26

60" WIDE RESTAURANT RANGES

MODEL	TOTAL KW	VOLTAGE	PH	AMPS J BOX "A"	AMPS J BOX "B"
IR-10-E-CC	33.6	208	1	81	81
	33.6	208	3	47	47
	33.6	240	1	70	70
	33.6	240	3	41	41
	33.6	480	3	21	21
IR-10-E-XB	25.3	208	1	49	74
	25.3	208	3	43	38
	25.3	240	1	42	64
	25.3	240	3	37	33
	25.3	480	3	19	17
IR-6-G24T-E	28.6	208	1	84	55
	28.6	208	3	49	31
	28.6	240	1	73	48
	28.6	240	3	42	28
	28.6	480	3	21	14
IR-6-G24T-E-C	28.6	208	1	84	62
	28.6	208	3	49	38
	28.6	240	1	73	55
	28.6	240	3	42	35
	28.6	480	3	21	21
IR-6-G24T-E-CC	28.6	208	1	91	62
	28.6	208	3	56	38
	28.6	240	1	80	55
	28.6	240	3	49	35
	28.6	480	3	28	21
IR-6-G24T-E-XB	23.3	208	1	58	62
	23.3	208	3	34	38
	23.3	240	1	50	55
	23.3	240	3	29	35
	23.3	480	3	15	14
IR-4-G36T-E	27.6	208	1	71	76
	27.6	208	3	44	47
	27.6	240	1	63	67
	27.6	240	3	40	44
	27.6	480	3	24	24

CONTINUED FROM PAGE 77

MODEL	TOTAL KW	VOLTAGE	PH	AMPS J BOX "A"	AMPS J BOX "B"
IR-4-G36T-E-C	27.6	208	1	71	76
	27.6	208	3	44	47
	27.6	240	1	63	67
	27.6	240	3	40	44
	27.6	480	3	24	24
IR-4-G36T-E-CC	27.6	208	1	71	76
	27.6	208	3	44	47
	27.6	240	1	63	67
	27.6	240	3	40	74
	27.6	480	3	24	24
IR-4-G36T-E-XB	22.3	208	1	64	44
	22.3	208	3	37	26
	22.3	240	1	56	38
	22.3	240	3	33	22
	22.3	480	3	17	11
IR-G60T-E	25.6	208	1	55	69
	25.6	208	3	31	40
	25.6	240	1	48	90
	25.6	240	3	28	34
	25.6	480	3	14	17
IR-G60T-E-C	25.6	208	1	55	76
	25.6	208	3	31	47
	25.6	240	1	48	67
	25.6	240	3	28	47
	25.6	480	3	14	24
IR-G60T-E-CC	25.6	208	1	62	76
	25.6	208	3	38	47
	25.6	240	1	56	67
	25.6	240	3	36	41
	25.6	480	3	21	24
IR-G60T-E-XB	20.3	208	1	55	44
	20.3	208	3	31	26
	20.3	240	1	48	38
	20.3	240	3	28	22
	20.3	480	3	14	10



72" WIDE RESTAURANT RANGES

MODEL	TOTAL KW	VOLTAGE	PH	AMPS J BOX "A"	AMPS J BOX "B"
IR-12-E	34.6	208	1	84	84
	34.6	208	3	51	51
	34.6	240	1	72	72
	34.6	240	3	44	44
	34.6	480	3	22	22
IR-12-E-C	34.6	208	1	84	91
	34.6	208	3	49	56
	34.6	240	1	73	80
	34.6	240	3	42	49
	34.6	480	3	21	28
IR-12-E-CC	34.6	208	1	91	91
	34.6	208	3	56	56
	34.6	240	1	80	80
	34.6	240	3	49	49
	34.6	480	3	28	28
IR-8-G24T-E	32.6	208	1	84	74
	32.6	208	3	49	43
	32.6	240	1	73	64
	32.6	240	3	42	31
	32.6	480	3	21	19
IR-8-G24T-E-C	32.6	208	1	84	81
	32.6	208	3	49	50
	32.6	240	1	73	71
	32.6	240	3	42	44
	32.6	480	3	21	26
IR-8-G24T-E-CC	32.6	208	1	91	81
	32.6	208	3	56	50
	32.6	240	1	80	71
	32.6	240	3	49	44
	32.6	480	3	28	26
IR-6-G36T-E	25.3	208	1	84	69
	25.3	208	3	51	42
	25.3	240	1	72	60
	25.3	240	3	44	36
	25.3	480	3	22	18

MODEL	TOTAL KW	VOLTAGE	PH	AMPS J BOX "A"	AMPS J BOX "B"
IR-6-G36T-E-C	31.6	208	1	84	76
	31.6	208	3	49	47
	31.6	240	1	73	67
	31.6	240	3	48	41
	31.6	480	3	21	24
IR-6-G36T-E-CC	31.6	208	1	91	76
	31.6	208	3	56	47
	31.6	240	1	80	61
	31.6	240	3	55	41
	31.6	480	3	28	24
IR-4-G48T-E	30.6	208	1	79	69
	30.6	208	3	56	50
	30.6	240	1	68	60
	30.6	240	3	40	34
	30.6	480	3	20	17
IR-4-G48T-E-C	30.6	208	1	79	76
	30.6	208	3	46	47
	30.6	240	1	68	67
	30.6	240	3	40	41
	30.6	480	3	20	24
IR-4-G48T-E-CC	30.6	208	1	86	76
	30.6	208	3	53	47
	30.6	240	1	75	67
	30.6	240	3	47	41
	30.6	480	3	27	24



ELECTRIC GRIDDLE TOP

- 1/2" thick, highly polished steel plate holds temperature and has a quick recovery.
- 3/4" thick highly polished steel plate for 60" and 72" range.
- Full 21" (533) plate depth for more cooking surface.
- 3" (76) wide grease trough and removable grease can.
- Surface is ideal for a large range of menu items.
- Thermostat maintains selected temperature during peak hours.
- 3 KW serpentine elements located under entire griddle plate.

ELECTRIC ROUND PLATE ELEMENTS

- 2 KW round plates with easy-to-clean surface. Provides a solid flat surface for faster, even heating.
- Plates are 9" (229) diameter for maximum pan contact.
- Solid top prevents spills from entering unit making clean-up easy.
- Infinite heat controls for maximum cooking flexibility.



IHR-2HT-2-E

Shown with optional casters



IHR-6-E






Shown with optional casters



IHR-GT36-E

Shown with optional casters





36" SPEC SERIES RANGES

MODEL	WIDTH	DEPTH	SHIP WEIGHT (KG) LBS	LIST PRICE
IHR-6-E	36" (914)	38" (965)	(270) 595	\$24,252
IHR-6-E-C	36" (914)	38" (965)	(297) 655	\$32,882
IHR-6-E-XB	36" (914)	38" (965)	(193) 425	\$17,221
IHR-6-E-M	36" (914)	38" (965)	(145) 320	\$14,603
IHR-4-1HT-E	36" (914)	38" (965)	(273) 602	\$25,277
IHR-4-1HT-E-C	36" (914)	38" (965)	(300) 662	\$33,996
IHR-4-1HT-E-XB	36" (914)	38" (965)	(196) 432	\$18,334
IHR-4-1HT-E-M	36" (914)	38" (965)	(148) 327	\$15,724
IHR-2HT-2-E	36" (914)	38" (965)	(281) 619	\$25,023
IHR-2HT-2-E-C	36" (914)	38" (965)	(308) 679	\$33,660
IHR-2HT-2-E-XB	36" (914)	38" (965)	(204) 449	\$18,046
IHR-2HT-2-E-M	36" (914)	38" (965)	(156) 344	\$15,330
IHR-GT36-E	36" (914)	38" (965)	(277) 610	\$30,989
IHR-GT36-E-C	36" (914)	38" (965)	(304) 670	\$39,717
IHR-GT36-E-XB	36" (914)	38" (965)	(200) 440	\$24,057
IHR-GT36-E-M	36" (914)	38" (965)	(152) 335	\$21,389
IHR-GT24-2-E	36" (914)	38" (965)	(293) 646	\$28,083
IHR-GT24-2-E-C	36" (914)	38" (965)	(320) 706	\$36,712
IHR-GT24-2-E-XB	36" (914)	38" (965)	(216) 476	\$21,098
IHR-GT24-2-E-M	36" (914)	38" (965)	(168) 371	\$18,388

SPEC SERIES RANGE OPTIONS

- 6" (152) Casters, set of 4 \$1,099 per set.
- Extra oven rack \$476.
- 480V upcharge \$5,225
- Backguards and high shelves available.

ELECTRICAL REQUIREMENTS

SPEC SERIES RANGES

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IHR-6-E	17.3	208	1	84
	17.3	208	3	49
	17.3	240	1	73
	17.3	240	3	48
	17.3	480	3	21
IHR-6-E-C	17.3	208	1	91
	17.3	208	3	56
	17.3	240	1	80
	17.3	240	3	55
	17.3	480	3	28
IHR-6-E-XB	12	208	1	58
	12	208	3	34
	12	240	1	50
	12	240	3	29
	12	480	3	15

CONTINUED ON PAGE 82

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IHR-6-E-M	12	208	1	58
	12	208	3	34
	12	240	1	50
	12	240	3	29
	12	480	3	15
IHR-4-1HT-E	16.3	208	1	79
	16.3	208	3	46
	16.3	240	1	68
	16.3	240	3	40
	16.3	480	3	20
IHR-4-1HT-E-C	16.3	208	1	86
	16.3	208	3	53
	16.3	240	1	75
	16.3	240	3	47
	16.3	480	3	27



Notes: Measurements in () are metric equivalents.
"XB" specifies open cabinet storage base. "C" specifies convection oven. "M" specifies Modular / Countertop (no base).

ELECTRICAL REQUIREMENTS

SPEC SERIES RANGES

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IHR-4-1HT-E-XB	11	208	1	53
	11	208	3	31
	11	240	1	46
	11	240	3	27
	11	480	3	14
IHR-4-1HT-E-M	11	208	1	53
	11	208	3	31
	11	240	1	46
	11	240	3	27
	11	480	3	14
IHR-2HT-2-E	15.3	208	1	74
	15.3	208	3	43
	15.3	240	1	64
	15.3	240	3	37
	15.3	480	3	19
IHR-2HT-2-E-C	15.3	208	1	81
	15.3	208	3	50
	15.3	240	1	71
	15.3	240	3	44
	15.3	480	3	26
IHR-2HT-2-E-XB	10	208	1	49
	10	208	3	28
	10	240	1	42
	10	240	3	25
	10	480	3	13
IHR-2HT-2-E-M	10	208	1	49
	10	208	3	28
	10	240	1	42
	10	240	3	25
	10	480	3	13
IHR-GT36-E	17.3	208	1	84
	17.3	208	3	49
	17.3	240	1	73
	17.3	240	3	48
	17.3	480	3	21

CONTINUED FROM PAGE 81

MODEL	TOTAL KW	VOLTAGE	PH	AMPS
IHR-GT36-E-C	17.3	208	1	91
	17.3	208	3	56
	17.3	240	1	80
	17.3	240	3	55
	17.3	480	3	28
IHR-GT36-E-XB	12	208	1	58
	12	208	3	34
	12	240	1	50
	12	240	3	29
	12	480	3	15
IHR-GT36-E-M	12	208	1	58
	12	208	3	34
	12	240	1	50
	12	240	3	29
	12	480	3	15
IHR-GT24-2-E	17.3	208	1	84
	17.3	208	3	49
	17.3	240	1	73
	17.3	240	3	48
	17.3	480	3	21
IHR-GT24-2-E-C	17.3	208	1	91
	17.3	208	3	56
	17.3	240	1	80
	17.3	240	3	55
	17.3	480	3	28
IHR-GT24-2-E-XB	12	208	1	58
	12	208	3	34
	12	240	1	50
	12	240	3	29
	12	480	3	15
IHR-GT24-2-E-M	12	208	1	58
	12	208	3	34
	12	240	1	50
	12	240	3	29
	12	480	3	15

ELECTRICAL INFORMATION:

- Available in 208 and 240, 1 and 3 phase, please indicate at time of order.
- Available in 480 volts, 3 phase, contact factory for pricing.