

CHEST FREEZERS



Solid Top Chest Freezer - MWF Series
Angle Curved Glass Top Chest Freezer



"WE MAKE THE KITCHEN BETTER!"

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com

California, Colorado, Florida, Georgia, Illinois,
Massachusetts, New Jersey, Ohio, Texas, Washington

Solid Top Chest Freezers

Standard Features

- Atosa solid top freezers are uniquely designed to store ice cream and all types of frozen merchandise and seasonal specialties
- 3" insulation foam wall secure cold effect using environmentally friendly refrigeration system
- Maintains -10°F to -1°F, ideal for both ice cream and frozen food
- Exterior white pre-coated steel cabinet is durable and permanent
- Interior white pre-coated aluminum is NSF sanitation approved and is durable and easy to clean
- Standard door locks provides security prevents theft (for models above MWF9007)
- Convenient defrost drain for easy cleaning. 1" diameter stem casters
- Standard Epoxy coated white basket to keep smaller items in place

MODELS:

MWF9007 / MWF9010GR / MWF9016GR



MWF9007



MWF9010GR



MWF9016GR

For the best results of food preservation we recommend setting your freezer between -8 °F to 0 °F

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.



1 YEAR PARTS AND LABOR WARRANTY (US ONLY)
5 YEAR COMPRESSOR PART WARRANTY (US ONLY)





"WE MAKE THE KITCHEN BETTER!"

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com


California, Colorado, Florida, Georgia, Illinois,
Massachusetts, New Jersey, Ohio, Texas, Washington

SPECIFICATIONS


Models	Door	Capacity (Cu.Ft.)	Casters (inch)	Watts (W)	Amps (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions (inch)	Net Weight(lbs)	Gross Weight(lbs)
MWF9007	1	7	1	115	1	115/60/1	1/8	R600a	37 ⁴ / ₅ ×20 ³ / ₅ ×32 ¹ / ₂	88	95
MWF9010GR	1	9.6	1	173	1.5	115/60/1	1/5	R290	40 ¹ / ₂ ×26 ¹ / ₂ ×32 ¹ / ₂	114	127
MWF9016GR	1	15.9	1	300	1.6	115/60/1	1/5	R290	60 ³ / ₁₀ ×26 ¹ / ₂ ×32 ¹ / ₂	151	165

PLAN VIEW



MWF9007



MWF9010GR



MWF9016GR





"WE MAKE THE KITCHEN BETTER!"

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com

California, Colorado, Florida, Georgia, Illinois,
Massachusetts, New Jersey, Ohio, Texas, Washington

Angle Curved Glass Top Chest Freezers

Standard Features

- Atosa Glass Lid Curved Top Freezer MMF9110 and MMF9113 are uniquely designed with high value for perfect storage of ice cream and all types of frozen merchandise and seasonal specialties
- Good energy efficiency system with environmentally friendly R290 refrigerant
- High quality refrigeration system that maintains chamber temperature at -10°F to -1°F for best in ice cream and all types of frozen merchandise preservation.
- Chamber temperature display on front shows chamber cooling and food storage status
- Bright LED interior light provide more even lighting throughout the cabinet
- Standard accessory food baskets fully loaded , 3 baskets for MMF9110, 4 baskets for MMF9113
- Cabinet temperature can be adjusted by thermostat easily
- Unit completely pr-wired at factory and ready to connection of power 115/60/1 phase, Cord and plug NEMA-5-15 included
- ETL safety and ETL Sanitation conforms to NSF-7 standard approval for store or display of packaged and bottled products
- 3" good insulation by foamed-in-place high density polyurethane cell insulation
- Door lock standard feature provides security in field.
- Convenient defrost drain for easy cleaning

MODELS:

MMF9110 / MMF9113



MMF9110



MMF9113

For the best results of food preservation we recommend setting your freezer between -10 °F to -1 °F

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.



1 YEAR PARTS AND LABOR WARRANTY (US ONLY)
5 YEAR COMPRESSOR PART WARRANTY (US ONLY)





"WE MAKE THE KITCHEN BETTER!"

Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
 California, Colorado, Florida, Georgia, Illinois,
 Massachusetts, New Jersey, Ohio, Texas, Washington

SPECIFICATIONS

Models	Door	Baskets	Capacity (Cu.Ft.)	Casters (inch)	Amps (A)	Voltage (V/Hz/Ph)	Refrigerant	Exterior Dimensions (inch)	Net Weight (lbs)	Gross Weight (lbs)
MMF9110	2	3	9.6	2	1.6	115/60/1	R290	40 ^{3/4} ×26 ^{3/4} ×33 ^{3/8}	126	132
MMF9113	2	4	12.5	2	1.6	115/60/1	R290	50 ^{1/8} ×26 ^{3/4} ×33 ^{3/8}	145	150

PLAN VIEW

