

VERSA-CHILL SERIES

Worktop Fridges &
FreezersCWDR1-27VC
FWDR1-27VCCWDR1-27VC
FWDR1-27VC

Features

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- For optimum food preservation refrigeration units hold 33°F to 45°F (0.5°C to 8°C), freezer units hold -8°F to 1°F (-22°C to -18°C)
- Recessed door handle
- Removable gasket that is easy to clean and replace
- Casters for easy movement
- Pre-installed shelves

Model	Doors	Shelves	Dimension (mm)			HP	Voltage	Amps	Capacity Cu Ft. (L)	Net Weight lb (kg)	NEMA Config.
			L"	D"	H"						
REFRIGERATION											
CWDR1-27VC-L	1	1	27.5 (698)	30 (762)	37.8 (959)	1/6	115/60	2.3	7.2 (202)	139 (63)	5-15P
CWDR1-27VC-R	1	1	27.5 (698)	30 (762)	37.8 (959)	1/6	115/60	2.3	7.2 (202)	139 (63)	5-15P
FREEZER											
FWDR1-27VC-L	1	1	27.5 (698)	30 (762)	37.8 (959)	1/5	115/60	1.8	7.2 (202)	147 (67)	5-15P
FWDR1-27VC-R	1	1	27.5 (698)	30 (762)	37.8 (959)	1/5	115/60	1.8	7.2 (202)	147 (67)	5-15P

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

>> **Product Information:** Single door fridges can be purchased with right or left hinges, see product code for correct ordering

Specifications subject to change without notice.



VERSA-CHILL SERIES

Worktop Fridges &
FreezersCWDR2-48VC, CWDR2-60VC
FWDR2-48VC, FWDR2-60VC**CWDR2-48VC, CWDR2-60VC
FWDR2-48VC, FWDR2-60VC****Features**

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- For optimum food preservation refrigeration units hold 33°F to 45°F (0.5°C to 8°C), freezer units hold -8°F to 1°F (-22°C to -18°C)
- Recessed door handle
- Removable gasket that is easy to clean and replace
- Casters for easy movement
- Pre-installed shelves



Model	Doors	Shelves	Dimension (mm)			HP	Voltage	Amps	Capacity Cu Ft. (L)	Net Weight lb (kg)	NEMA Config.
			L"	D"	H"						
REFRIGERATION											
CWDR2-48VC	2	2	48.2 (1225)	30 (762)	37.8 (959)	1/6	115/60	2.3	13.4 (379)	196 (89)	5-15P
CWDR2-60VC	2	2	60.2 (1530)	30 (762)	37.8 (959)	1/5	115/60	2.8	17.2 (487)	222 (101)	5-15P
FREEZER											
FWDR2-48VC	2	2	48.2 (1225)	30 (762)	37.8 (959)	1/3	115/60	2.6	13.4 (379)	207 (94)	5-15P
FWDR2-60VC	2	2	60.2 (1530)	30 (762)	37.8 (959)	1/3	115/60	2.6	17.2 (487)	233 (106)	5-15P

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years
on compressor; full details on page 226



Specifications subject to change without notice.

VERSA-CHILL SERIES

Worktop Fridges

CWDR3-72VC



CWDR3-72VC

Features

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- For optimum food preservation refrigeration units hold 33°F to 45°F (0.5°C to 8°C), freezer units hold -8°F to 1°F (-22°C to -18°C)
- Recessed door handle
- Removable gasket that is easy to clean and replace
- Casters for easy movement
- Pre-installed shelves

Model	Doors	Shelves	Dimension (mm)			HP	Voltage	Amps	Capacity Cu Ft. (L)	Net Weight lb (kg)	NEMA Config.
			L"	D"	H"						
REFRIGERATION											
CWDR3-72VC	3	3	72.7 (1846)	30 (762)	37.8 (959)	1/5	115/60	2.8	21.1 (598)	260 (118)	5-15P

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

Specifications subject to change without notice.



VERSA-CHILL SERIES

Worktop Fridges & Freezers w/Drawers

CWDW2-27VC
FWDW2-27VC



CWDW2-27VC
FWDW2-27VC

Features

- Exterior & interior stainless steel construction
- Heavy duty Embraco compressor
- Efficient refrigeration system
- For optimum food preservation refrigeration units hold 33°F to 45°F (0.5°C to 8°C), freezer units hold -8°F to 1°F (-22°C to -18°C)
- Recessed drawer handle
- Removable gasket that is easy to clean and replace
- Casters for easy movement



Model	Doors	Shelves	Dimension (mm)			HP	Voltage	Amps	Capacity Cu Ft. (L)	Net Weight lb (kg)	NEMA Config.
			L"	D"	H"						
REFRIGERATION											
CWDW2-27VC	-	-	27.5 (698)	30 (762)	37.8 (959)	1/6	115/60	3.2	6.5 (184)	198 (90)	5-15P
FREEZER											
FWDW2-27VC	-	-	27.5 (698)	30 (762)	37.8 (959)	1/3	115/60	5.2	6.5 (184)	198 (90)	5-15P

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226



Specifications subject to change without notice.

VERSA-CHILL SERIES

Worktop Fridges &
Freezers w/DrawersCWDW2-48VC, CWDW2-60VC
FWDW2-48VC**CWDW2-48VC, CWDW2-60VC
FWDW2-48VC****Features**

- Exterior & interior stainless steel construction
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- For optimum food preservation refrigeration units hold 33°F to 45°F (0.5°C to 8°C), freezer units hold -8°F to 1°F (-22°C to -18°C)
- Recessed door handle
- Removable gasket that is easy to clean and replace
- Casters for easy movement
- Pre-installed shelves

Model	Doors	Shelves	Dimension (mm)			HP	Voltage	Amps	Capacity Cu Ft. (L)	Net Weight lb (kg)	NEMA Config.
			L"	D"	H"						
REFRIGERATION											
CWDW2-48VC	1	1	48.2 (1225)	30 (762)	37.8 (959)	1/6	115/60	4.2	12 (340)	242 (110)	5-15P
CWDW2-60VC	1	1	60.2 (1530)	30 (762)	37.8 (959)	1/4	115/60	4.2	17.9 (487)	297 (135)	5-15P
FREEZER											
FWDW2-48VC	1	1	48.2 (1225)	30 (762)	37.8 (959)	1/2	115/60	7.2	12 (340)	242 (110)	5-15P

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

Specifications subject to change without notice.



VERSA-CHILL SERIES

Salad/Sandwich
Prep Tables

CSDR1-27VC



CSDR1-27VC

Features



- Exterior & interior stainless steel construction
- Lid allows for easy access to food
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CSDR1-27VC-L	1	1	698	762	1109	1/6	115/60	2.3	202	72	0.5 ~ 8°C	5-15P
			27.5	30.0	43.7				7.2	158	33 ~ 45°F	
CSDR1-27VC-R	1	1	698	762	1109	1/6	115/60	2.3	202	72	0.5 ~ 8°C	5-15P
			27.5	30.0	43.7				7.2	158	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

>> **Product Information:** Single door fridges can be purchased with right or left hinges, see product code for correct ordering

Specifications subject to change without notice.



VERSA-CHILL SERIES

Salad/Sandwich
Prep TablesCSDR2-48VC, CSDR2-60VC
CSDR2-36VCXCSDR2-48VC, CSDR2-60VC
CSDR2-36VCX

Features



- Exterior & interior stainless steel construction
- Lid allows for easy access to food
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor (VC units)
- Heavy duty Cubigel compressor (VCX units)
- Self-closing and stay open door
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves
- Note: image for VCX unit varies slightly (see SPEC sheet)

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CSDR2-48VC	2	2	1225	762	1109	1/6	115/60	2.3	379	105	0.5 ~ 8°C	5-15P
			48.2	30.0	43.7				13.4	231	33 ~ 45°F	
CSDR2-60VC	2	2	1530	762	1109	1/5	115/60	2.8	487	123	0.5 ~ 8°C	5-15P
			60.2	30.0	43.7				17.2	271	33 ~ 45°F	
CSDR2-36VCX	2	2	920	750	1075	2/5	115/60	4.2	269	115.2	0.5 ~ 5°C	5-15P
			36.2	29.5	42.3				9.5	254	33 ~ 41°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

Specifications subject to change without notice.



VERSA-CHILL SERIES

Salad/Sandwich
Prep Table

CSDR3-72VC



CSDR3-72VC

Features



- Exterior & interior stainless steel construction
- Lid allows for easy access to food
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CSDR3-72VC	3	3	1846	762	1109	1/5	115/60	2.8	598	144	0.5 ~ 8°C	5-15P
			72.7	30.0	43.7				21.1	317	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226



Specifications subject to change without notice.

VERSA-CHILL SERIES

Salad/Sandwich
Prep Tables

CSDW2-27VC



CSDW2-27VC

Features

- Exterior & interior stainless steel construction
- Lid allows for easy access to food
- Heavy duty Embraco compressor
- Recessed drawer handle
- Magnetic drawer gaskets
- Casters for easy movement

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CSDW2-27VC	-	-	698	762	1109	1/4	115/60	4.2	184	90	0.5 ~ 8°C	5-15P
			27.5	30.0	43.7				6.5	198	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

Specifications subject to change without notice.



VERSA-CHILL SERIES

Salad/Sandwich
Prep TablesCSDW2-48VC
CSDW2-60VCCSDW2-48VC
CSDW2-60VC

Features



- Exterior & interior stainless steel construction
- Lid allows for easy access to food
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CSDW2-48VC	1	1	1225	762	1109	1/3	115/60	7.5	340	110	0.5 ~ 8°C	5-15P
			48.2	30.0	43.7				12.0	242	33 ~ 45°F	
CSDW2-60VC	1	1	1530	762	1109	1/3	115/60	7.5	510	150	0.5 ~ 8°C	5-15P
			60.2	30.0	43.7				18.0	330	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226



Specifications subject to change without notice.

VERSA-CHILL SERIES

Pizza Prep Tables

CPDR1-44VC



CPDR1-44VC

Features

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves
- Removable lid/top

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CPDR1-44VC-L	1	2	1117	840	1035	1/6	115/60	2.3	275	108	0.5 ~ 8°C	5-15P
			44.0	33.1	40.7				9.7	238	33 ~ 45°F	
CPDR1-44VC-R	1	2	1117	840	1035	1/6	115/60	2.3	275	108	0.5 ~ 8°C	5-15P
			44.0	33.1	40.7				9.7	238	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

>> **Product Information:** Single door fridges can be purchased with right or left hinges, see product code for correct ordering

Specifications subject to change without notice.



VERSA-CHILL SERIES

Pizza Prep Tables

CPDR2-67VC

**CPDR2-67VC****Features**

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves
- Removable lid/top

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CPDR2-67VC	2	4	1701	840	1035	1/5	115/60	2.8	524	152	0.5 ~ 8°C	5-15P
			67.0	33.1	40.7				18.5	334	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226



Specifications subject to change without notice.

VERSA-CHILL SERIES

Pizza Prep Tables

CPDR3-93VC



CPDR3-93VC

Features

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves
- Removable lid/top

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CPDR3-93VC	3	6	2362	840	1035	1/3	115/60	3.1	804	194	0.5 ~ 8°C	5-15P
			93.0	33.1	40.7				28.4	427	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

Specifications subject to change without notice.



VERSA-CHILL SERIES

Pizza Prep Tables

CPDW2-44VC



CPDW2-44VC

Features

- Exterior & interior stainless steel construction
- Heavy duty Embraco compressor
- Efficient refrigeration system
- Recessed drawer handle
- Magnetic drawer gaskets
- Casters for easy movement
- Removable lid/top

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CPDW2-44VC	-	-	1117	840	1035	1/4	115/60	4.2	396	140	0.5 ~ 8°C	5-15P
			44.0	33.1	40.7				14.0	308	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226



Specifications subject to change without notice.

VERSA-CHILL SERIES

Pizza Prep Tables

CPDW2-67VC



CPDW2-67VC

Features

- Exterior & interior stainless steel construction
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves
- Removable lid/top

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CPDW2-67VC	1	1	1701	840	1035	1/3	115/60	7.5	566	249	0.5 ~ 8°C	5-15P
			67.0	33.1	40.7				20.0	548	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

Specifications subject to change without notice.



VERSA-CHILL SERIES

Pizza Prep Tables

CPDW2-93VC



CPDW2-93CC

Features

- Exterior & interior stainless steel construction
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves
- Removable lid/top

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CPDW2-93VC	2	2	2362	840	1035	2/3	115/60	7.7	880	316	0.5 ~ 8°C	5-15P
			93.0	33.1	40.7				26.0	695	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226



Specifications subject to change without notice.

VERSA-CHILL SERIES

Mega Top Prep
Tables

CMDR1-27VC



CMDR1-27VC

Features

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Lid allows for easy access to food
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CMDR1-27VC-L	1	1	698	863	1183	1/6	115/60	2.3	224	77	0.5 ~ 8°C	5-15P
			27.5	34.0	46.6				7.9	169	33 ~ 45°F	
CMDR1-27VC-R	1	1	698	863	1183	1/6	115/60	2.3	224	77	0.5 ~ 8°C	5-15P
			27.5	34.0	46.6				7.9	169	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

>> **Product Information:** Single door fridges can be purchased with right or left hinges, see product code for correct ordering

Specifications subject to change without notice.



VERSA-CHILL SERIES

Mega Top Prep
TablesCMDR2-48VC, CMDR2-60VC
CMDR2-36VCX**CMDR2-48VC, CMDR2-60VC
CMDR2-36VCX****Features**

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor (VC units)
- Heavy duty Cubigel compressor (VCX units)
- Lid allows for easy access to food
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves
- Note: image for VCX unit varies slightly (see SPEC sheet)

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb)	Temperature Range	NEMA Config.
			L	D	H							
CMDR2-48VC	2	2	1225	863	1183	1/6	115/60	2.3	416	110	0.5 ~ 8°C	5-15P
			48.2	34.0	46.6				14.7	242	33 ~ 45°F	
CMDR2-60VC	2	2	1530	863	1183	1/5	115/60	2.8	586	129	0.5 ~ 8°C	5-15P
			60.2	34.0	46.6				20.7	284	33 ~ 45°F	
CMDR2-36VCX	2	2	920	864	1166	2/5	115/60	4.2	255	119.7	0.5 ~ 5°C	5-15P
			36.2	34	45.9				9	264	33 ~ 41°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226



Specifications subject to change without notice.

VERSA-CHILL SERIES

Mega Top Prep Tables

CMDR3-72VC

**CMDR3-72VC****Features**

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Lid allows for easy access to food
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Magnetic door gaskets
- Casters for easy movement
- Pre-installed shelves

Model	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (kg) (lb))	Temperature Range	NEMA Config.
			L	D	H							
CMDR3-72VC	3	3	1846	863	1183	1/5	115/60	2.8	714	150	0.5 ~ 8°C	5-15P
			72.7	34.0	46.6				25.2	330	33 ~ 45°F	

>> **Refrigeration Warranty:** 2 year parts and labour; 5 years on compressor; full details on page 226

Specifications subject to change without notice.

efi sales Ltd.