



GAS

SPEC SERIES | OPEN BURNER AND HOT TOP RANGES



IHR-6-P

Shown with optional casters.

OPEN BURNER FEATURES

- Burners are 40,000 BTU/hr 12KW with a 7,000 BTU 2KW low simmer feature.
- One-piece venturi base has no gaskets. Venturi slopes to burner creating more efficient heating.
- Cast iron burners are anti-clogging with removable burner heads for easy cleaning.
- Wavy Grates are standard
- "Spider" Grates are optional
- 3/4" rear gas connection standard




IHR-GT36-C

Shown with optional casters.

GRIDDLE FEATURES


- Heavy duty polished tops 18"w x 28"d (457 x 711) and 12"w x 28"d (610 x 711).
- One burner every 18" (457), rated 40,000 BTU/hr 12KW. One burner every 12" (305), rated 30,000 BTU 9KW.
- Even heat throughout griddle surface.
- Thermostatic control for each burner.
- 1" thick griddle plate

SIX 40,000 BTU OPEN BURNERS



MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-6	STANDARD OVEN	280,000	82	270	595	\$20,620
IHR-6-C	CONVECTION OVEN	275,000	81	297	655	\$27,960
IHR-6-XB	STORAGE BASE	240,000	70	193	425	\$14,644
IHR-6-P	PROTECTION OVEN	292,000	86	326	720	\$32,980
IHR-6-M	MODULAR (NO BASE)	240,000	70	145	320	\$12,413


FOUR 40,000 BTU OPEN BURNERS 18" WIDE GRATES



MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-4	STANDARD OVEN	200,000	59	268	590	\$19,751
IHR-4-C	CONVECTION OVEN	195,000	57	295	670	\$27,133
IHR-4-XB	STORAGE BASE	160,000	47	190	420	\$13,780
IHR-4-P	PROTECTION OVEN	212,000	62	326	720	\$32,112
IHR-4-M	MODULAR (NO BASE)	160,000	47	143	315	\$11,514




Notes: Measurements in () are metric equivalents. XB = Storage base | M = Modular (No base) | C= Convection oven.




TWO 40,000 BTU OPEN BURNERS AND 18" EVEN HEAT HOT TOP

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-2-1HT	STANDARD OVEN	160,000	47	346	762	\$22,433
IHR-2-1HT-C	CONVECTION OVEN	155,000	45	373	822	\$29,725
IHR-2-1HT-XB	STORAGE BASE	120,000	35	269	592	\$16,461
IHR-2-1HT-P	PROVECTION OVEN	172,000	50	381	841	\$34,791
IHR-2-1HT-M	MODULAR (NO BASE)	120,000	35	190	417	\$14,142




FOUR 40,000 BTU OPEN BURNERS AND ONE 12" EVEN HEAT HOT TOP

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-4-1HT	STANDARD OVEN	230,000	67	342	752	\$21,488
IHR-4-1HT-C	CONVECTION OVEN	225,000	66	369	812	\$28,904
IHR-4-1HT-XB	STORAGE BASE	190,000	56	264	582	\$15,590
IHR-4-1HT-P	PROVECTION OVEN	242,000	71	377	831	\$33,845
IHR-4-1HT-M	MODULAR (NO BASE)	190,000	56	185	407	\$13,369




THREE 12" COMBINATION 40,000 BTU OPEN BURNERS AND EVEN HEAT HOT TOPS

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-3HT-3	STANDARD OVEN	280,000	82	348	767	\$21,488
IHR-3HT-3-C	CONVECTION OVEN	275,000	81	376	827	\$28,904
IHR-3HT-3-XB	STORAGE BASE	240,000	70	271	597	\$15,590
IHR-3HT-3-P	PROVECTION OVEN	292,000	86	384	846	\$33,845
IHR-3HT-3-M	MODULAR (NO BASE)	240,000	70	192	422	\$13,369



TWO 18" WIDE EVEN HEAT HOT TOPS

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-2HT	STANDARD OVEN	120,000	35	276	610	\$20,866
IHR-2HT-C	CONVECTION OVEN	115,000	34	303	670	\$28,246
IHR-2HT-XB	STORAGE BASE	80,000	23	200	440	\$14,971
IHR-2HT-P	PROVECTION OVEN	132,000	39	312	689	\$33,225
IHR-2HT-M	MODULAR (NO BASE)	80,000	23	152	335	\$12,624



TWO 12" EVEN HEAT HOT TOPS AND TWO 40,000 BTU OPEN BURNERS

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-2HT-2	STANDARD OVEN	180,000	53	349	769	\$21,272
IHR-2HT-2-C	CONVECTION OVEN	175,000	51	376	828	\$28,618
IHR-2HT-2-XB	STORAGE BASE	140,000	41	272	599	\$15,343
IHR-2HT-2-P	PROVECTION OVEN	192,000	56	385	848	\$33,631
IHR-2HT-2-M	MODULAR (NO BASE)	140,000	41	193	424	\$13,035



GAS

SPEC SERIES | GRIDDLE, FRENCH AND HOT TOP RANGES




IHR-1FT-C

Shown with optional stainless steel backguard with shelf.

FRENCH TOP FEATURES

- Circular cast iron ring and cover lift off so that cooking pans can be placed directly on the intense open flame.
- Temperatures gradually reduce toward the rear of each 18" w x 28" d (457 w x 711 d) top for simmering. Manual controls for each burner.
- Two removable circular rings are located directly over the burner for sautéing.
- One cast iron ring burner rated at 35,000 BTU/hr 10KW for 18" (457) section.


TWO 18" FRENCH TOPS WITH RINGS AND COVERS



MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-2FT	STANDARD OVEN	110,000	32	275	608	\$20,455
IHR-2FT-C	CONVECTION OVEN	105,000	31	257	568	\$27,794
IHR-2FT-XB	STORAGE BASE	70,000	21	198	438	\$14,523
IHR-2FT-P	PROVECTION OVEN	122,000	36	299	660	\$32,813
IHR-2FT-M	MODULAR (NO BASE)	70,000	21	151	333	\$12,292




Notes: Measurements in () are metric equivalents. XB = Storage base | M = Modular (No base) | C= Convection oven.




ONE 36" FRENCH TOP WITH RING AND COVER

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-1FT	STANDARD OVEN	75,000	22	275	608	\$19,671
IHR-1FT-C	CONVECTION OVEN	70,000	21	257	568	\$26,723
IHR-1FT-XB	STORAGE BASE	35,000	10	198	438	\$13,959
IHR-1FT-P	PROVECTION OVEN	87,000	25	249	660	\$32,027
IHR-1FT-M	MODULAR (NO BASE)	35,000	10	151	333	\$11,816




36" GRIDDLE TOP WITH MANUAL CONTROLS

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-G36	STANDARD OVEN	130,000	38	276	610	\$21,857
IHR-G36-C	CONVECTION OVEN	125,000	37	303	670	\$29,190
IHR-G36-XB	STORAGE BASE	90,000	26	200	440	\$15,878
IHR-G36-P	PROVECTION OVEN	142,000	42	312	689	\$34,216
IHR-G36-M	MODULAR (NO BASE)	90,000	26	152	335	\$13,655




36" GRIDDLE TOP WITH THERMOSTATS

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-GT36	STANDARD OVEN	130,000	38	276	610	\$26,349
IHR-GT36-C	CONVECTION OVEN	125,000	37	303	670	\$33,767
IHR-GT36-XB	STORAGE BASE	90,000	26	200	440	\$20,455
IHR-GT36-P	PROVECTION OVEN	142,000	42	312	689	\$34,325
IHR-GT36-M	MODULAR (NO BASE)	90,000	26	152	335	\$18,187



18" GRIDDLE TOP AND 18" EVEN HEAT HOT TOP

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-G18-1HT	STANDARD OVEN	120,000	35	278	615	\$21,857
IHR-G18-1HT-C	CONVECTION OVEN	115,000	34	306	675	\$29,190
IHR-G18-1HT-XB	STORAGE BASE	80,000	23	202	445	\$15,878
IHR-G18-1HT-P	PROVECTION OVEN	132,000	39	290	644	\$34,216
IHR-G18-1HT-M	MODULAR (NO BASE)	80,000	23	154	340	\$13,655



18" GRIDDLE TOP WITH THERMOSTAT AND 18" EVEN HEAT HOT TOP

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-GT18-1HT	STANDARD OVEN	120,000	35	278	615	\$23,670
IHR-GT18-1HT-C	CONVECTION OVEN	115,000	34	306	675	\$31,042
IHR-GT18-1HT-XB	STORAGE BASE	80,000	23	202	445	\$17,732
IHR-GT18-1HT-P	PROVECTION OVEN	132,000	39	290	644	\$36,030
IHR-GT18-1HT-M	MODULAR (NO BASE)	80,000	23	154	340	\$15,463



GAS

SPEC SERIES | OPEN BURNER, GRIDDLE AND PLANCHA RANGES

IHR-G18-2

Shown with optional stainless steel backguard with shelf.

STANDARD OVEN FEATURES

- Interior accommodates 2 rack positions 18" x 26" (457 x 660) sheet pans front-to-back and side-to-side.
- 100% safety pilot. Manual oven shut-off-valve.
- Side oven controls in cool zone.
- Heavy duty thermostat with temperature range from 150°F to 500°F. (65°C to 260°C).
- Porcelainized sides, rear, deck and door liner optimize heat retention.
- Unique baffle above the burner distributes heat flow for even temperatures throughout the 40,000 BTU/hr 12KW oven.
- Side oven controls in cool zone.



IHR-36PL-C


Shown with optional casters

PLANCHA FEATURES


- ½" (13) thick polished steel griddle plate.
- Griddle plate is 28" (711) wide and 22 ½" (571) deep.
- Two 15,000 4KW BTU output burners.
- Versatile heat pattern on plate for cooking flexibility.
- Quick heat-up time.
- Easy to clean corners.
- Grease gutter surrounds the griddle plate on three sides.

CONVECTION OVEN FEATURES


- Electronic ignition system with single solenoid valve.
- ¼ hp blower motor. 35,000 BTU/hr 10KW.
- Stainless steel door gasket.
- Three position switch for cooking or cool down.
- Burner "On" indicator light and one hour manual timer. Fan shuts off automatically when door is open.
- Three oven racks.

18" WIDE GRIDDLE TOP AND TWO 18" WIDE OPEN BURNERS


MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-G18-2	STANDARD OVEN	160,000	47	341	750	\$21,857
IHR-G18-2-C	CONVECTION OVEN	155,000	45	368	810	\$29,190
IHR-G18-2-XB	STORAGE BASE	120,000	35	264	580	\$15,878
IHR-G18-2-P	PROVECTION OVEN	172,000	50	376	829	\$34,216
IHR-G18-2-M	MODULAR (NO BASE)	120,000	35	184	405	\$13,655

18" WIDE GRIDDLE TOP WITH THERMOSTAT AND TWO 18" WIDE OPEN BURNERS


MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-GT18-2	STANDARD OVEN	160,000	47	341	750	\$23,504
IHR-GT18-2-C	CONVECTION OVEN	155,000	45	368	810	\$30,883
IHR-GT18-2-XB	STORAGE BASE	120,000	35	264	580	\$17,565
IHR-GT18-2-P	PROVECTION OVEN	172,000	50	376	829	\$35,862
IHR-GT18-2-M	MODULAR (NO BASE)	120,000	35	184	405	\$15,343

24" WIDE GRIDDLE TOP AND TWO 12" WIDE OPEN BURNERS

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-G24-2	STANDARD OVEN	180,000	53	362	796	\$21,272
IHR-G24-2-C	CONVECTION OVEN	175,000	51	389	856	\$28,618
IHR-G24-2-XB	STORAGE BASE	140,000	41	284	626	\$15,343
IHR-G24-2-P	PROVECTION OVEN	192,000	56	397	875	\$33,631
IHR-G24-2-M	MODULAR (NO BASE)	140,000	41	205	451	\$13,035

24" WIDE GRIDDLE TOP WITH THERMOSTAT AND TWO 12" WIDE OPEN BURNERS

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-GT24-2	STANDARD OVEN	180,000	53	362	796	\$23,876
IHR-GT24-2-C	CONVECTION OVEN	175,000	51	389	856	\$31,211
IHR-GT24-2-XB	STORAGE BASE	140,000	41	284	626	\$17,938
IHR-GT24-2-P	PROVECTION OVEN	192,000	56	397	875	\$36,234
IHR-GT24-2-M	MODULAR (NO BASE)	140,000	41	205	451	\$15,634

36" WIDE PLANCHA GRIDDLE TOP WITH MANUAL CONTROLS

MODEL	DESCRIPTION	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IHR-PL36	STANDARD OVEN	70,000	21	275	605	\$27,129
IHR-PL36-C	CONVECTION OVEN	65,000	19	303	668	\$36,713
IHR-PL36-XB	STORAGE BASE	30,000	9	217	478	\$19,469
IHR-PL36-P	PROVECTION OVEN	82,000	24	310	684	\$39,487
IHR-PL36-M	MODULAR (NO BASE)	30,000	9	160	352	\$16,406



PSG

Shown with optional stand and casters.

PROFESSIONAL COUNTERTOP GRIDDLE

- Aeration baffles between each burner.
- Designed for high volume users and chains.
- Full stainless steel exterior.
- 304 stainless steel interior components.
- 1" highly polished abrasion resistant steel griddle plate.
- Extra large capacity grease can.
- One burner every 12"
- Highly accurate digital electronic control.
- 30,000 BTU burner
- Low profile landing edge.
- Full 4" wide grease trough.
- Full width grease chute.

PROFESSIONAL COUNTERTOP GRIDDLES

MODEL	WIDTH	DEPTH	BURNERS	GAS OUTPUT BTU	SHIP WEIGHT LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT LBS	LIST PRICE
PSG36	36"	30 1/2"	3	90,000	400	\$25,566	PSG36S	90	\$2,919
PSG48	48"	30 1/2"	4	120,000	532	\$31,280	PSG48S	105	\$3,478
PSG60	60"	30 1/2"	5	150,000	665	\$37,406	PSG60S	125	\$4,329



GAS

PRO SERIES | RESTAURANT RANGES



IR-6-G24-C

Shown with optional casters.

OPEN BURNER FEATURES

- PyroCentric burner heads with two rings of flames for even cooking no matter the pan size.
- PyroCentric burners are 32,000 BTU/hr 9KW with a 7,000 BTU/hr 2KW low simmer feature.
- Cast iron burners are anti-clogging and removable for easy cleaning.
- Grates are in sections to lift-off easily.
- No gaskets or screws.
- Anti-clogging shield designed in the grate protects the pilot from grease and debris.
- Pots slide easily from section to section.


GRIDDLE TOP FEATURES

- Griddle tops are highly polished 3/4" thick (19) plate for 24", 36", 48" and 60" ranges.
- 72" wide griddles are highly polished 1" thick (25) plates.
- 3" (76) wide stainless steel grease trough and removable grease can for easy cleaning.
- 20,000 BTU/hr 6KW burners are located every 12" (305) of griddle surface.
- Manual controls are standard, thermostatic controls optional.




IR-10

Shown with optional casters.




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-10	390,000	114	444	980	\$19,135
IR-10-C	385,000	113	468	1,035	\$26,884
IR-10-CC	380,000	111	493	1,090	\$33,708
IR-10-XB	355,000	104	425	940	\$15,856
IR-10-C-XB	350,000	103	451	995	\$26,299
IR-10-P-XB	372,000	109	462	1019	\$26,418


60" PRO SERIES RANGES




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6-G24	302,000	89	480	1,060	\$21,592
IR-6-G24-C	297,000	87	506	1,115	\$29,344
IR-6-G24-CC	292,000	86	530	1,170	\$36,201
IR-6-G24-XB	267,000	78	457	1,010	\$18,578
IR-6-G24-C-XB	262,000	77	483	1,065	\$28,791
IR-6-G24-P-XB	284,000	83	494	1089	\$29,141



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-G36	258,000	76	491	1,085	\$23,268
IR-4-G36-C	253,000	74	517	1,140	\$31,016
IR-4-G36-CC	248,000	73	540	1,195	\$37,881
IR-4-G36-XB	223,000	65	468	1,035	\$20,327
IR-4-G36-C-XB	218,000	64	494	1,090	\$30,474
IR-4-G36-P-XB	240,000	70	505	1114	\$30,892



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-2-G48	214,000	63	496	1,095	\$24,537
IR-2-G48-C	209,000	61	522	1,150	\$32,283
IR-2-G48-CC	204,000	60	540	1,195	\$39,152
IR-2-G48-XB	179,000	52	472	1,045	\$21,218
IR-2-G48-C-XB	174,000	51	499	1,100	\$31,748
IR-2-G48-P-XB	196,000	57	510	1124	\$31,781



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-G60	170,000	50	505	1,115	\$28,503
IR-G60-C	165,000	48	531	1,170	\$36,641
IR-G60-CC	160,000	47	554	1,225	\$43,810
IR-G60-XB	135,000	40	483	1,065	\$25,061
IR-G60-C-XB	130,000	38	508	1,120	\$36,030
IR-G60-P-XB	152,000	45	519	1,144	\$35,625



Notes: Measurements in () are metric equivalents. "CC" specifies (2) 26 1/2" (673) Convection Ovens. "C-XB" specifies (1) 26 1/2" (673) Convection Oven and a Cabinet Base. "C" specifies (1) 26 1/2" (673) Convection Oven and (1) 26 1/2" (673) Standard Oven. "XB" specifies (1) 26 1/2" (673) Standard Oven and Cabinet Base. "G" specifies Griddle Top. "SU" specifies Step-up.



IR-6-RG24

Shown with legs.

RAISED GRIDDLE WITH BROILER


- Raised griddle broilers are available in 24" and 36" (610 and 914) widths.
- Griddle tops are highly polished 3/4" (19) plate.
- Manual controls are conveniently located.
- Burners have 20,000 6KW BTU/hr output with a heat deflector every 12" (305) for even heating.
- Large griddle grease can and full width broiler drip tray are removable for easy cleaning.




RADIANT BROILER

- Individually controlled 15,000 BTU/hr 4KW stainless steel burners.
- Burners are located every 5" (127 mm) with individual controls.
- Removable, reinforced cast iron radiants prevent clogging of burners and provide even broiling.
- Heavy duty cast iron top grates provide attractive char-broiler markings.
- Slanted cooking surface provides a range of cooking temperatures.
- Each top grate blade has a cast-in grease trough that allows excess fat to flow to the front grease gutter minimizing flare-up.
- 3" (76) sections remove easily and safely for cleaning.
- Full width grease gutter and large capacity removable drip pan.

60" PRO SERIES RANGES




MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-10-SU	390,000	114	444	980	\$28,155
IR-10-SU-C	385,000	113	468	1,035	\$35,903
IR-10-SU-CC	380,000	111	493	1,090	\$44,366
IR-10-SU-XB	355,000	104	425	940	\$26,707
IR-10-SU-C-XB	350,000	103	451	995	\$35,572
IR-10-SU-P-XB	372,000	109	462	1019	\$37,271




60" PRO SERIES RANGES


MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6-RG24	302,000	89	496	1,095	\$22,819
IR-6-RG24-C	297,000	87	522	1,150	\$30,569
IR-6-RG24-CC	292,000	86	540	1,195	\$37,433
IR-6-RG24-XB	267,000	78	468	1,045	\$19,837
IR-6-RG24-C-XB	262,000	77	499	1,100	\$30,026
IR-6-RG24-P-XB	319,000	93	532	1,174	\$30,400



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-RG36	258,000	76	508	1,185	\$32,563
IR-4-RG36-C	253,000	74	533	1,140	\$40,309
IR-4-RG36-CC	248,000	73	558	1,195	\$47,670
IR-4-RG36-XB	223,000	65	485	1,035	\$29,519
IR-4-RG36-C-XB	218,000	64	510	1,090	\$39,767
IR-4-RG36-P-XB	240,000	70	505	1,114	\$40,082



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-6-RB24	322,000	94	472	1,060	\$31,907
IR-6-RB24-C	317,000	93	497	1,115	\$39,655
IR-6-RB24-CC	312,000	91	522	1,170	\$44,044
IR-6-RB24-XB	287,000	84	449	1,010	\$47,028
IR-6-RB24-C-XB	282,000	83	474	1,065	\$39,111
IR-6-RB24-P-XB	304,000	89	494	1,089	\$57,589



MODEL	GAS OUTPUT BTU	GAS OUTPUT KW	SHIP WEIGHT KG	SHIP WEIGHT LBS	LIST PRICE
IR-4-RB36	288,000	84	483	1,085	\$37,691
IR-4-RB36-C	283,000	83	508	1,140	\$45,440
IR-4-RB36-CC	278,000	81	533	1,195	\$56,581
IR-4-RB36-XB	253,000	74	460	1,035	\$38,411
IR-4-RB36-C-XB	248,000	73	485	1,090	\$44,893
IR-4-RB36-P-XB	270,000	79	505	1,114	\$48,972



4" (102) wide grease gutter and 1 gal. (3.8 L) grease can

IMGA-3628

MANUAL CONTROLLED GRIDDLE FEATURES

- Aeration baffles between burners spreads heat across griddle for more even heating.
- Full width rear flue distributes heat uniformly across griddle surface.
- One burner every 12" (305), rated at 30,000 BTU/hr 9KW ea. Each burner has an adjustable gas valve and continuous pilot for instant ignition.
- Thick 3/4" (19) highly polished steel griddle plate for a wide variety of cooking applications. 1" (25) thick plate also available, see below.
- Full 24" (610) depth plate for more cooking surface.
- Stainless steel grease gutter 4" (102) wide.
- Stainless steel front, sides and one piece rolled ledge.
- Large 1 gal. (3.8 L) capacity grease can with weep hole to indicate when full.

MANUALLY CONTROLLED GRIDDLES

3/4" (19) HIGHLY POLISHED PLATE

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
IMGA-2428	24" (610)	32 3/8" (822)	2	60,000 (18)	(91) 200	\$5,335	STAND-24	(23) 50	\$1,912
IMGA-3628	36" (914)	32 3/8" (822)	3	90,000 (26)	(138) 305	\$7,642	STAND-36	(32) 70	\$2,518
IMGA-4828	48" (1219)	32 3/8" (822)	4	120,000 (35)	(163) 360	\$9,968	STAND-48	(39) 85	\$3,047

MANUALLY CONTROLLED GRIDDLES

1" (25) HIGHLY POLISHED PLATE

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
IMGA-2428-1	24" (610)	32 3/8" (822)	2	60,000 (18)	(116) 255	\$6,316	STAND-24	(23) 50	\$1,912
IMGA-3628-1	36" (914)	32 3/8" (822)	3	90,000 (26)	(172) 380	\$8,583	STAND-36	(32) 70	\$2,518
IMGA-4828-1	48" (1219)	32 3/8" (822)	4	120,000 (35)	(193) 425	\$11,036	STAND-48	(39) 85	\$3,047
IMGA-6028-1	60" (1524)	32 3/8" (822)	5	150,000 (44)	(245) 540	\$13,684	STAND-60	(48) 105	\$3,732
IMGA-7228-1	72" (1829)	32 3/8" (822)	6	180,000 (53)	(290) 640	\$17,054	STAND-72	(62) 135	\$4,417

MANUALLY CONTROLLED GRIDDLE OPTIONS

- Casters for Stainless Steel Stands, set of 4 \$1,099 per set.
60", 72" and 84" (1524, 1829 and 2134) models, set of 6, \$1,649 per set.
- 7" (178) deep Front Landing Ledge \$395 per lineal ft.
- 9" (229) deep Front Landing Ledge \$685 per lineal ft.
- Extra capacity Grease Can \$651
- Chrome Griddle Top (Add "CG" to model #), add \$3,162 per lineal ft.
- Grooved Griddle Top (Add "GG" to model #), add \$2,317 per 12" lineal ft.



ITG-36

THERMOSTATICALLY CONTROLLED GRIDDLE FEATURES

- Thermostat maintains selected griddle temperature during peak cooking periods.
- Thick 1" (25) highly polished steel griddle plate maintains selected temperatures and assures quick recovery.
- Optional chrome griddle top also available.
- Aeration baffles between burners spread heat across griddle for more even heating.
- Full width rear flue distributes heat uniformly across griddle surface.
- One burner every 12" (305), rated at 30,000 BTU/hr 9KW ea. Each burner has an adjustable gas valve and continuous pilot for instant ignition.
- Full 24" (610) depth plate for more cooking surface.
- Stainless steel grease gutter 4" (102) wide.
- Stainless steel front, sides and one piece rolled ledge. 4" (102) chrome-plated legs included.
- Large 1 gal. (3.8 L) capacity grease can with weep hole to indicate when full.

THERMOSTATICALLY CONTROLLED GRIDDLES

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ITG-24	24" (610)	32 3/8" (822)	2	60,000 (18)	(136) 300	\$8,813	STAND-24	(23) 50	\$1,912
ITG-36	36" (914)	32 3/8" (822)	3	90,000 (26)	(195) 430	\$11,839	STAND-36	(32) 70	\$2,518
ITG-48	48" (1219)	32 3/8" (822)	4	120,000 (35)	(261) 575	\$15,110	STAND-48	(39) 85	\$3,047
ITG-60	60" (1524)	32 3/8" (822)	5	150,000 (44)	(328) 725	\$18,864	STAND-60	(48) 105	\$3,732
ITG-72	72" (1829)	32 3/8" (822)	6	180,000 (53)	(396) 875	\$22,893	STAND-72	(62) 135	\$4,417

THERMOSTATICALLY CONTROLLED GRIDDLE OPTIONS

- Casters for Stainless Steel Stands, set of 4 \$1,099 per set.
60", 72" and 84" (1524, 1829 and 2134) models, set of 6, \$1,649 per set.
- 7" (178) deep Front Landing Ledge \$395 per lineal ft.
- 9" (229) deep Front Landing Ledge \$685 per lineal ft.
- Extra capacity Grease Can \$651
- Chrome Griddle Top (Add "CG" to model #), add \$3,162 per lineal ft.
- Grooved Griddle \$2,317 per lineal ft.



GAS

COUNTERTOP | GROOVED GRIDDLES



Optional rake for easily cleaning grooves \$318.

IGG-36

THERMOSTATICALLY CONTROLLED GROOVE GRIDDLE FEATURES

- Thermostat maintains selected griddle temperature during peak cooking periods.
- Thick 1" (25) highly polished steel griddle plate maintains selected temperatures and assures quick recovery.
- Grooved griddle gives the attractive char-broiled "look" without actually char-broiling.
- Aeration baffles between burners spread heat across griddle for more even heating.
- Full width rear flue distributes heat uniformly across griddle surface.
- One burner every 12" (305), rated at 30,000 BTU/hr 9KW ea. Each burner has an adjustable gas valve and continuous pilot for instant ignition.
- Full 24" (610) depth plate for more cooking surface.
- Stainless steel grease gutter 4" (102) wide.
- One piece stainless steel rolled front, stainless sides and front. 4" (102) chrome-plated legs included.
- Large 1 gal. (3.8 L) capacity grease can with weep hole to indicate when full.

GROOVED GRIDDLES

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
IGG-24	24" (610)	32 3/8" (822)	2	60,000 (18)	(145) 320	\$13,664	STAND-24	(23) 50	\$1,912
IGG-36	36" (914)	32 3/8" (822)	3	90,000 (26)	(195) 430	\$17,772	STAND-36	(32) 70	\$2,518
IGG-48	48" (1219)	32 3/8" (822)	4	120,000 (35)	(285) 630	\$23,029	STAND-48	(39) 85	\$3,047
IGG-60	60" (1524)	32 3/8" (822)	5	150,000 (44)	(340) 750	\$30,951	STAND-60	(48) 105	\$3,732
IGG-72	72" (1829)	32 3/8" (822)	6	180,000 (53)	(404) 890	\$37,209	STAND-72	(62) 135	\$4,417




ISAE-36

SNAP ACTION GRIDDLE FEATURES

- Ideal for high production kitchens.
- Snap action thermostat control every 12" (305).
- Fast recovery, $\pm 7^{\circ}\text{F}$ temperature variance. Solid State model, has a $\pm 2^{\circ}\text{F}$ variance.
- For high production yields, more product per square inch
- 24,000 BTU/hr. 7KW "u" shaped burner every 12" (305) with heat diffuser plate to speed temperature recovery.
- Thick 1" (25) highly polished steel griddle plate maintains even temperatures and assures quick recovery.
- Full 24" (610) depth plate for more cooking surface.
- Stainless steel grease trough, one piece rolled front, 2" (51) high splash guard sides and 4" (102) rear splash for easy cleaning.
- Large capacity, removable grease pan.
- Available in 24" (610), 36" (914), 48" (1219), 60" (1524) and 72" (1829) widths.

SNAP ACTION GRIDDLES

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ISAE-24	24" (610)	30 3/8" (822)	2	48,000 (14)	(140) 310	\$12,509	ISAS-24	(23) 50	\$1,912
ISAE-36	36" (914)	30 3/8" (822)	3	72,000 (21)	(199) 440	\$16,209	ISAS-36	(32) 70	\$2,518
ISAE-48	48" (1219)	30 3/8" (822)	4	96,000 (28)	(265) 585	\$20,327	ISAS-48	(39) 85	\$3,047
ISAE-60	60" (1524)	30 3/8" (822)	5	120,000 (35)	(333) 735	\$23,345	ISAS-60	(48) 105	\$3,732
ISAE-72	72" (1829)	30 3/8" (822)	6	144,000 (42)	(400) 885	\$27,900	ISAS-72	(62) 135	\$4,417



24,000 Btu (7 KW) "u" shaped burner every 12" (305), with heat diffuser plate to speed temperature recovery.

Aeration baffles between burners spread heat across griddle for more even heating.



OPTIONAL CHROME PLATED MIRROR FINISH

- Increases heat retention within griddle plate to lower operating costs.
- Temperature is more evenly controlled across the griddle plate.
- Reduces flavor transfer between foods.
- Easy to clean.

SNAP ACTION GRIDDLES WITH SOLID STATE THERMOSTATS

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ISCE-24	24" (610)	30½" (775)	2	48,000 (14)	(140) 310	\$13,464	ISAS-24	(23) 50	\$1,912
ISCE-36	36" (914)	30½" (775)	3	72,000 (21)	(199) 440	\$18,048	ISAS-36	(32) 70	\$2,518
ISCE-48	48" (1219)	30½" (775)	4	96,000 (28)	(265) 585	\$22,700	ISAS-48	(39) 85	\$3,047
ISCE-60	60" (1524)	30½" (775)	5	120,000 (35)	(333) 735	\$27,377	ISAS-60	(48) 105	\$3,732
ISCE-72	72" (1829)	30½" (775)	6	144,000 (42)	(400) 885	\$31,608	ISAS-72	(62) 135	\$4,417

SNAP ACTION GRIDDLE OPTIONS

- Casters for Stainless Steel Stands, set of 4 \$1,099 per set.
60", 72" and 84" (1524, 1829 and 2134) models, set of 6, \$1,649 per set.
- Grooved Griddle Top (Add "GG" to model #), add \$2,317 per 12" section.
- Chrome Griddle Top (Add "CG" to model #), add \$3,162 per lineal ft.
- 7" (178) deep Front Landing Ledge \$395 per lineal ft.
- 9" (229) deep Front Landing Ledge \$685 per lineal ft.
- Extra capacity Grease Can \$651.



ITY-36

Shown with optional stand with casters.



ITY-36
TEPPAN YAKI GRIDDLE FEATURES

- One 30,000 BTU/hr. 9KW round burner creates a “hot spot” in the center of the griddle - unique to this style of cooking.
- Burner has an adjustable gas valve and continuous pilot for instant ignition.
- Thick ¾” (19) highly polished steel griddle plate for a wide variety of cooking applications. Optional 1” (25) thick plate and optional chrome griddle top also available.
- Engineered with venting features that enable unit to be built into non-combustible cabinets or tables.
- Full 24” (610) depth plate for more cooking surface.
- Stainless steel front, sides and ledge.
- 3½” (89) wide grease trough with one piece rolled stainless steel front for easy cleaning.

TEPPAN YAKI GRIDDLE OPTIONS

- 4” (102) Legs, set of 4 \$392 per set.
- Extra burner \$1,880 per burner.
- Chrome Griddle Top (Add “CG” to model #), add \$3,162 per lineal ft.
- Griddle plate splash, add 8%.
- Casters for stainless steel stands, set of 4, \$1,099 per set 60” (1524) model, set of 6, \$1,649 per set.

TEPPAN YAKI GRIDDLES

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ITY-24	25 5/8” (651)	32 1/4” (819)	1	30,000 (9)	(93) 205	\$6,852	ITYS-24	(23) 50	\$1,929
ITY-36	37 5/8” (956)	32 1/4” (819)	1	30,000 (9)	(148) 325	\$9,641	ITYS-36	(32) 70	\$2,541
ITY-48	49 5/8” (1260)	32 1/4” (819)	1	30,000 (9)	(204) 450	\$11,776	ITYS-48	(39) 85	\$3,076
ITY-60	61 5/8” (1565)	32 1/4” (819)	1	30,000 (9)	(256) 565	\$15,330	ITYS-60	(48) 105	\$3,766



Notes: Measurements in () are metric equivalents. Custom side and rear splash design available, contact Imperial.



ITG-36-E

Thermostatically controlled

GRIDDLE

- Full 24" (610) plate depth plate for more cooking surface.
- Thick, highly polished steel griddle plate for a wide variety of cooking applications.
- Stainless steel front, ledge and sides.
- 4" (102 mm) tapered stainless steel splash guard.
- Stainless steel grease trough and one piece rolled front for easy cleaning.
- 4" (102) chrome plated adjustable legs included.
- 24", 36", 48" models have a 1/2" (13) thick griddle plate.
- 60", 72" models have a 3/4" (19) thick griddle plate.

ELECTRIC GRIDDLE OPTIONS

- Casters for Stainless Steel Stands, set of 4 \$1,099 per set.
- Casters for 60" and 72" (1524 and 1829) Stainless Steel Stands, set of 6 \$1,649 per set.
- Chrome Griddle Top (Add "CG" to model #), \$3,162 per lineal ft.



- Stainless steel grease gutter is 4" (102 mm) wide.
- Large 1 gal (3.8 L) capacity grease can has a weep hole to indicate when full.
- Grease can removes easily.



- Thermostat maintains selected temperature during peak hours.
- 4 KW serpentine elements located under entire griddle plate.

GRIDDLE

MODEL	OVERALL DIMENSIONS		ELEMENTS	OUTPUT KW	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
	WIDTH	DEPTH					MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ITG-24-E	24" (610)	31" (787)	2	8	(136) 300	\$9,663	STAND-24	(23) 50	\$1,912
ITG-36-E	36" (914)	31" (787)	3	12	(195) 430	\$12,968	STAND-36	(32) 70	\$2,518
ITG-48-E	48" (1219)	31" (787)	4	16	(261) 575	\$16,562	STAND-48	(39) 85	\$3,047
ITG-60-E	60" (1524)	31" (787)	5	20	(328) 725	\$18,986	STAND-60	(48) 105	\$3,732
ITG-72-E	72" (1829)	31" (787)	6	24	(396) 875	\$25,094	STAND-72	(62) 135	\$4,417

ELECTRICAL REQUIREMENTS

MODEL	TOTAL KW	VOLTS	PHASE	AMPS
ITG-24-E	8	208	3	29
	8	240	3	25
	8	*480	3	13
ITG-36-E	12	208	3	34
	12	240	3	29
	12	*480	3	15
ITG-48-E	16	208	3	58
	16	240	3	50
	16	*480	3	25

MODEL	TOTAL KW	VOLTS	PHASE	AMPS J-BOX "A"	AMPS J-BOX "B"
ITG-60-E	20	208	3	34	29
	20	240	3	29	25
	20	*480	3	15	13
ITG-72-E	24	208	3	34	34
	24	240	3	29	29
	24	*480	3	15	15

* Additional charge.



Notes: Measurements in () are metric equivalents. Depth of griddle cooking surface 24" (610). ITG-60-E and ITG-72-E have 2 J-Boxes.