



PSG

Shown with optional stand and casters.

PROFESSIONAL COUNTERTOP GRIDDLE

- Aeration baffles between each burner.
- Designed for high volume users and chains.
- Full stainless steel exterior.
- 304 stainless steel interior components.
- 1" highly polished abrasion resistant steel griddle plate.
- Extra large capacity grease can.
- One burner every 12"
- Highly accurate digital electronic control.
- 30,000 BTU burner
- Low profile landing edge.
- Full 4" wide grease trough.
- Full width grease chute.

PROFESSIONAL COUNTERTOP GRIDDLES

MODEL	WIDTH	DEPTH	BURNERS	GAS OUTPUT BTU	SHIP WEIGHT LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT LBS	LIST PRICE
PSG36	36"	30 1/2"	3	90,000	400	\$25,566	PSG36S	90	\$2,919
PSG48	48"	30 1/2"	4	120,000	532	\$31,280	PSG48S	105	\$3,478
PSG60	60"	30 1/2"	5	150,000	665	\$37,406	PSG60S	125	\$4,329



GAS

COUNTERTOP | MANUALLY AND THERMOSTATICALLY CONTROLLED



IMGA-3628

MANUAL CONTROLLED GRIDDLE FEATURES

- Aeration baffles between burners spreads heat across griddle for more even heating.
- Full width rear flue distributes heat uniformly across griddle surface.
- One burner every 12" (305), rated at 30,000 BTU/hr 9KW ea. Each burner has an adjustable gas valve and continuous pilot for instant ignition.
- Thick 3/4" (19) highly polished steel griddle plate for a wide variety of cooking applications. 1" (25) thick plate also available, see below.
- Full 24" (610) depth plate for more cooking surface.
- Stainless steel grease gutter 4" (102) wide.
- Stainless steel front, sides and one piece rolled ledge.
- Large 1 gal. (3.8 L) capacity grease can with weep hole to indicate when full.



4" (102) wide grease gutter and 1 gal. (3.8 L) grease can

MANUALLY CONTROLLED GRIDDLES

3/4" (19) HIGHLY POLISHED PLATE

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
IMGA-2428	24" (610)	32 3/8" (822)	2	60,000 (18)	(91) 200	\$5,335	STAND-24	(23) 50	\$1,912
IMGA-3628	36" (914)	32 3/8" (822)	3	90,000 (26)	(138) 305	\$7,642	STAND-36	(32) 70	\$2,518
IMGA-4828	48" (1219)	32 3/8" (822)	4	120,000 (35)	(163) 360	\$9,968	STAND-48	(39) 85	\$3,047

MANUALLY CONTROLLED GRIDDLES

1" (25) HIGHLY POLISHED PLATE

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
IMGA-2428-1	24" (610)	32 3/8" (822)	2	60,000 (18)	(116) 255	\$6,316	STAND-24	(23) 50	\$1,912
IMGA-3628-1	36" (914)	32 3/8" (822)	3	90,000 (26)	(172) 380	\$8,583	STAND-36	(32) 70	\$2,518
IMGA-4828-1	48" (1219)	32 3/8" (822)	4	120,000 (35)	(193) 425	\$11,036	STAND-48	(39) 85	\$3,047
IMGA-6028-1	60" (1524)	32 3/8" (822)	5	150,000 (44)	(245) 540	\$13,684	STAND-60	(48) 105	\$3,732
IMGA-7228-1	72" (1829)	32 3/8" (822)	6	180,000 (53)	(290) 640	\$17,054	STAND-72	(62) 135	\$4,417

MANUALLY CONTROLLED GRIDDLE OPTIONS

- Casters for Stainless Steel Stands, set of 4 \$1,099 per set.
60", 72" and 84" (1524, 1829 and 2134) models, set of 6, \$1,649 per set.
- 7" (178) deep Front Landing Ledge \$395 per lineal ft.
- 9" (229) deep Front Landing Ledge \$685 per lineal ft.
- Extra capacity Grease Can \$651
- Chrome Griddle Top (Add "CG" to model #), add \$3,162 per lineal ft.
- Grooved Griddle Top (Add "GG" to model #), add \$2,317 per 12" lineal ft.



Notes: Measurements in () are metric equivalents.



ITG-36 THERMOSTATICALLY CONTROLLED GRIDDLE FEATURES

- Thermostat maintains selected griddle temperature during peak cooking periods.
- Thick 1" (25) highly polished steel griddle plate maintains selected temperatures and assures quick recovery.
- Optional chrome griddle top also available.
- Aeration baffles between burners spread heat across griddle for more even heating.
- Full width rear flue distributes heat uniformly across griddle surface.
- One burner every 12" (305), rated at 30,000 BTU/hr 9KW ea. Each burner has an adjustable gas valve and continuous pilot for instant ignition.
- Full 24" (610) depth plate for more cooking surface.
- Stainless steel grease gutter 4" (102) wide.
- Stainless steel front, sides and one piece rolled ledge. 4" (102) chrome-plated legs included.
- Large 1 gal. (3.8 L) capacity grease can with weep hole to indicate when full.

THERMOSTATICALLY CONTROLLED GRIDDLES

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ITG-24	24" (610)	32 3/8" (822)	2	60,000 (18)	(136) 300	\$8,813	STAND-24	(23) 50	\$1,912
ITG-36	36" (914)	32 3/8" (822)	3	90,000 (26)	(195) 430	\$11,839	STAND-36	(32) 70	\$2,518
ITG-48	48" (1219)	32 3/8" (822)	4	120,000 (35)	(261) 575	\$15,110	STAND-48	(39) 85	\$3,047
ITG-60	60" (1524)	32 3/8" (822)	5	150,000 (44)	(328) 725	\$18,864	STAND-60	(48) 105	\$3,732
ITG-72	72" (1829)	32 3/8" (822)	6	180,000 (53)	(396) 875	\$22,893	STAND-72	(62) 135	\$4,417

THERMOSTATICALLY CONTROLLED GRIDDLE OPTIONS

- Casters for Stainless Steel Stands, set of 4 \$1,099 per set.
60", 72" and 84" (1524, 1829 and 2134) models, set of 6, \$1,649 per set.
- 7" (178) deep Front Landing Ledge \$395 per lineal ft.
- 9" (229) deep Front Landing Ledge \$685 per lineal ft.
- Extra capacity Grease Can \$651
- Chrome Griddle Top (Add "CG" to model #), add \$3,162 per lineal ft.
- Grooved Griddle \$2,317 per lineal ft.



GAS

COUNTERTOP | GROOVED GRIDDLES



Optional rake for easily cleaning grooves \$318.

IGG-36

THERMOSTATICALLY CONTROLLED GROOVE GRIDDLE FEATURES

- Thermostat maintains selected griddle temperature during peak cooking periods.
- Thick 1" (25) highly polished steel griddle plate maintains selected temperatures and assures quick recovery.
- Grooved griddle gives the attractive char-broiled "look" without actually char-broiling.
- Aeration baffles between burners spread heat across griddle for more even heating.
- Full width rear flue distributes heat uniformly across griddle surface.
- One burner every 12" (305), rated at 30,000 BTU/hr 9KW ea. Each burner has an adjustable gas valve and continuous pilot for instant ignition.
- Full 24" (610) depth plate for more cooking surface.
- Stainless steel grease gutter 4" (102) wide.
- One piece stainless steel rolled front, stainless sides and front. 4" (102) chrome-plated legs included.
- Large 1 gal. (3.8 L) capacity grease can with weep hole to indicate when full.

GROOVED GRIDDLES

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
IGG-24	24" (610)	32 3/8" (822)	2	60,000 (18)	(145) 320	\$13,664	STAND-24	(23) 50	\$1,912
IGG-36	36" (914)	32 3/8" (822)	3	90,000 (26)	(195) 430	\$17,772	STAND-36	(32) 70	\$2,518
IGG-48	48" (1219)	32 3/8" (822)	4	120,000 (35)	(285) 630	\$23,029	STAND-48	(39) 85	\$3,047
IGG-60	60" (1524)	32 3/8" (822)	5	150,000 (44)	(340) 750	\$30,951	STAND-60	(48) 105	\$3,732
IGG-72	72" (1829)	32 3/8" (822)	6	180,000 (53)	(404) 890	\$37,209	STAND-72	(62) 135	\$4,417

67 | 2022 GAS | COUNTERTOP




ISAE-36

SNAP ACTION GRIDDLE FEATURES

- Ideal for high production kitchens.
- Snap action thermostat control every 12" (305).
- Fast recovery, $\pm 7^{\circ}\text{F}$ temperature variance. Solid State model, has a $\pm 2^{\circ}\text{F}$ variance.
- For high production yields, more product per square inch
- 24,000 BTU/hr. 7KW "u" shaped burner every 12" (305) with heat diffuser plate to speed temperature recovery.
- Thick 1" (25) highly polished steel griddle plate maintains even temperatures and assures quick recovery.
- Full 24" (610) depth plate for more cooking surface.
- Stainless steel grease trough, one piece rolled front, 2" (51) high splash guard sides and 4" (102) rear splash for easy cleaning.
- Large capacity, removable grease pan.
- Available in 24" (610), 36" (914), 48" (1219), 60" (1524) and 72" (1829) widths.

SNAP ACTION GRIDDLES

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ISAE-24	24" (610)	30 3/8" (822)	2	48,000 (14)	(140) 310	\$12,509	ISAS-24	(23) 50	\$1,912
ISAE-36	36" (914)	30 3/8" (822)	3	72,000 (21)	(199) 440	\$16,209	ISAS-36	(32) 70	\$2,518
ISAE-48	48" (1219)	30 3/8" (822)	4	96,000 (28)	(265) 585	\$20,327	ISAS-48	(39) 85	\$3,047
ISAE-60	60" (1524)	30 3/8" (822)	5	120,000 (35)	(333) 735	\$23,345	ISAS-60	(48) 105	\$3,732
ISAE-72	72" (1829)	30 3/8" (822)	6	144,000 (42)	(400) 885	\$27,900	ISAS-72	(62) 135	\$4,417



24,000 Btu (7 KW) "u" shaped burner every 12" (305), with heat diffuser plate to speed temperature recovery.

Aeration baffles between burners spread heat across griddle for more even heating.



OPTIONAL CHROME PLATED MIRROR FINISH

- Increases heat retention within griddle plate to lower operating costs.
- Temperature is more evenly controlled across the griddle plate.
- Reduces flavor transfer between foods.
- Easy to clean.

SNAP ACTION GRIDDLES WITH SOLID STATE THERMOSTATS

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ISCE-24	24" (610)	30½" (775)	2	48,000 (14)	(140) 310	\$13,464	ISAS-24	(23) 50	\$1,912
ISCE-36	36" (914)	30½" (775)	3	72,000 (21)	(199) 440	\$18,048	ISAS-36	(32) 70	\$2,518
ISCE-48	48" (1219)	30½" (775)	4	96,000 (28)	(265) 585	\$22,700	ISAS-48	(39) 85	\$3,047
ISCE-60	60" (1524)	30½" (775)	5	120,000 (35)	(333) 735	\$27,377	ISAS-60	(48) 105	\$3,732
ISCE-72	72" (1829)	30½" (775)	6	144,000 (42)	(400) 885	\$31,608	ISAS-72	(62) 135	\$4,417

SNAP ACTION GRIDDLE OPTIONS

- Casters for Stainless Steel Stands, set of 4 \$1,099 per set.
60", 72" and 84" (1524, 1829 and 2134) models, set of 6, \$1,649 per set.
- Grooved Griddle Top (Add "GG" to model #), add \$2,317 per 12" section.
- Chrome Griddle Top (Add "CG" to model #), add \$3,162 per lineal ft.
- 7" (178) deep Front Landing Ledge \$395 per lineal ft.
- 9" (229) deep Front Landing Ledge \$685 per lineal ft.
- Extra capacity Grease Can \$651.



GAS

SPECIALTY EQUIPMENT | TEPPAN YAKI GRIDDLES



ITY-36

Shown with optional stand with casters.



ITY-36

TEPPAN YAKI GRIDDLE FEATURES

- One 30,000 BTU/hr. 9KW round burner creates a "hot spot" in the center of the griddle - unique to this style of cooking.
- Burner has an adjustable gas valve and continuous pilot for instant ignition.
- Thick 3/4" (19) highly polished steel griddle plate for a wide variety of cooking applications. Optional 1" (25) thick plate and optional chrome griddle top also available.
- Engineered with venting features that enable unit to be built into non-combustible cabinets or tables.
- Full 24" (610) depth plate for more cooking surface.
- Stainless steel front, sides and ledge.
- 3 1/2" (89) wide grease trough with one piece rolled stainless steel front for easy cleaning.

TEPPAN YAKI GRIDDLE OPTIONS

- 4" (102) Legs, set of 4 \$392 per set.
- Extra burner \$1,880 per burner.
- Chrome Griddle Top (Add "CG" to model #), add \$3,162 per lineal ft.
- Griddle plate splash, add 8%.
- Casters for stainless steel stands, set of 4, \$1,099 per set 60" (1524) model, set of 6, \$1,649 per set.

TEPPAN YAKI GRIDDLES

MODEL	WIDTH IN (MM)	DEPTH IN (MM)	BURNERS	GAS OUTPUT BTU (KW)	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
							MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ITY-24	25 5/8" (651)	32 1/4" (819)	1	30,000 (9)	(93) 205	\$6,852	ITYS-24	(23) 50	\$1,929
ITY-36	37 5/8" (956)	32 1/4" (819)	1	30,000 (9)	(148) 325	\$9,641	ITYS-36	(32) 70	\$2,541
ITY-48	49 5/8" (1260)	32 1/4" (819)	1	30,000 (9)	(204) 450	\$11,776	ITYS-48	(39) 85	\$3,076
ITY-60	61 5/8" (1565)	32 1/4" (819)	1	30,000 (9)	(256) 565	\$15,330	ITYS-60	(48) 105	\$3,766



Notes: Measurements in () are metric equivalents. Custom side and rear splash design available, contact Imperial.



ITG-36-E

Thermostatically controlled

GRIDDLE

- Full 24" (610) plate depth plate for more cooking surface.
- Thick, highly polished steel griddle plate for a wide variety of cooking applications.
- Stainless steel front, ledge and sides.
- 4" (102 mm) tapered stainless steel splash guard.
- Stainless steel grease trough and one piece rolled front for easy cleaning.
- 4" (102) chrome plated adjustable legs included.
- 24", 36", 48" models have a 1/2" (13) thick griddle plate.
- 60", 72" models have a 3/4" (19) thick griddle plate.

ELECTRIC GRIDDLE OPTIONS

- Casters for Stainless Steel Stands, set of 4 \$1,099 per set.
- Casters for 60" and 72" (1524 and 1829) Stainless Steel Stands, set of 6 \$1,649 per set.
- Chrome Griddle Top (Add "CG" to model #), \$3,162 per lineal ft.



- Stainless steel grease gutter is 4" (102 mm) wide.
- Large 1 gal (3.8 L) capacity grease can has a weep hole to indicate when full.
- Grease can removes easily.
- Thermostat maintains selected temperature during peak hours.
- 4 KW serpentine elements located under entire griddle plate.

GRIDDLE

MODEL	OVERALL DIMENSIONS		ELEMENTS	OUTPUT KW	SHIP WEIGHT (KG) LBS	LIST PRICE	STAINLESS STEEL STAND		
	WIDTH	DEPTH					MODEL	SHIP WEIGHT (KG) LBS	LIST PRICE
ITG-24-E	24" (610)	31" (787)	2	8	(136) 300	\$9,663	STAND-24	(23) 50	\$1,912
ITG-36-E	36" (914)	31" (787)	3	12	(195) 430	\$12,968	STAND-36	(32) 70	\$2,518
ITG-48-E	48" (1219)	31" (787)	4	16	(261) 575	\$16,562	STAND-48	(39) 85	\$3,047
ITG-60-E	60" (1524)	31" (787)	5	20	(328) 725	\$18,986	STAND-60	(48) 105	\$3,732
ITG-72-E	72" (1829)	31" (787)	6	24	(396) 875	\$25,094	STAND-72	(62) 135	\$4,417

ELECTRICAL REQUIREMENTS

MODEL	TOTAL KW	VOLTS	PHASE	AMPS
ITG-24-E	8	208	3	29
	8	240	3	25
	8	*480	3	13
ITG-36-E	12	208	3	34
	12	240	3	29
	12	*480	3	15
ITG-48-E	16	208	3	58
	16	240	3	50
	16	*480	3	25

MODEL	TOTAL KW	VOLTS	PHASE	AMPS J-BOX "A"	AMPS J-BOX "B"
ITG-60-E	20	208	3	34	29
	20	240	3	29	25
	20	*480	3	15	13
ITG-72-E	24	208	3	34	34
	24	240	3	29	29
	24	*480	3	15	15

* Additional charge.

