Meat slicers are an important piece of equipment for any supermarket, deli or restaurant. Omcan slicers are ideal for creating perfect cuts of meat, lettuce, tomatoes and other vegetables. Our standard models offer exceptional value while our elite line features industry leading slice indexing with European quality.

OMCAN 8" BELT DRIVE MEAT SLICERS

The Omcan Series of belt driven slicers are constructed of top quality anodized aluminium for durability and ease of cleaning.

Elite Omcan 8" Belt Drive Slicers 2 year parts warranty & 1 year labour warranty

- · Most compact designs and are ideal for small operations where space is limited
- Excellent for slicing vegetables and processed meats
- Perfect for small delis, coffee shops, and home kitchens
- 13607 has a blade sharpener

Item	13606	13607
Model	MS-IT-0195	MS-IT-0195-S
Features	Removable blade sharpener	Fixed blade sharpener
Blade Size	8"/195	mm
Cut Thickness	0 - 15 n	nm
Power	0.20 HP / 0	.15 kW
Cheese Slicing*	000	
Slicing Volume ⁺	<15 mins.	
RPM	300	
Cutting Size	6.30" x 5	5.5"
Electrical	110V/ 60	Hz /1
Weight (Net/Gross)	26 lbs./ 27 lbs. (11.8	2 kg. / 12.27 kg)
Dimensions	20.5" x 14.17" x 12.40"	
Gross Dimensions	17" × 16"	x 15"

Omcan 8" Belt Drive Slicer

- Most compact designs and is ideal for small operations where space is limited
- · Excellent for slicing vegetables and processed meats
- · Perfect for someone looking for more economical solution that does not compromise on quality
- Has a blade sharpener

Item	31823
Model	MS-CN-0195-E
Blade Size	8"/195 mm
Cut Thickness	0.2 - 15 mm
Power	0.20 HP / 0.15 kW
Cheese Slicing*	000
Slicing Volume ⁺	<15 mins.
RPM	300
Cutting Size	5.9" x 8"
Electrical	110V/ 60Hz /1
Weight (Net/Gross)	26.4 lbs./ 28 lbs. (11.82 kg / 12.7 kg)
Dimensions	15.75" x 15.75" x 11.81"
Gross Dimensions	19" x 16.7" x 14"
_	







WWW.OMCAN.COM

*Cheese Slicing Ratings CON Not Recommended COPoor CAverage Content Excellent *Results may vary due to product consistency and temperature

Pg. 146

OMCAN 9" BELT DRIVE MEAT SLICERS

- Most compact designs and are ideal for small operations where space is limited
- Excellent for slicing vegetables and processed meats
- Ideal for someone looking for a more economical solution that does not compromise on quality

Elite Omcan 9" Belt Drive Slicers 2 year parts warranty & 1 year labour warranty

Item	13616	31342
Model	MS-IT-0220-U	MS-IT-0220-C
Blade Size	9"/220 mm	9"/220 mm
Cut Thickness	0 - 15 mm	0 - 15 mm
Cutting Size	8.25" x 6.05"	8.25" x 6.05"
Power	0.25 HP / 0.19 kW	0.25 HP / 0.19 kW
Cheese Slicing*	000	000
Slicing Volume ⁺	<30 mins	<30 mins
RPM	300	300
Electrical	120V/ 60Hz /1	120V/ 60Hz /1
Weight (Net/ Gross)	30 lbs / 37 lbs. 13.64 kg/16.7 kg.	30 lbs / 36 lbs. 13.64 kg/16 kg.
Dimensions (DWH)	22.83" x 16" x 13.40"	22.83" x 16" x 13.40"
Gross Dimensions	20" x 19" x 16"	19" x 19" x 16"
Additional Information	ETL Certified ETL Sanitation Certified	In compliance with Province of Quebec safety standards

Omcan 9" Belt Drive Slicers

Item	21629	41710
Model	MS-CN-0220	MS-CN-0220-C
Blade Size	9"/220 mm	9"/220 mm
Cut Thickness	0.2 - 15 mm	0.2 - 15 mm
Cutting Size	6.29" x 9"	6.29" x 9"
Power	0.16 HP / 0.12 kW	0.16 HP / 0.12 kW
Cheese Slicing*	000	
Slicing Volume ⁺	<30 mins	<30 mins
RPM	300	300
Electrical	110V/ 60Hz/1	110V/ 60Hz/1
Weight (Net/Gross)	32 lbs./ 33 lbs. (14.55 kg / 15 kg.)	32 lbs./ 33 lbs. (14.55 kg / 15 kg.)
Dimensions (WDH)	19.5" x 17" x 15"	19.5" x 17" x 15"
Gross Dimensions	21" x 17" x 16"	21" x 17" x 16"
Additional Information	ETL Certified, Retail Ready	In compliance with Province of Quebec safety standards

MEAT SLICER COVER & CART

Item	44264	44722 NEW
Description	Meat Slicer Cover, 100% Cotton made cover for 8" or 9" blade sizes meat slicers	Meat Slicer Cart, 29" x 20.5" x 30" (extends to 19.5" max), S/S Removable Flat Top Shelf, 16 Aluminum Tubing









Pg. 147

2022 OMCAN CATALOG

FOOD EQUIPMENT

NEMA 5 - 15R 125 VAC / 15 AMP RECEPTACLE

П ۳۵,

'n



HOME LINE 250 MEAT SLICERS Only Available in Canada. For residential use only.

FEATURES

- · Brings design back into your kitchen without compromising functionally and safety standards
- · Developed from professional Berkel technology
- · Chrome-plated steel blade delivers the perfect uniform slices, while reducing waste
- Absence of sharp edges allows for easy and quick cleaning
- Only Available in Canada. For residential use only

47111	47113
MS-IN-02504-R	MS-IN-02504-BK
Red	Black
9.8" /250 mm	
0.19 kW	
☐ 7.9" x 7.2 / ○ 7.2" ☐ 200 x 183 mm / ○ 183 mm	
0 - 0.78" / 0 - 20 mm	
115V/60Hz/1Ph	
32 lbs / 14.5 kg	
49 lbs / 22.3 kg	
13.4" x 17	.7" x 13.9"
29.5" x 19.5" x 17"	
	MS-IN-02504-R Red 9.8" /2 0.19





NEMA 5 - 15R 125 VAC / 15 AMP RECEPTACLE

ש ים Π

OMCAN 10" & 11" BELT DRIVE MEAT SLICERS

- Engineered to take up as little space as possible
- · Larger blades allow for greater cutting capacity
- Perfect for slicing a variety of foods, these slicers are ideal for restaurants and sandwich shops

	Elite 10" Blade Slicer With Compact Body And 0.25-Hp Motor 2 year parts warranty & 1 year labour warranty	Elite 10" Blade Slicers With 0.35-Hp Motor 2 year parts warranty & 1 year labour warranty
Item	13623	13621
Model	MS-IT-0250-IP	MS-IT-0250-I
Blade Size	10"/250 mm	10"/250 mm
Cut Thickness	0 - 15 mm	0 - 15 mm
Cutting Size	8.25" X 6.30	10.23" x 7.5"
Power	0.25 HP / 0.19 kW	0.35 HP / 0.26 kW
Cheese Slicing*	000	
Slicing Volume ⁺	30 mins	45 mins.
RPM	300	300
Electrical	120V/ 60Hz/1	110V/ 60Hz /1
Weight (Net/Gross)	30 lbs. / 39 lbs (13.64 kg./17.73 kg.)	55 lbs. / 58 lbs. (25 kg./26.36 kg.)
Dimensions	22.83" X 16" X 13.40"	24.80" x 18.90" x 17.32"
Gross Dimensions	22" X 18" X 18"	25" x 21" x 20"

WWW.OMCAN.COM

FOOD EQUIPMENT

/ MEAT SLICERS /

Elite 10" Blade Slicers W	ith 0.30-Hp Motor 2 year part	s warranty & 1 year labour warranty	For 13620 Only	
Item	13620	31343		
Model	MS-IT-0250-U	MS-IT-0250-C	Intertek	Intertek
Blade Size	10"/250 mm	10"/250 mm	piterteit	MADE IN ITALY
Cut Thickness	0 - 16 mm	0 - 16 mm		
Cutting Size	8.66" x 7.25"	8.66" x 7.25"		
Power	0.30 HP / 0.22 kW	0.30 HP / 0.22 kW	T	13620
Cheese Slicing*	000	000		1w-
Slicing Volume ⁺	30 mins	30 mins		
RPM	300	300		
Electrical	120V/ 60Hz/1	120V/60Hz/1		
Weight (Net/ Gross)	34 lbs./ 40 lbs.	34 lbs./ 42 lbs.		31343
Dimensions	24.40" x 16.75" x 14.56"	24.40" x 16.75" x 14.56"		
Gross Dimensions	21" x 18" x 18"	21" x 18" x 18"		500
Additional Information	ETL/ETL Sanitation Certified	In compliance with Province of Quebec safety standards	For 19067	
10" Blade Slicer			CE For 19067	Only 5 - 15R 125 VAC / 15 AMP RECEPTACLE
Item	19067	41711		
Model	MS-CN-0250	MS-CN-0250-C	Intertex	
Blade Size	10"/250 mm	10"/250 mm	j	
Cut Thickness	0.2 - 15 mm	0.2 - 15 mm		
Cutting Size	7" x 10"	7" x 10"		19067
Power	0.20 HP / 0.15 kW	0.20 HP / 0.15 kW	201	
Cheese Slicing*	000	000	J THE V	
Slicing Volume ⁺	20 mins.	20 mins.		
RPM	150	150		
Electrical	110V/ 60Hz /1	110V/ 60Hz /1		
Weight (Net/ Gross)	39.6 lbs / 43 lbs. (18 kg/19.55 kg)	39.6 lbs / 43 lbs. (18 kg/19.55 kg)		41711
Dimensions (WDH)	21" x 18" x 15.75"	21" x 18" x 15.75"		41/11
Gross Dimensions	23" x 19" x 17"	23" x 19" x 17"	3	200
Additional Information	ETL/ETL Sanitation Certified, Retail Ready	In compliance with Province of Quebec safety standards		
	Elite 11" Blade With 0.30-Hp N		MADE IN ITALY	SERIES JOINT
Item Number	13624	13625		
Model	MS-IT-0275-	P MS-IT-0275-I		
Blade Size	11"/275 mr	n 11"/275mm		
Cut Thickness	0 - 15 mm	0 - 15 mm	-	
Cutting Size	8.66" x 8.66	5" 10.23" x 7.5"		13624
Power	0.30 HP / 0.22	kW 0.35 HP / 0.26	<w td="" 🚬<=""><td>13624</td></w>	13624
Cheese Slicing*	000	DDD		4
Slicing Volume ⁺	30 mins.	45 mins		
RPM	300	300		
Electrical	110V/ 60Hz ,	/1 110V/ 60Hz /	1	
Woight (Not (Oraca)	40 lbs. / 42 ll	os. 50 lbs./ 59 lbs	i. 💦	- 15 -
Weight (Net/Gross)	(18.18 kg. / 19.0	02 kg) (22.73 kg/26.82	kg.)	
Dimensions (WDH)	24.40" x 17.32" x	15.35" 25.20" x 19.5" x 1	7.32"	13625
Gross Dimensions	22" x 19" x 1	8" 25" x 21" x 20	77	
2 year parts warranty & 1 year la	bour warranty			

⁺Results may vary due to product consistency and temperature

Pg. 149

2022 OMCAN CATALOG

NEMA 5 - 15F

OMCAN 12" BELT DRIVE MEAT SLICERS

- · Ideal for restaurants and sandwich shops
- 12" blade offers a large cutting capacity
- · Compact MS-IT-0300-I is perfect when space is limited but cutting capacity isn't

Elite 12" Blade Slicer With 0.35-Hp Motor 2 year parts warranty & 1 year labour warranty

			MADE IN ITALY SERIES
Item	13628	31344	MADE IN HALY SERIES
Model	MS-IT-300-U	MS-IT-0300-C	
Blade Size	12" /300 mm	12"/300 mm	
Cut Thickness	0 - 16 mm	0 - 16 mm	The second se
Cutting Size	10.23" x 8.41"	10.23" x 8.41"	
Power	0.35 HP / 0.26 kW	0.35 HP / 0.26 kW	
Cheese Slicing*			
Slicing Volume ⁺	1 hour	1 hour	
RPM	300	300	
Electrical	120V/ 60Hz /1	120V/ 60Hz /1	
Weight (Net/Gross)	50 lbs./63lbs (22.73 kg/28.64 kg)	50 lbs./62lbs (22.73 kg/28 kg)	
Dimensions	25.60" x 19.5" x 17.32"	25.60" x 19.5" x 17.32"	
Gross Dimensions	25" x 21" x 20"	25" x 21" x 20"	
Additional Information	ETL Certified	In compliance with Province of Quebec safety standards	

Elite 12" Blade Slicer With Compact Body And 0.35-Hp Motor 2 year parts warranty & 1 year labour warranty

Item	21624
Model	MS-IT-0300-I
Blade Size	12"/300 mm
Cut Thickness	0 - 16 mm
Cutting Size	8.66" x 7.5"
Power	0.35 HP/ 0.26 kW
Cheese Slicing*	
Slicing Volume ⁺	1 hour
RPM	300
Electrical	120V/ 60Hz /1
Weight (Net/Gross)	34 lbs / 49 lbs. (15.45 kg / 22.27 kg)
Dimensions	24.40" x 16.75" x 14.56"
Gross Dimensions	25" x 21" x 20"

12" Blade Slicer

Item 19068 41712 Model MS-CN-0300 MS-CN-0300-C Blade Size 12"/300 mm 12"/300 mm Cut Thickness 0.2 - 15 mm 0.2 - 15 mm Cutting Size 7.87" x 12" 7.87" x 12" Power 0.33 HP / 0.25 kW 0.33 HP / 0.25 kW Cheese Slicing* 0.000 0.000 Slicing Volume ¹ 45 mins 45 mins RPM 265 265 Electrical 110V/ 60Hz / 1 110V/ 60Hz / 1 Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) 55 lbs./58 lbs. (25 kg/26 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional Information ETL/ETL Sanitation Certified, Retail Ready In compliance with Province of Quebec safety standards			
Blade Size 12"/300 mm 12"/300 mm Cut Thickness 0.2 - 15 mm 0.2 - 15 mm Cutting Size 7.87" x 12" 7.87" x 12" Power 0.33 HP / 0.25 kW 0.33 HP / 0.25 kW Cheese Slicing* 0000 0000 Slicing Volume ¹ 45 mins 45 mins RPM 265 265 Electrical 110V/ 60Hz / 1 110V/ 60Hz / 1 Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) 55 lbs./58 lbs. (25 kg / 26 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Item	19068	41712
Cut Thickness 0.2 - 15 mm 0.2 - 15 mm Cutting Size 7.87" x 12" 7.87" x 12" Power 0.33 HP / 0.25 kW 0.33 HP / 0.25 kW Cheese Slicing* 0000 0000 Slicing Volume ⁴ 45 mins 45 mins RPM 265 265 Electrical 110V/ 60Hz / 1 110V/ 60Hz / 1 Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) 55 lbs./58 lbs. (25 kg / 26 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Model	MS-CN-0300	MS-CN-0300-C
Cutting Size 7.87" x 12" 7.87" x 12" Power 0.33 HP / 0.25 kW 0.33 HP / 0.25 kW Cheese Slicing* 0000 00000 Slicing Volume ¹ 45 mins 45 mins RPM 265 265 Electrical 110V/ 60Hz / 1 110V/ 60Hz / 1 Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) 55 lbs./58 lbs. (25 kg / 26 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Blade Size	12"/300 mm	12"/300 mm
Power 0.33 HP / 0.25 kW 0.33 HP / 0.25 kW Cheese Slicing* DDD DDD Slicing Volume ⁺ 45 mins 45 mins RPM 265 265 Electrical 110V/ 60Hz / 1 110V/ 60Hz / 1 Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) 55 lbs./58 lbs. (25 kg / 26 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Cut Thickness	0.2 - 15 mm	0.2 - 15 mm
Cheese Slicing* IIII Slicing Volume ¹ 45 mins A5 mins 45 mins RPM 265 Electrical 110V/ 60Hz / 1 Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Cutting Size	7.87" x 12"	7.87" x 12"
Slicing Volume ⁺ 45 mins 45 mins RPM 265 265 Electrical 110V/ 60Hz / 1 110V/ 60Hz / 1 Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) 55 lbs./58 lbs. (25 kg / 26 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Power	0.33 HP / 0.25 kW	0.33 HP / 0.25 kW
RPM 265 265 Electrical 110V/ 60Hz /1 110V/ 60Hz /1 Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) 55 lbs./58 lbs. (25 kg/26 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Cheese Slicing*	000	DDD
Electrical 110V/ 60Hz /1 110V/ 60Hz /1 Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) 55 lbs./58 lbs. (25 kg /26 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Slicing Volume ⁺	45 mins	45 mins
Weight (Net/Gross) 55 lbs./60 lbs. (25 kg/27.27 kg) 55 lbs./58 lbs. (25 kg/26 kg) Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	RPM	265	265
Dimension 23.5" x 20.5" x 19.5" 23.5" x 20.5" x 19.5" Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Electrical	110V/ 60Hz /1	110V/ 60Hz /1
Gross Dimensions 25" x 21" x 20" 24" x 21" x 20" Additional ETL/ETL Sanitation In compliance with Province of	Weight (Net/Gross)	55 lbs./60 lbs. (25 kg/27.27 kg)	55 lbs./58 lbs. (25 kg/26 kg)
Additional ETL/ETL Sanitation In compliance with Province of	Dimension	23.5" x 20.5" x 19.5"	23.5" x 20.5" x 19.5"
	Gross Dimensions	25" x 21" x 20"	24" x 21" x 20"
		·	







Intertek (ET) Intertek

E



WWW.OMCAN.COM

+Results may vary due to product consistency and temperature

*Cheese Slicing Ratings DDD Not Recommended DDD Poor DDD Average DDD Good DDD Excellent

FOOD EQUIPMENT

/ MEAT SLICERS /

Omcan Medium-Duty 12" Belt Drive Slicer 2 year parts warranty & 1 year labour warranty

- High horsepower motor and dependable belt drive
- Suited for sub shops, supermarkets, and demanding restaurant applications

Item	13629
Model	MS-IT-300-IP
Blade Size	12"/300 mm
Cut Thickness	0 - 16 mm
Cutting Size	11.25" x 9"
Power	0.50 HP / 0.37 kW
Cheese Slicing*	■■□□
Slicing Volume ⁺	2 hours
RPM	280
Electrical	110V/ 60Hz /1
Weight (Net/Gross)	79.3 lbs / 84 lbs. (36 kg / 38.18 kg)
Dimensions	30.31" x 21.25" x 18.30"
Gross Dimensions	28" x 25" x 21"





OMCAN MEDIUM-DUTY 13" AND 14" BELT DRIVE SLICERS

- High horsepower motors and dependable belt drives
- Suited for sub shops, supermarkets, and demanding restaurant applications
- 13" Blade Slicer 2 year parts warranty & 1 year labour warranty

Item	13635	
Model	MS-IT-0330-L	
Blade Size	13"/330 mm	
Cut Thickness	0 -16 mm	
Cutting Size	11.25" x 9.84"	
Power	0.50 HP / 0.37 kW	
Cheese Slicing*		
Slicing Volume ⁺	2 hours	
RPM	280	
Electrical	110V/ 60Hz /1	
Weight (Net/Gross)	85 lbs / 86 lbs. (38.64 kg / 39.09kg)	
Dimensions	30.31" x 21.65" x 18.30"	
Gross Dimensions	28" x 25" x 21"	

14" Blade Slicer 2 year parts warranty & 1 year labour warranty

Item	13637
Model	MS-IT-0350-L
Blade Size	14"/350 mm
Cut Thickness	0 -16 mm
Cutting Size	12.75" x 10.25"
Power	0.50 HP / 0.37 kW
Cheese Slicing*	
Slicing Volume ⁺	2 hours
RPM	286
Electrical	110V/ 60Hz/1
Weight (Net/Gross)	97 lbs. / 104 lbs. (44.09 kg / 47.27 kg)
Dimensions	22.83" x 23" x 19"
Gross Dimensions	29" x 32" x 22"





13637

Pg. 151

*Cheese Slicing Ratings CON **Not Recommended** COP or CAverage Content of Cont

2022 OMCAN CATALOG

FOOD EQUIPMENT

14" Blade Slicer		
Item	23544	5-15R 125 VGC 15A MP (RECEPTACLE
Model	MS-CN-0350	
Blade Size	14"/350 mm	E E
Cut Thickness	0.2 - 15 mm	
Cutting Size	12.59" x 14"	
Power	0.50 HP / 0.37 kW	a) and for
Cheese Slicing*		
Slicing Volume ⁺	1 hour	
RPM	240	
Electrical	110V/ 60Hz/1	
Weight (Net/Gross)	130 lbs. / 133 lbs. (59 kg / 60.45 kg)	
Dimension	31" x 24" x 19.50"	23544
Gross Dimensions	32" x 27" x 23"	

AUTOMATIC SLICER - 12" BELT DRIVEN Safety options available. In compliance with Province of Quebec Safety Standards

- Equipped with two separated fan-cooled motors: one operating the blade, the other one operating the carriage, removable sharpener, fixed blade ring guard, and removable product holder
- Crafted with anodized aluminium alloy and a tempered chromium steel blade
- Adjustable carriage stroke and available options
- Features a removable aluminium blade cover, product holder, pusher, and stainless steel slice deflector

· Teatures a territorable a	auminum blade cover, product noider, pusher, and stamless steel	
Item	13654	
Model	MS-IT-0300-A	Intertek
Blade Size	12"/300mm	
Power	0.53 HP / 0.40kW	18 - C &
Cheese Slicing*		
Slicing Volume ⁺	8 hours or more	
RPM	200	
Cutting Size	8.85" x 8.66"	Part of the second seco
Cut Thickness	0-14mm	
Electrical	120V/60Hz/1	
Weight (Net/Gross)	90.2 lbs./94 lbs. (41 kg./42.6 kg.)	
Dimensions	25.19" x 21.65" x 20.86"	13654
Gross Dimensions	28" x 25" x 25"	

GEAR-DRIVEN SLICERS WITH 0.35 HP - BLADE SIZE FROM 12"-14" Safety options and accessories available

- Provides long lasting heavy-duty performance and dependability
- Gears are constantly bathed in oil
- Polished anodized aluminium body with high carbon, hard chromed blade
- Easy to disassemble and clean
- SSuitable for cheese and hard meats

 Polished anodized 	aluminium body with high	carbon, hard chromed b	lade	
Item	13641	13642	13643	
Model	MS-IT-0300-G	MS-IT-0330-G	MS-IT-0350-G	Intertek
Blade Size	12"/300mm	13"/330mm	14"/350mm	MADE IN ITALY
Power	0.35 HP	0.35 HP	0.35 HP	
Cheese Slicing*				e e
Slicing Volume ⁺	8 hours or more	8 hours or more	8 hours or more	
RPM	250	250	250	
Cutting Size	5.9" x 9.8"	6.5" x 10.62"	7.28" x 11.42"	
Cut Thickness	0-14mm	0-14mm	0-14mm	
Electrical	110V/ 60Hz/1	110V/ 60Hz /1	110V/ 60Hz/1	100
Weight	95lbs./97 lbs.	99lbs./101lbs.	100lbs./102lbs.	
(Net/Gross)	(43.18 kg./44kg.)	(45 kg./46kg.)	(45.45 kg./46kg)	13641
Gross Dimensions	33" x 28" x 27"	33" x 28" x 27"	33" x 28" x 27"	

*Cheese Slicing Ratings DO Not Recommended DO Poor DO Average DO Good DE Excellent +Results may vary due to product consistency and temperature

13" BLADE GEAR-DRIVEN SLICER WITH 0.47 HP

FEATURES

- ON/OFF switch with LED
- Removable parts for cleaning: blade cover, product-holder plate, aluminium meat grip, stainless steel slice deflector
- Blade with NARROW BAND of chromium plated hardened steel
- Transparent Plexiglas Protection on the product-holder plate
- Safety devices according to EN1974 standards

Item	31438
Model	MS-IT-0330-F
Blade Size	13" / 330 mm
Cutting Size	□ 10.6" x 6.7" ○ 9.45"
Cut Thickness	0 - 0.55" / 0 -14 mm
Power	0.35 kW / 0.47 HP
Cheese Slicing*	
Slicing Volume ⁺	8 hours or more
RPM	240
Electrical	120V / 60Hz / 1
Weight (Net/Gross)	94.8 lbs./105 lbs (43 kg /47.6 kg)
Dimensions (DWH)	26.38" x 29.7" x 20.87"
Gross Dimensions	33" x 28" x 27"







13" BLADE GEAR-DRIVEN SLICER WITH 0.47 HP

In compliance with Province of Quebec Safety Standards

FEATURES

- ON/OFF one touch s/s switches with LED flush with slicer casting
- Removable parts for cleaning: blade cover, product-holder plate,
- aluminium meat grip, stainless steel slice deflector • Fast - no tools removable meat grip
- Blade with narrow band of chromium plated hardened steel
- 45° inclined blade
- · Rotatable and removable sharpener
- Dual action sharpener
- · Fixed ring guard
- Interlock on gauge plate on zero position
- · Readily removable transparent Plexiglas Protection on product holder plate

Item	38917
Model	MS-IT-0330-C
Blade Size	13" / 330 mm
Power	0.35 kW / 0.47 HP
Cheese Slicing*	••••
Slicing Volume ⁺	8 hours or more
Cutting Size	□ 10.6" x 6.7" ○ 9.45"
Cut Thickness	0 - 0.55" / 0 -14 mm
RPM	240
Electrical	120V / 60Hz / 1
Weight (Net/Gross)	94.8 lbs./110 lbs. (43 kg / 50kg)
Dimensions	26.38" x 28.7" x 20.87
Gross Dimensions	32.7" x 28" x 26.7"



*Cheese Slicing Ratings **DOM Not Recommended DOM PAD Average DOM Good DOM Excellent** +Results may vary due to product consistency and temperature

FOOD EQUIPMENT

13" BLADE GEAR-DRIVEN AUTOMATIC SLICER Safety options available

This gravity feed slicer is equipped with automatic sliding carriage and two independent high performance fan cooled motors: one for the carriage and one for the blade. The gears are constantly bathed in oil. The polished anodized aluminium body along with its high carbon, hard chromed blade provides long life and durability. Easy to disassemble and clean.

FEATURES

- Adjustable carriage stroke and consequent n° of cuts
- GEAR driven transmission
- Two separate motors one for the blade one for the carriage
- Removable parts for cleaning: blade cover, product-holder plate, aluminium meat grip, stainless steel slice deflector
- Fast no tools removable meat grip
- Blade with narrow band of chromium plated hardened steel
- 45° inclined blade
- Rotatable and removable sharpener

- Dual action sharpener Fixed ring guard
- Interlock on gauge plate on zero position
- Large product holder plate
- Readily removable transparent Plexiglas Protection on product holder plate
- New design with large spaces
- · Fence included

Item	39477
Model	MS-IT-0330-N
Blade Size	13" / 330 mm
Cut Thickness	0 - 0.55" / 0 -14 mm
Cutting Size	□ 10.2"x 6.7" ○ 9.25"
Power	0.60 HP / 0.45 kW
Cheese Slicing*	
Slicing Volume ⁺	8 hours or more
RPM	240
Electrical	120V/60Hz/1
Weight (Net/Gross)	130 lbs./ 153 lbs. (69 Kg/ 59 kg)
Dimensions (DWH)	25.6" x 28.7" x 24.4"
Gross Dimensions	36" x 34" x 30"

13" BLADE GEAR-DRIVEN AUTOMATIC SLICER Safety options available FEATURES

- Suitable for cheese and hard meats
- Gears are constantly bathed in oil
- Polished anodized aluminum body along with its high carbon, hard chromed blade provides long life and durability
- Ring guard included
- Equipped with safety features
- Easy to disassemble and clean

Item	13645
Model	MS-IT-0330-A
Blade Size	13"/ 330mm
Cutting Thickness	0 - 0.55" / 0 -14 mm
Cutting Size	□ 10.2" x 6.69" ○ 9.25"
Power	2 x 0.50 HP / 0.37 kW
Cheese Slicing*	••••
Slicing Volume*	8 hours or more
RPM	250
Electrical	110V/60/1
Weight (Net/Gross)	123.45 lbs./143 lbs. (56 kg./65 kg)
Dimensions (DWH)	22" x 29" x 24"
Gross Dimensions	36" x 34" x 30"







WWW.OMCAN.COM

*Cheese Slicing Ratings DOM **Recommended DOM Poor DOM Average DOM Good DOM Excellent**+Results may vary due to product consistency and temperature

FOOD EQUIPMENT

/ MEAT SLICERS /

HORIZONTAL BELT-DRIVEN SLICERS 2 year parts warranty & 1 year labour warranty

- Made of anodized aluminium alloy which makes it easy to clean and meet the most demanding sanitation requirements
- Precise decimal thickness regulator ranges between 0 and 16 mm
- Equipped with a built-in blade sharpener for effective cutting
- Plate mounted on the ball bearings creates an exceptionally smooth operation
- Ideal for thin prosciutto slicing





12"- Blade Horizontal Belt-Driven Slicer

Item	46162	
Model	MS-IT-0300-CE	
Blade Size	12"/300 mm	
Cut Thickness	0-16mm	
Cutting Size	10" x 8.7"	
Power	0.50 HP / 0.37 kW	
Slicing Volume	2 hours ⁺	
RPM	280	
Electrical	110V/60Hz/1	
Weight (Net/Gross)	75 lbs. / 88 lbs. (34 kg / 40 kg.)	
Dimensions (DWH)	21.7" x 28" x 21.7"	
Gross Dimensions	22.8" x 28" x 24.8"	

14"- Blade Horizontal Belt-Driven Slicer

Item	39583
Model	MS-IT-0350
Blade Size	14"/350 mm
Cut Thickness	0-16mm
Cutting Size	11.81" x 10.43"
Power	0.50 HP / 0.37 kW
Slicing Volume	2 hours ⁺
RPM	260
Electrical	110V/60Hz/1
Weight (Net/Gross)	99 lbs. / 115 lbs. (45 kg / 40.91 kg)
Dimensions (DWH)	25.6" x 32.3" x 25.2"
Gross Dimensions	32" x 28" x 25"





13"- Blade Horizontal Belt-Driven Slicer

Item	46163
Model	MS-IT-0330-CE
Blade Size	13"/330 mm
Cut Thickness	0-16mm
Cutting Size	10" x 8.7"
Power	0.50 HP / 0.37 kW
Slicing Volume	2 hours ⁺
RPM	260
Electrical	110V/60Hz/1
Weight (Net/Gross)	75 lbs. / 88 lbs. (34 kg/ 40 kg.)
Dimensions (DWH)	21.7" x 28" x 21.7"
Gross Dimensions	22.8" x 28" x 24.8"

14.5"- Blade Horizontal Belt-Driven Slicer

Item	13650
Model	MS-IT-0370-V
Blade Size	14.5"/370 mm
Cut Thickness	0-16mm
Cutting Size	11.42" x 10.82"
Power	0.50 HP / 0.37 kW
Slicing Volume	2 hours ⁺
RPM	260
Electrical	110V/60Hz/1
Weight (Net/Gross)	101.2 lbs./117 lbs. (46 kg. / 53.18 kg.)
Dimensions (DWH)	21.7" x 28" x 21.7"
Gross Dimensions	32" x 28" x 25"

FOOD EQUIPMENT

S SERIES HORIZONTAL GEAR-DRIVEN SLICERS In compliance with Province of Ouebec safety standards

The "S" Series Slicers are especially designed to cut fresh meat. The large horizontal carriage has a double sliding table, specifically designed to cut fresh meat by providing a long stroke depth.

FEATURES


- Superglide: Specially treated gauge-plate and blade cover for a smoother performance that ensures precision cuts at all times
- Additional safety features: Fixed blade ring guard; aluminium thumb guard; interlock for carriage disassembly; NVR (No Voltage Release) switch and protections on the sharpener and blade
- In Compliance With Province Of Quebec Safety Standards (Item 39631 & 38915 Only)

104 lbs./ 47 kg

29" x 26" x 20"

23" x 28" x 27"

• New Design: Enlarged receiving surface (Item 38915 only)



Gross Weight

Dimensions (WDH) Gross Dimensions

122lbs./ 55 kg

26" x 28" x 21.7"

34" x 31" x 26"

140 lbs./ 63.6 kg

31.50" x 29.52" x 22.44"

36" x 34" x 29"



/ VOLANO MEAT SLICERS /

MANUAL VOLANO SLICERS Stand sold separately

· Fully hand operated, simple to maintain and operate

• Designed in brilliant red with nostalgic appeal



- Equipped with a protection ring around the blade to meet CE standards
- Other flywheel and trim colors are available as special order
- Durable and consistent slicing
- Built-in blade sharpener keeps the blade sharp for efficient cutting
- Machines also available in different colors



Item	Model	Blade Size	Cutting Size	Cut Thickness	Net Weight	Gross Weight	Gross Dimensions
26072	MS-IT-0250-MF	10"/250 mm	7.30" x 5.90"	0-2 mm	72.6 lbs.	99 lbs.	32 x 26 x 28
26073	MS-IT-0300-MF	12"/300 mm	9" x 7.5"	0-2 mm	100 lbs.	169 lbs.	30" x 30" x 27"
44375	MS-IT-0300-ML	12"/300 mm	9" x 7"	0-2.5 mm	97 lbs.	100 lbs.	25 x 31.5 x 27.6
46089	MS-IT-0300-BF	12"/300 mm	9" x 7"	0-2.5 mm	100 lbs.	143 lbs.	31.5" x 29" x 39"
26074	MS-IT-0350-MF	14"/350 mm	10.62" x 9.44"	0-2.5 mm	178 lbs.	228 lbs.	37" x 37" x 34"
20387	MS-IT-0370-MF	14.5" /370 mm	10.62" x 9.84"	0-2.5 mm	178.2 lbs.	220 lbs.	37" x 33" x 38"

Manual Slicers With Standard Flywheel 2 year parts warranty & 1 year labour warranty

Item	Model	Blade Size	Cutting Size	Cut Thickness	Net Weight	Gross Weight	Gross Dimensions
20013	MS-IT-0250-M	10"/250 mm	7.30" x 5.90"	0-2 mm	72.6 lbs.	100 lbs.	30" x 26" x 27"
13634	MS-IT-0300-M	12"/300 mm	9" x 7.5"	0-2 mm	100 lbs.	116 lbs.	30" x 26" x 28"
46131	MS-IT-0300-ME	12"/300 mm	9" x 7.5"	0-2.5 mm	100.3 lbs.	143 lbs.	31.5" x 29" x 39"
44375	MS-IT-0300-ML	12"/300 mm	9" x 7"	0-2.5 mm	97 lbs.	100 lbs.	25" x 31.5" x 27.6"
13639	MS-IT-0350-M	14"/350 mm	10.62" x 9.44"	0-2.5 mm	178 lbs.	234 lbs.	37" x 33" x 38"
18830	MS-IT-0370-M	14.5"/370 mm	10.62" x 9.84"	0-2.5 mm	178.2 lbs.	227 lbs.	37" x 33" x 38"

Stand With Wheels Optional

Item	Description	Item	Description
20014	For item 20013 and 26072	46336	Red stand with wheels for item 26074, 20387, 13639 and 18830
18986	For item 13634 and 26073	46337	Red stand with wheels for item 26072, 26073, 44375, 46089,
18987	For item 13639, 18830, 26074 and 20387	40337	20013, 13634, 46131 and 44375
46134	For item 46088	45983	Black stand with wheels for item 26074, 20387, 13639 and 18830

VINTAGE LOOK

MODERN TECHNOLOGY

Perfect balance between style, craftsmanship, passion, and cutting edge manufacturing techniques



DIFFERENT TYPES OF VOLANO FLYWHEELS AND COLORS ARE AVAILABLE UPON REQUEST

This classic style, circa 1919, Volano slicer was designed by reaching a perfect balance between style, craftsmanship, passion, and cutting edge manufacturing techniques. The vintage look offers a sense of tradition with a touch of modern technology.

The classic Volano slicer features a removable stainless steel cover tray, comb pusher and receiving tray which makes washing and sanitizing easy. The wide space between the blade and the slicer body provides easy access when cleaning.

The slicer comes with a shiftable 360° blade guard, covering the entire blade, designed for safety while not compromising performance. The machine is equipped with a professional heavy duty sharpener, which ensures the blade stays sharp on every use.

Historic Volano Manual Slicer 1 year parts warranty & 1 year labour warranty

Item	44007
Model	MS-IT-0319-M
Blade Size	12 1/2" / 319 mm
Cutting Size	8" x 8.66"
Cut Thickness Range	0.3 mm - 4mm
Weight	110 lbs. / 50 kg.
Gross Weight	144 lbs. / 65 kg.
Dimension (DWH)	32.7" x 23" x 22"
Gross Dimension	36" x 34" x 29"
Optional Item	45304 (Stand)



Manual Slicer With Standard Flywheel 1 year parts warranty & 1 year labour warranty

46088
MS-IT-0370-S
14.5" / 370 mm
11.4" x 10.2" / Dia 10.2"
0 mm - 4 mm
176.37 lbs /
111.4 lbs /
31.1" x 39" x 27"
20" x 31.5" x 31"



