



TOASTERS HIGH-PERFORMANCE

CONTACT & CONVEYOR MODELS

Built to stand up to the most rigorous foodservice operations

Fast, consistent heating that meets your toasting needs
on demand with our wide variety of toasting options



QCS3-1600B

TOASTERS BUYING GUIDE

HOW WILL YOU USE YOUR TOASTER?

- **BATCH PROCESS** - low volume & irregular
- **CONTINUOUS OPERATION** - high volume & ongoing



WHAT ARE YOU TOASTING?

OPENING SIZE PER PRODUCT		
BREAD 1.5"	BAGELS 1.75"	BUNS 3.0"

Buns, bagels, and breads **all have varying heights**

Consider the height of your product when selecting the right toaster style



SCT4000E VERTICAL CONTACT TOASTER

- First buns pass-through time is as low as 12 seconds fully caramelized
- Bun height adjustment controlled with an easily adjusted twist knob
- Supplied with an easy-to-install non-stick sheet
- Single piece front and rear silicone belts
- High-contrast display allows an infinite number of programmed product settings
- USB port programming allows easy uploading of new product files consistently, across any number of toasters

CAPABLE OF UP TO



1,800 BUN-HALVES PER HOUR



two heels & two crowns
at once, constant feed



SCT4000E

HOLMAN SCT4000E VERTICAL CONTACT TOASTER

Model No.	Prices F.O.B. Smithville, TN	Description	CAPACITY per HOUR	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
SCT4000E	\$18,015	PROGRAMMABLE CONTROLS VARIABLE SPEED & TEMPERATURE CONTROL, DIGITAL STEPPER MOTOR	1,800 bun halves	208/240 230	6-15P CEE7/7	2,000/2,663 2,446	21.70	9.50	25.70	100	85

ACCESSORIES

Model No.	List	Description
SCTBWP	\$2,029	PERFORATED BUTTER WHEEL for SCT
SCTBWS	\$1,460	SMOOTH BUTTER WHEEL for SCT
SCTSHEET-B	\$1,044	(10) NON-STICK SHEETS for SCT, BUTTER APPLICATIONS

non-stick sheet
for SCT4000E



SCTSHEET-B



HCT HORIZONTAL CONTACT TOASTERS

- Caramelize/seal buns & bread to extend holding time
- Durable Chain or non-marking Silicone belt options
- Analog and Electronic Control Options
- Knob adjustment for product height
- Low-profile design



HOLMAN HCT HORIZONTAL CONTACT TOASTERS

Model No.	Belt Type	Voltage	Prices FOB Smithville, TN	Model No.	Belt Type	Voltage ¹	Prices FOB Smithville, TN
ANALOG CONTROLS				ELECTRONIC CONTROLS			
HCT13M	Metal Chain	208	\$8,532	HCTE13M	Metal Chain	208	\$9,439
HCT13M-240		240	\$8,532				
HCT13M-230		230	\$8,532				
HCT13S	Silicone	208	\$8,532	HCTE13S	Silicone	280	\$9,439
HCT13S-240		240	\$8,532				
HCT13S-230		230	\$8,532				

HCT model specs on table below. 1-240 & 230V not available on HCTE13M & HCTE13S Electronic control models

SPECIFICATIONS - HCT CONTACT TOASTERS

Model	BUN HALVES per HOUR	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
HCT13M HCTE13M	1700	208	6-20P	2800	19.25	24.40	17.30	115	85
		240	6-20P	3000					
		230	CEE7/7	2750					
HCT13S HCTE13S		208	6-20P	2550	19.25	24.40	17.30	115	85
	240	6-20P	2650						
	230	CEE7/7	2450						

1-240V & 230V not available on HCTE13M & HCTE13S Elec.Control models

ACCESSORIES

Model No.	List	Description
HCTEBW	\$1,045	BUTTER WHEEL for HCT
HCTFEED	\$312	FEEDER TRAY for HCT
CTSHEET10	\$288	(10) NON-STICK SHEETS for HCT



QCS1-350



QCS1 toasters

- Optimal performance in a compact size
- 10" w belt for up to 2-slices/bread, side-by-side
- Analog temperature & belt speed adjustment
- Bagel toaster heats max power on 1-side
- 120V service for use anywhere in your kitchen

Compact, only 14 1/4 inches wide
MAXIMUM PERFORMANCE
MINIMUM COUNTER SPACE

HOLMAN QCS1 COMPACT CONVEYOR TOASTERS

⚡ HOLMAN QCS1 COMPACT CONVEYOR TOASTERS

ANALOG CONTROLS ¹		Slices per HOUR	Description	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS1-350	\$2,492	350	1.5" Opening COMPACT toaster	120	1600	5-15P	14.25	18.88	13.25	44	85
QCS1-500B	\$4,049	500	1.5" Opening BAGEL toaster	120	1600	5-15P	14.25	18.88	13.25	44	85

All prices F.O.B Smithville, TN



QCS2-600H



QCS2 toasters

- 10" w belt for up to 2-slices/bread, side by side
- Analog controls for belt speed, top and bottom heat
- Analog temperature & belt speed adjustment
- Programmable belt speed & top and bottom heat
- Inlet height options for toast, bagels, and buns

Compact, only 14 1/2 inches wide
MAXIMUM PERFORMANCE
MINIMUM COUNTER SPACE

HOLMAN QCS2 COMPACT CONVEYOR TOASTERS

⚡ HOLMAN QCS2 CONVEYOR TOASTERS

ANALOG CONTROLS		ELECTRONIC CONTROLS		Slices per HOUR	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS2-500	\$4,687	QCSe2-500	\$5,474	500	1.5" Opening COMPACT toaster	120	1,700	5-15P	14.50	22.38	15.63	64	85
QCS2-600H	\$5,168	QCSe2-600H	\$6,104	600	3.0" Opening BUN toaster	208 240*	2,800	6-20P 6-20P	14.50	22.38	15.63	64	85
QCS2-800	\$4,505			800	1.5" Opening COMPACT toaster	208 240	2,800	6-20P 6-20P	14.50	22.38	15.63	64	85
QCS2-1200B	\$5,888			1,200	1.75" Opening BAGEL toaster	208	3,200	6-20P	14.50	22.38	15.63	64	85

All prices F.O.B Smithville, TN 1 - Specify 120V, 208V, 240V when ordering * 240V not available on QCSe2-600H model



HOLMAN QCS3 HIGH-VOLUME CONVEYOR TOASTERS



QCS3-950H



QCS3 -1600B

QCS3 toasters

- 14" wide belt for up to 3-slices of bread, side by side
- Analog controls for belt speed, top and bottom heat
- Programmable belt speed and top and bottom heat
- Inlet height options for toast, bagels, and buns

⚡ HOLMAN QCS3 HIGH VOLUME CONVEYOR TOASTERS

ANALOG CONTROLS		Slices per HOUR	Description	Volts ¹	Watts ¹	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS3-1000	\$5,803	1,000	1.5" Opening COMPACT toaster	208	3,200	6-20P	18.50	22.38	15.63	68	85
QCS3-950H	\$5,749	950	3.0" Opening BUN toaster	208 240	3,200	6-20P 6-20P	18.50	22.38	15.63	68	85
QCS3-1300	\$6,952	1,300	1.5" Opening COMPACT toaster	208	3,600	6-30P	18.50	22.38	15.63	68	85
QCS3-1600B	\$6,845	1,600	2.0" Opening BAGEL toaster	208	3,400	6-30P	18.50	22.38	15.63	68	85
All prices F.O.B Smithville, TN				1 - Specify 208V or 240V							



HOLMAN QCS3 SPECIALTY CONVEYOR TOASTERS

⚡ HOLMAN SPECIALTY CONVEYOR TOASTERS



QCS3-1400BH



DT14

ANALOG CONTROLS		Slices per HOUR	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class	BELT Width & Capacity
DT14	\$12,188	2,000	2.25" Top Opening 1.75" Bottom Opening DOUBLE CONVEYOR toaster	208 240	4,800	6-30P	19.50	23.43	24.06	102	85	14" 3 Slices
QCS3-1400BH	\$7,477	1,400	3.0" Opening VARIABLE BAGEL & BREAD toaster	208 240	3,400	6-30P 6-30P	18.50	22.38	15.63	68	85	14" 3 Slices
RCS2-600BN	\$4,230	600	1.75" Opening COMPACT BAGEL toaster	120	1,700	5-15P	9.90	23.25	17.20	58	85	5" 1 Slice
All prices F.O.B Smithville, TN			1 - Specify 120V, 208V, or 240V Service when ordering. All units rated for 50-60Hz cycles.									

DT14 TOASTER

The DT14 Double Toaster defines productivity. Two variable speed conveyor belt controls and top/bottom heat controls for perfect color and texture on everything. Product entry opening adjustable from 1" to 2.25" high in top toaster. Bottom entry is 1.75".

QCS3-1400BH TOASTER

The QCS3-1400BH toaster takes production flexibility to a whole new level with the extra-wide 3" inlet. Normal operation, 3400W of power is applied evenly between top and bottom, like a standard toaster. A toggle switch in the lower left corner converts the unit to 3400W of TOP HEAT ONLY, for maximum bagel and bun productivity.

RCS2-600 TOASTER

The RCS2-600BN is the name in compact bagel productivity. 10" overall width, it can fit ANYWHERE, and the 5" wide belt can process 600 slices/hour. The 120V utility and compact size make this unit is perfect for satellite locations - next to the drive through, near the register...whatever your needs.



ULTRA-MAX IMPINGEMENT CONVEYOR OVENS

Impingement Conveyor Ovens are great for...

- Toasting sandwiches, baking cookies & cinamon rolls
- Baking smaller blanched or par-baked pizzas
- High-volume, varied menu applications
- High power applications



UltraMax



STAR ULTRA-MAX GAS IMPINGEMENT CONVEYOR OVENS - DIGITAL CONTROLS

Model No.	Price F.O.B Smithville, TN	BTU ¹	Volts ²	NEMA Plug	Chamber [in.]	Belt Width [in.]	Belt Length [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
UM1854	\$31,613	40,000	120	5-15P	28	18.9	54	60.60	39.30	23.30	352	25
1 - Specify Natural Gas or Propane when ordering												
Gas Conveyor ovens can be stacked two (2) high				FREE START-UP for this product through approved service agent								

STAR ULTRA-MAX ELECTRIC IMPINGEMENT CONVEYOR OVENS - DIGITAL CONTROLS

ELECTRIC CONVEYOR OVENS
CAN BE STACKED 2-HIGH

Model No.	Stainless Belt	Price F.O.B Smithville, TN	Silicone Belt	Volts ¹	NEMA Plug	Watts	Chamber [in.]	Belt Width [in.]	Belt Length [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
UM1833A	\$19,700	-	-	208 240	6-30P 6-30P	6,400	24	18.9	33	37.20	30.40	20.00	272	85
UM1850A	\$20,779	UM1850AT	\$22,578	208 240	6-30P 6-30P	6,400	24	18.9	50	50.00	30.40	20.00	290	85
1 - Specify 208V or 240V Service														
Electric Conveyor ovens can be stacked two (2) high							FREE START-UP for this product through approved service agent							

ACCESSORIES

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
UMENTRY6	\$293	6" CONVEYOR ENTRY SHELF	3	85
UMEXIT8	\$252	8" CONVEYOR EXIT SHELF	4	85
UMEXIT11	\$252	11" CONVEYOR EXIT SHELF	3	85
ES-UM1854	\$4,330	EQUIPMENT STAND UM1854	50	85



HOLMAN QUARTZ HEATER CONVEYOR OVENS

Quartz Conveyor Ovens are great for...

- Toasting sandwiches, baking cookies & cinamon rolls
- Baking smaller blanched or par-baked pizzas
- Countertop applications, limited space
- Lower power or low-voltage applications



210HX

HOLMAN QUARTZ HEATER ELECTRIC CONVEYOR OVENS - ANALOG CONTROLS

ELECTRIC CONVEYOR OVENS CAN BE STACKED 2-HIGH

Model No.	Price F.O.B. Smithville, TN	Volts ¹	Watts	NEMA Plug	Chamber [in.]	Belt Width [in.]	Belt Length [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
210HX	\$8,235	120 208 220	1,700 2,800 2,800	5-15P 6-20P 6-20P	17	10.0	31	31.00	15.44	14.00	60	85
214HX	\$8,935	208 240 220	4,000	6-30P 6-30P Field Wired	17	14.0	31	31.00	19.44	14.00	66	85
314HX	\$17,092	208 220	5,400	6-30P Field Wired	21.5	14.0	38	38.69	21.25	16.13	115	85

1 - Specify 120, 208V, 240V or 220V service when ordering. All units rated for 50-60Hz cycles.

Electric Conveyor ovens can be stacked two (2) high

ACCESSORIES

Model No.	Price F.O.B. Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
SSK-210HX	\$1,417	210HX STACKING KIT	22	85
SSK-214HX	\$1,417	214HX STACKING KIT	24	85
SSK-314HX	\$1,417	314HX STACKING KIT	38	85



314HX
STACKED
2-HIGH



TORTILLA WARMER



ROLLING TORTILLA WARMER

RTW19EA



RTW19EA HEATS UP TO

45

TORTILLAS

per **MINUTE**

6" flour tortillas per minute with some stacking

Also great for FLATBREADS and PITAS

- Replaces the need to take up valuable flat grill space to simply warm tortillas, flatbreads, and pitas
- Easy to operate. Straightforward design and digital controls ensure effortless operation and minimal employee training
- Durable non-stick rollers make cleanup easy, resulting in a reduction in labor and chemical costs
- Easily programmable digital controls for unique menu items
- No hood required, place anywhere - counter or wall mount

RTW14EA

6" TORTILLAS
30 per minute

10" TORTILLAS
12 per minute

12" TORTILLAS
10 per minute

RTW19EA

6" TORTILLAS
45 per minute

10" TORTILLAS
24 per minute

12" TORTILLAS
12 per minute

PER MINUTE WITH SOME STACKING

STAR ELECTRIC TORTILLA, PITA & FLATBREAD WARMER

Model No.	Prices F.O.B. Smithville, TN	# of 6-inch TORTILLAS per minute	Volts	NEMA Plug	Watts	Width [in]	Depth [in]	Height [in]	Ship Wt. [lb.]	Freight Class
RTW14EA	\$13,910	30 tortillas	120 208/240	5-15P 6-15P	1,787 1351-1,787	19.6	21.3	12	69	85
RTW19EA	\$14,603	45 tortillas	208/240	6-15P	1,905-2,537	24	21.3	12	77	85

Specify Voltage when ordering.

ACCESSORIES

Model No.	Prices F.O.B. Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
RTW14EA-WMB	\$264	14" WALL MOUNT KIT for RTW14EA	9	85
RTW19EA-WMB	\$304	19" WALL MOUNT KIT for RTW19EA	11	85



DRAWER WARMERS



TOASTMASTER DRAWER WARMERS



3A81DT09



3C80AT09

TOASTMASTER FREE-STANDING DRAWER WARMERS

Model No.	Price FOB Smithville, TN	# Drawers	# Tstats	Steam Pan Size [in.]	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
ONE (1) DRAWER WARMER - FREE STANDING												
3A81DT09	\$4,785	1	1	20x12x5	120	400	5-15P	29.19	19.53	15.00	94	85
TWO (2) DRAWER WARMERS - FREE STANDING												
3B84DT09	\$8,953	2	2	20x12x5	120	900	5-15P	23.19	19.53	25.56	140	85
THREE (3) DRAWER WARMERS - FREE STANDING												
3C84DT09	\$11,815	3	3	20x12x5	120	1,350	5-15P	29.19	19.53	29.19	223	85

TOASTMASTER BUILT-IN DRAWER WARMERS

Model No.	Price FOB Smithville, TN	# Drawers	# Tstats	Steam Pan Size [in.]	Volts ¹	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
ONE (1) DRAWER WARMER - BUILT-IN											
3A20AT09	\$5,142	1	1	16x16x5	120	450	23.06	23.00	12.13	82	85
3A80AT09	\$4,745	1	1	20x12x5	120	400	29.19	19.53	10.88	84	85
3A80AT72	\$4,695	1	1	20x12x5	208/240	400/540	29.19	19.53	10.88	84	85
TWO (2) DRAWER WARMERS - BUILT-IN											
3B20AT09	\$8,168	2	1	16x16x5	120	1000	23.19	23.00	22.75	138	85
3B80AT09	\$7,503	2	1	20x12x5	120	1000	29.19	19.53	21.75	144	85
3B80AT72	\$7,575	2	1	20x12x5	208/240	900/1200	29.19	19.53	21.75	144	85
3B84AT09	\$8,838	2	2	20x12x5	120	900	29.19	19.53	21.75	144	85
3B84AT72	\$8,755	2	2	20x12x5	208/240	850/980	29.19	19.53	21.75	144	85
THREE (3) DRAWER WARMERS - BUILT-IN											
3C80AT09	\$10,009	3	1	20x12x5	120	1350	29.19	19.53	29.18	186	85

All built in drawer warmers are field wired. 1 - Specify 120V or 208/240V Service when ordering.