

SCALES

Digital Scales



1020NFS Digital Kitchen Scale



- ▶ Dry Capacity: 11 lb x 0.1 oz/5 kg x 1 g
- ▶ Liquid Capacity: 175 fl. oz x 0.1 fl. oz/5000 ml x 1 ml
- ▶ Measures either dry or liquid ingredients
- ▶ Large 0.6" LCD readout
- ▶ Stainless steel platform on black base
- ▶ Add & weigh feature
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1



1020PRNFS Digital Kitchen Scale



- ▶ Dry Capacity: 11 lb x 0.1 oz/5 kg x 1 g
- ▶ Liquid Capacity: 175 fl. oz x 0.1 fl. oz/5000 ml x 1 ml
- ▶ Measures either dry or liquid ingredients
- ▶ Large 0.6" LCD readout
- ▶ Stainless steel platform on purple base
- ▶ Add & weigh feature
- ▶ For use in allergy programs
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1



3817R Compact Digital Kitchen Scale



- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Small size for easy storage and portability
- ▶ Auto-shut off & tare features
- ▶ Color in red
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 1/4

3817

- ▶ Available in White



1250BKT Compact Digital Kitchen Scale



- ▶ Capacity: 16 oz x 0.005 oz / 500 g x 0.01 g
- ▶ Ultra fine 0.005 oz / 0.01 g increments
- ▶ Stainless steel platform
- ▶ Weighing cover inverts for use as a tray
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1



3907 Large Platform High Capacity Kitchen Scale ★



- ▶ Capacity: 22 lb x 0.01 oz / 10000 g x 0.1 g
- ▶ Food-grade stainless steel platform is naturally antimicrobial
- ▶ Ultra-thin design for a high-capacity scale
- ▶ 1.1" LCD readout with reverse readout blue backlight
- ▶ Touch control buttons won't collect dust/food
- ▶ 3 - AAA batteries included
- ▶ Pack Qty.: 1



5282765 Digital Coffee Scale ★



- ▶ Capacity: 70.5 oz / 2 kg
- ▶ Timer range: 9 minutes, 59 seconds
- ▶ 4.1" x 4.1" platform size
- ▶ Tare function
- ▶ Auto-off feature
- ▶ Micro USB cord adapter (included)
- ▶ Pack Qty.: 1



5282002 High Capacity Waterproof Digital Scale ★



- ▶ Dry Capacity: 30 lb x 0.1 oz / 13600 g x 1 g
- ▶ Liquid Capacity: 477 fl.oz. x 0.1 fl.oz / 13,600 mL x 1 mL
- ▶ 10.71" x 8.93" platform size
- ▶ Durable tempered glass platform
- ▶ Tare and hold functions
- ▶ Auto-off feature
- ▶ IP 67 rated
- ▶ 3 - AAA batteries included
- ▶ Pack Qty.: 1



Digital Portion Control Scales



TE11FTP 11lb Digital Portion Control Scale ★

- TARE
- DIGITAL DISPLAY
- CAPACITY
- BATTERY INCLUDED
-

- ▶ Capacity: 11 lb x 0.1 oz / 176 oz x 0.05 oz / 5 kg x 1 g
- ▶ 5.25" x 5.25" removeable stainless steel platform
- ▶ Tare and hold function
- ▶ Auto-off and disable auto-off
- ▶ AC adapter port included, adapter sold separately
- ▶ 2-AAA batteries included
- ▶ Pack Qty.: 1



Full Size Digital Portion Control Scale

- TARE
- DIGITAL DISPLAY
- RECALIBRATE
- CAPACITY
- BATTERY NOT INCLUDED
-

- ▶ 7.15" x 7.15" stainless steel platform
- ▶ Extra large 0.9" LCD readout
- ▶ Tare and hold function
- ▶ Calibration feature
- ▶ Auto-off and disable auto-off feature when powered by batteries
- ▶ AC adapter included
- ▶ 2 - AAA batteries not included

TE2FT

- ▶ Capacity: 2 lb x 0.1 oz / 1 kg x 1 g
- ▶ Pack Qty.: 1

TE11FT

- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Pack Qty.: 1

TE22FT

- ▶ Capacity: 22 lb x 0.1 oz / 10 kg x 1 g
- ▶ Pack Qty.: 1



Compact Digital Portion Control Scale

- TARE
- DIGITAL DISPLAY
- RECALIBRATE
- CAPACITY
- BATTERY NOT INCLUDED
-

- ▶ 5.38" x 5.38" stainless steel platform
- ▶ Extra large 0.9" LCD readout
- ▶ Tare and hold function
- ▶ Calibration feature
- ▶ Auto-off and disable auto-off feature when powered by batteries
- ▶ AC adapter included
- ▶ 2 - AAA batteries not included

TE10FT

- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Pack Qty.: 1

TE32FT

- ▶ Dry Capacity: 2 lb x 0.01 oz / 1 kg x 0.5 g
- ▶ Pack Qty.: 1



SCALES

Digital Portion Control Scales (cont.)



Digital Portion Control Scale with Oversized Platform



TARE



DIGITAL DISPLAY



BATTERY NOT INCLUDED



- ▶ 11.25" x 7.25" stainless steel removable, washable platform
- ▶ Tare and hold function
- ▶ Dual mode calibration feature
- ▶ Auto-off and disable auto-off features when powered by batteries
- ▶ AC adapter included
- ▶ 2 - AAA batteries not included

TE220S

- ▶ Capacity: 22 lb x 0.1 oz / 10 kg x 1 g
352 oz x 0.1 oz / 352 oz x 1/8 oz / 10,000 g x 1 g
- ▶ Pack Qty.: 1

TE330S

- ▶ Capacity: 33 lb x 0.1 oz / 15 kg x 1 g
528 oz x 0.1 oz / 528 oz x 1/8 oz / 15,000 g x 1 g
- ▶ Dual mode calibration feature
- ▶ Pack Qty.: 1

TE660S

- ▶ Capacity: 66 lb x 0.1 oz / 30 kg x 2 g
1056 oz x 0.1 oz / 1056 oz x 1/8 oz / 30,000 g x 2 g
- ▶ Dual mode calibration feature
- ▶ Pack Qty.: 1



TE10PZR 10lb Precision Pizza Scale ★



TARE



DIGITAL DISPLAY



BACKLIGHT



CAPACITY



- ▶ Capacity: 10 lb x 0.05 oz / 5 kg x 1 g / 5000 g x 1 g
- ▶ 13.5" x 11.6" platform size
- ▶ 1" LCD readout with blue backlight
- ▶ Tare and hold function
- ▶ External tare switch
- ▶ Auto-off with low battery indicator
- ▶ Overload indicator
- ▶ Rechargeable battery and AC adapter included
- ▶ Pack Qty.: 1



TE50 Digital Portion Control Scale with Handle



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



- ▶ Capacity: 50 lb x 0.5 oz / 22 kg x 0.01 kg
- ▶ 13.5" x 11.5" stainless steel platform
- ▶ Built-in handle for easy transportation
- ▶ Tare and hold functions
- ▶ Stable weight indicator
- ▶ Large easy-to-read 1" LCD readout
- ▶ Disable auto-off feature when powered by batteries
- ▶ AC adapter included
- ▶ Recalibratable
- ▶ 4 - AA batteries not included
- ▶ Pack Qty.: 1



TE10R Digital Portion Control Scale



TARE



BACKLIGHT



RECALIBRATE



WEIGHS LIQUID



BATTERY NOT INCLUDED



- ▶ Capacity: 10 lb x 0.1 oz / 1/8 oz, 1/4 oz / 2 g, 5 g
- ▶ Removable 5" x 8" stainless steel platform
- ▶ Tare and hold function
- ▶ Auto-off and disable auto-off features when powered by batteries
- ▶ Rechargeable battery and AC adapter included
- ▶ Pack Qty.: 1



TE10T 10 lb Digital Portion Control Scale with Tower Readout



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



- ▶ Dry Capacity: 10 lb x 0.002 lb/160 oz x 0.05 oz / 5000 g x 0.001 kg
- ▶ Liquid Capacity: 169 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml
- ▶ 7" x 6.5" stainless steel platform
- ▶ Extra large 1.5" LCD readout with backlight
- ▶ Tare and hold function with auto-off feature and disable auto-off feature when powered by batteries
- ▶ Recalibratable
- ▶ Low battery indicator
- ▶ AC adapter included
- ▶ 4 - AA batteries not included
- ▶ Pack Qty.: 1

Digital Portion Control Scales (cont.)



TE21P 21 oz Precision Measurement Digital Scale

- TARE
 - BACKLIGHT
 - RECALIBRATE
 - BATTERY NOT INCLUDED
 -
- ▶ Capacity: 21 oz x 0.01 oz / 0.0002 lb / 600 g x 0.1 g
 - ▶ 5" x 5.75" removable stainless steel platform
 - ▶ Large 1" LCD readout with blue backlight
 - ▶ Tare and hold functions
 - ▶ Counting feature for exact measurement
 - ▶ Recalibratable
 - ▶ Auto-off and disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 4 - AA batteries not included
 - ▶ Pack Qty.: 1



TE10CSW Waterproof Digital Portion Control Scale

- TARE
 - BACKLIGHT
 - RECALIBRATE
 - WATER PROOF
 - WEIGHS LIQUID
 -
- ▶ Dry Capacity: 10 lb x 0.002 lb / 10 lb x 0.005 oz / 160 oz x 0.05 oz / 5000 g x 1 g
 - ▶ Liquid Capacity: 160 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml
 - ▶ 4.75" x 5.9" stainless steel platform
 - ▶ Waterproof for easy cleaning
 - ▶ Tare function
 - ▶ Auto-off and disable auto-off features when powered by batteries
 - ▶ Low battery and overload indicators
 - ▶ Field recalibratable
 - ▶ IP 65 rated
 - ▶ AC adapter included
 - ▶ 1 - 9 volt battery not included
 - ▶ Pack Qty.: 1



Waterproof Digital Portion Control Scale

- TARE
 - BACKLIGHT
 - RECALIBRATE
 - WATER PROOF
 - WEIGHS LIQUID
 -
- ▶ 6.7" x 7" stainless steel platform and housing
 - ▶ Waterproof for easy cleaning
 - ▶ Large easy-to-read 1" LCD readout with backlight
 - ▶ Tare and hold with high/low weigh features
 - ▶ Field recalibratable
 - ▶ IP 67 rated
 - ▶ Rechargeable battery and AC adapter included

TE10SSW

- ▶ Dry Capacity: 10 lb x 0.005 lb / 10 lb x 0.1 oz / 10 lb x 1/8 oz
- ▶ Liquid Capacity 160 oz x 0.005 oz / 160 oz x 1/8 oz / 5000 g x 1 g
- ▶ Pack Qty.: 1

TE20SSW ★

- ▶ Dry Capacity: 20 lb x 0.005 lb / 20 lb x 0.05 oz / 20 lb x 1/8 oz
- ▶ Liquid Capacity: 320 oz x 0.05 oz / 320 oz x 1/8 oz / 9000 g x 1 g
- ▶ Pack Qty.: 1



TE30WD Compact Digital Portion Control Scale with Wireless Display

- TARE
 - DIGITAL DISPLAY
 - RECALIBRATE
 - CAPACITY
 -
- ▶ Capacity: 0-10 lb x 0.05 oz / 0-5 kg x 0.002 kg (2g) / 10-30 lb x 0.1 oz / 5-15 kg x 0.005 kg (5 g)
 - ▶ Oversized 14" x 14" removable stainless steel platform
 - ▶ Wireless display head
 - ▶ Up to 3 channels for wireless transmission
 - ▶ Touchless tare feature
 - ▶ Disable auto-off feature when powered by batteries
 - ▶ AC adapter included for both base and remote
 - ▶ Recalibratable
 - ▶ Base: 6 - AA batteries (not included)
 - ▶ Remote: 4 - AA batteries (not included)
 - ▶ Pack Qty.: 1



TE32WDAR Wireless Digital Scale ★

- TARE
 - DIGITAL DISPLAY
 - 3 CHANNEL DISPLAY
 - AC ADAPTER
 -
- ▶ Capacity: 32 oz x 0.1 oz / 1 kg x 2 g
 - ▶ 7" x 6.7" Stainless steel platform
 - ▶ 3 Channel wireless display accommodates up to 3 scales simultaneously
 - ▶ Tare and hold functions
 - ▶ 32 oz Calibration weight included
 - ▶ 2 - AC adapters included
 - ▶ Pack Qty.: 1



SCALES

Digital Keg Scale - 5265117

Taylor's digital keg scale is a valuable tool to take the guesswork out of how much beer is actually in the keg with instant, accurate weight measurements. With a weight capacity of 440lbs, Taylor's keg scale can measure a variety of kegs from a Cornelius Keg to an Import Keg.



KEG SIZE	HEIGHT	WIDTH (Diameter)	WEIGHT (Full)	WEIGHT (Empty)
Cornelius Keg	23"	9"	55 lbs.	9 lbs.
1/6 Barrel	23 3/8"	9 1/4"	58 lbs.	16.5 lbs.
1/4 Barrel or Pony Keg	13 7/8"	16 1/8"	87 lbs.	22 lbs.
1/2 Barrel	23 3/8"	16 1/8"	160 lbs.	30 lbs.
Import Keg	20.94"	16.06"	130 lbs.	28 lbs.

Capacity	440lb x 0.2lb / 200kg x 0.1kg 440lb x 5oz
Units of Measurement	LB, KG, LB/OZ Easily converts units of measurement by pressing the UNIT button on the front of the control panel
Stainless Steel Platform Size	16" Diameter
Platform Finish	Textured
Control Panel	Aluminum & ABS Plastic
Features	
Tare	X
Hold	X
Auto-Off	X
Disable Auto-Off	X
Waterproof Rating	IPX5 Rating
Calibration Instructions	Included
Operating Temperatures	41°F to 95°F (5°C to 35°C)
Operating Humidity	35 to 85% RH
AC Adapter	Included
Battery Type	4 AA (Not Included)
Pack Qty.	1





KEG SIZE	CAPACITY	How Many Beers in a Keg
Cornelius Keg	5 gallons, 18 liters 640 ounces	40 - 16oz. Beers 53 - 12oz. Beers
1/6 Barrel	5.16 gallons, 20 liters 661 ounces	41 - 16oz. Beers 55 - 12oz. Beers
1/4 Barrel or Pony Keg	7.75 gallons, 30 liters 992 ounces	62 - 16oz. Beers 82 - 12oz. Beers
1/2 Barrel	15.5 gallons, 58.7 liters 1,984 ounces	124 - 16oz. Beers 165 - 12oz. Beers
Import Keg	13.2 gallons, 50 liters 1,690 ounces	105 - 16oz. Beers 40 - 12oz. Beers

MAXIMIZE PROFITS

Stop pouring profits down the drain. Taylor's keg scale can assist with calculating liquor costs or use in conjunction with a more advanced liquor inventory system. Using a keg scale can hold bartenders accountable for selling every pour, wasting beer by pouring it out, handing out free beers, etc.

INVENTORY CONTROL

Weighing the keg is more accurate in determining fullness. Management can calculate the amount of beer poured not sold in comparison to draft beer sales in the POS system or register.

INVENTORY VERIFICATION

Weighing kegs allows management to determine the exact amount of beer they are receiving and effectively track draft beer usage.

EASY-TO-USE AND VERSATILE

Taylor's keg scale features a slim 1.5" profile which allows heavy kegs to easily slide on for measurement readings, no heavy lifting required. This can also be used as a receiving scale for food boxes to ensure what is delivered matches the invoice price.



SCALES

Analog Portion Control Scales



Analog Portion Control Scale



STAINLESS
STEEL

- ▶ Internal stop mechanism
- ▶ Angled dial design

TP16

- ▶ Capacity: 16 oz x 1/4 oz
- ▶ 4" x 4.5" stainless steel NSF food grade platform
- ▶ Pack Qty.: 4

TP16FF

- ▶ Capacity: 16 oz x 1/4 oz
- ▶ 4.5" x 2.5" stainless steel NSF food grade platform
- ▶ Includes fixed french fry / taco holder
- ▶ Pack Qty.: 4

TP32

- ▶ Capacity: 32 oz x 1/4 oz
- ▶ 4.5" x 4" stainless steel NSF food grade platform
- ▶ Pack Qty.: 4



Analog Portion Control Scales (cont.)



Analog Portion Control Scale



- ▶ Rugged stainless steel construction with angled dial design



- ▶ Protective shatterproof lens and removable 6" x 5.25" platform

TS5

- ▶ Rotating dial
- ▶ Capacity: 5 lb x 1/2 oz / 2.2 kg x 20 g
- ▶ Pack Qty.: 4

TS32F

- ▶ Fixed dial
- ▶ Capacity: 32 oz x 1/4 oz
- ▶ Pack Qty.: 4

TS10 ★

- ▶ Rotating dial
- ▶ Capacity: 11 lb x 1 oz / 5 kg x 50 g
- ▶ Pack Qty.: 4

TS25KL

- ▶ Rotating dial
- ▶ Capacity: 25 lb x 2 oz / 11 kg x 50 g
- ▶ Pack Qty.: 4

TS32

- ▶ Rotating dial
- ▶ Capacity: 32 oz x 1/4 oz / 900 g x 5 g
- ▶ Pack Qty.: 4

TS32D

- ▶ Rotating dial
- ▶ Capacity: 32 oz x 1/4 oz / 900 g x 5 g
- ▶ Adjustable dashpot knob
- ▶ Pack Qty.: 4

TS50

- ▶ Rotating dial
- ▶ Capacity: 50 lb x 4 oz / 22 kg x 113 g
- ▶ Pack Qty.: 4



SCALES

Heavy Duty Mechanical Scales



Analog Portion Control Scale with Rotating Dial



- ▶ 9"x 9" stainless steel NSF food grade platform with internal stop mechanism
- ▶ Features corrosion-resistant weighing mechanism
- ▶ Dual measurement
- ▶ Shatterproof lens with bold dial

THD32

- ▶ Capacity: 32 oz x 1/8 oz / 900 g x 2 g
- ▶ Pack Qty.: 4

THD32D

- ▶ Capacity: 32 oz x 1/8 oz / 900 g x 2 g
- ▶ Adjustable dashpot with knob for tare feature
- ▶ Pack Qty.: 4

THD50

- ▶ Capacity: 50 lb x 2 oz / 22 kg x 100 g
- ▶ Pack Qty.: 4



Receiving Scales



TE150 Receiving Scale with Stainless Steel Platform



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



- ▶ Capacity: 150 lb x 1/4 lb / 68 kg x 1 g
- ▶ 12.25" x 12" stainless steel platform with 6' coiled cord
- ▶ Large easy-to-read 1" LCD readout
- ▶ Tare and hold function
- ▶ Disable auto-off feature when powered by batteries
- ▶ AC adapter included
- ▶ 6 - AA batteries not included
- ▶ Pack Qty.: 1



TE250 Receiving Scale with Stainless Steel Platform



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



- ▶ Capacity: 250 lb x 0.2 lb / 120 kg x 100 g
- ▶ 13.5" x 11.5" stainless steel platform
- ▶ Built-in handle for easy transportation
- ▶ Tare and hold functions
- ▶ Stable weight indicator
- ▶ Large easy-to-read 1" LCD readout
- ▶ Disable auto-off feature when powered by batteries
- ▶ AC adapter included
- ▶ Pack Qty.: 1



TE220FT Digital Receiving Scale



DIGITAL DISPLAY



BATTERY INCLUDED



- ▶ Capacity: 220 lb x 2 oz / 100 kg x 0.05 kg
- ▶ Stainless steel slim platform size: 10.94" x 11.45"
- ▶ Large 0.6" LCD readout
- ▶ Add and weigh tare feature
- ▶ Auto-off and disable auto-off
- ▶ AC adapter included
- ▶ 1 - 9 volt battery included
- ▶ Pack Qty.: 1



TE400 Receiving Scale with Steel Tread Plate Platform



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED

- ▶ Capacity: 400 lb x 1/2 lb / 181 kg x 0.2 kg
- ▶ 12.25" x 12" steel tread plate platform with 6' coiled cord
- ▶ Large easy-to-read 1" LCD readout
- ▶ Tare and hold function
- ▶ Disable auto-off feature when powered by batteries
- ▶ AC adapter included
- ▶ 6 - AA batteries not included
- ▶ Pack Qty.: 1



TR250 Receiving Scale with Stainless Steel Platform




CAPACITY

- ▶ Capacity: 250 lb x 1 lb
- ▶ Heavy duty powder coated metal with press lock feature
- ▶ Pack Qty.: 2



SCALE COMPARISON GUIDE



Product Specifications	1020NFS 1020PRNFS	TE10FT TE32FT	TE2FT - TE11FT TE22FT	TE220S - TE330S TE660S	TE10R
Capacity:	Dry: 11 lb x 0.1 oz / 5 kg x 1 g Liquid: 175 fl. oz x 0.1 fl. oz / 5000 ml x 1 ml	TE10FT: 11 lb x 0.1 oz / 5 kg x 1 g TE32FT: 2 lb x 0.01 oz / 1 kg x 0.5 g	TE2FT: 2 lb x 0.1 oz / 1 kg x 1 g TE11FT: 11 lb x 0.1 oz / 5 kg x 1 g TE22FT: 22 lb x 0.1 oz / 10 kg x 1 g	TE220S: 22 lb x 0.1 oz / 10 kg x 1 g TE330S: 33 lb x 0.1 oz / 15 kg x 1 g TE660S: 66 lb x 0.1 oz / 30 kg x 2 g	10 lb x 0.1 oz / 1/8 oz, 1/4 oz / 2 g, 5 g
Certifications:					
Stainless Steel Platform Size:	6" (removable)	5.38"x5.38" (removable)	7.15"x7.15" (removable)	11.25"x7.25" (removable)	5"x8" (removable)
Scale Dimensions:	6.5"x8"x1.25"	7.4"x10.5"x2.5"	8.5"x12.0"x2.5"	12.5"x12.5"x2.5"	8.25"x10.0"x2.75"
Features:					
• Measures Dry & Liquid	✓				
• Tare	✓	✓	✓	✓	✓
• Hold	✓	✓	✓	✓	✓
• Auto-Off	✓	✓	✓	✓	✓
• Disable Auto-Off		✓	✓	✓	✓
• Low Battery Indicator		✓	✓	✓	✓
• Over/Under					✓
• Waterproof Rating					
• Field Recalibratable	✓	✓	✓	✓	✓
• A/C Adapter Included		✓	✓	✓	✓
Housing Material:	ABS	ABS	ABS	ABS	ABS
Battery Type:	2 AA (included)	2 AAA	2 AAA	2 AAA	Rechargeable (included)
Warranty:	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited

SCALE COMPARISON GUIDE



TE10SSW



TE30WD



TE50



TE20SSW



TE32WDAR



TE10T	TE10CSW	TE10SSW TE20SSW	TE30WD	TE32WDAR	TE50
Dry: 10 lb x 0.002 lb / 160 oz x 0.05 oz / 5000 g x 0.001 kg Liquid: 169 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml	Dry: 10 lb x 0.002 lb / 10 lb x 0.005 oz / 160 oz x 0.05 oz / 5000 g x 1 g Liquid: 160 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml	TE10SSW: 10 lb x 0.005 lb / 10 lb x 0.1 oz / 10 lb x 1/8 oz / 160 oz x 0.005 oz / 160 oz x 1/8 oz / 5000 g x 1 g TE20SSW: 20 lb x 0.005 lb / 20 lb x 0.05 oz / 20 lb x 1/8 oz / 320 oz x 0.05 oz / 320 oz x 1/8 oz / 9000 g x 1 g	0-10 lb x 0.05 oz / 0-5 kg x 0.002 kg (2g) 10-30 lb x 0.1 oz / 5-15 kg x 0.005 kg (5 g)	32 oz x 0.1 oz / 1 kg x 2 g	50 lb x 0.5 oz / 22 kg x 0.01 kg
7.0"x6.5" (removable)	4.75"x5.9" (removable)	6.7"x7.0" (removable)	14"x14" (removable)	7"x6.7"	13.5"x11.5" (removable)
7"x7.75"x9.5"	9.61"x7.40"x2.24"	6.0"x6.75"x1.875"	15.25"x15.10"x3.00"	7"x6.7"x2"	17.25"x14.50"x2.75"
✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ (touchless tare) ✓ ✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓
✓ ✓	IP 65 ✓ ✓	IP 67 ✓ ✓	✓ ✓ (1 for base and 1 for remote)	✓ (1 for base and 1 for remote)	✓ ✓
ABS	ABS	Stainless Steel	Stainless Steel	Stainless Steel	ABS
4 AA	9 Volt	Rechargeable (included)	Base: 6 AA Remote: 4 AA	None	4 AA
1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited