

18" SINGLE SINKS (TSS)



STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- Faucet hole at 8" from centre
- Strainer, drain and 10" overflow included
- Wall bracket included

OPTIONAL ACCESSORIES (SEE PAGE 33)

- Set of “U” shaped reinforcement bars (brace bar kit)
- Casters

SINGLE SINKS

Model	Bowl Size			Overall Size		
	L	W	H	L	W	H
TSS-1818-0*	18"	18"	11"	23"	23.5"	36.5"
TSS-2020-0*	20"	20"	12"	25.5"	25"	36.5"
TSS-1821-0	18"	21"	11"	26.5"	23"	36.5"

\*Sold without brace kit

SINGLE SINKS WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	L	W	H	L	W	H**	Side	Size
TSS-1818-L18*	18"	18"	11"	38.5"	23.5"	36.5"	Left	18"
TSS-1818-R18*	18"	18"	11"	38.5"	23.5"	36.5"	Right	18"
TSS-1818-RL18*	18"	18"	11"	54"	23.5"	36.5"	Left and Right	18"
TSS-1821-L18	18"	21"	11"	38.5"	26.5"	36.5"	Left	18"
TSS-1821-R18	18"	21"	11"	38.5"	26.5"	36.5"	Right	18"

\*Sold without brace kit

\*\* Below the drainboard

24" SINGLE SINKS (TSS)



STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Wall mount bracket included
- Stainless steel legs, braces and bulletfeet
- 2424-C and 2430-C models have a centre drain
- TSS-2430-C can accomodate 18" x 26" bun pans
- Strainer, regular drain and 12" overflow included
- Faucet holes 8" center

OPTIONAL ACCESSORIES (SEE PAGE 33)

- Casters
- TDW-basket
- TLD centre drain with crank (for TSS-2424-C and TSS-2430-C)

SINGLE SINKS

Model	Bowl Size			Overall Size		
	L	W	H	L	W	H
TSS-2424-0	24"	24"	14"	29.5"	29"	36.5"
TSS-2424-C	24"	24"	14"	30"	30"	36.5"
TSS-2430-C	24"	30"	14"	35"	30"	36.5"

SINGLE SINKS WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	L	W	H	L	W	H*	Side	Size
TSS-2424-L24	24"	24"	14"	50.5"	29.5"	36.5"	Left	24"
TSS-2424-R24	24"	24"	14"	50.5"	29.5"	36.5"	Right	24"
TSS-2424-RL24	24"	24"	14"	72"	29.5"	36.5"	Left and Right	24"

\*Below drainboard

18" DOUBLE SINKS (TDS)



STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- Wall bracket, drain, strainer and overflow included
- Faucet holes 8" center

OPTIONAL ACCESSORIES (SEE PAGE 33)

- Casters

DOUBLE SINKS

Model	Bowl Size			Overall Size		
	L	W	H	L	W	H
TDS-1818-0	18"	18"	11"	41"	23.5"	36.5"
TDS-1821-0	18"	21"	14"	54"	26.5"	36.5"

DOUBLE SINKS WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	L	W	H	L	W	H*	Side	Size
TDS-1818-L18	18"	18"	11"	56.5"	23.5"	36.5"	Left	18"
TDS-1818-R18	18"	18"	11"	56.5"	23.5"	36.5"	Right	18"
TDS-1818-RL18	18"	18"	11"	72"	23.5"	36.5"	Left and Right	18"

\*Below drainboard

24" DOUBLE SINKS (TDS)



STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- Wall bracket, drain, strainer and overflow included
- Faucet holes 8" center

OPTIONAL ACCESSORIES (SEE PAGE 33)

- TDW-basket
- Casters

DOUBLE SINKS

Model	Bowl Size			Overall Size		
	L	W	H	L	W	H
TDS-2424-0	24"	24"	14"	53"	29.5"	36.5"

DOUBLE SINKS WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	L	W	H	L	W	H*	Side	Size
TDS-2424-L24	24"	24"	14"	74.5"	29.5"	36.5"	Left	24"
TDS-2424-R24	24"	24"	14"	74.5"	29.5"	36.5"	Right	24"
TDS-2424-RL24	24"	24"	14"	96"	29.5"	36.5"	Left and Right	24"

\*Below drainboard

18" TRIPLE SINKS (TTS)



TTS-1818-0



TTS-1818-RL18

STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- Wall bracket, drain, strainer and overflow included
- Faucet holes 8" center

OPTIONAL ACCESSORIES (SEE PAGE 33)

- Casters

TRIPLE SINKS

Model	Bowl Size			Overall Size		
	L	W	H	L	W	H
TTS-1818-0	18"	18"	11"	59"	23.5"	36.5"
TTS-1821-0	21"	18"	14"	59"	26.5"	36.5"

TRIPLE SINKS WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	L	W	H	L	W	H*	Side	Size
TTS-1818-L18	18"	18"	11"	74.5"	23.5"	36.5"	Left	18"
TTS-1818-R18	18"	18"	11"	74.5"	23.5"	36.5"	Right	18"
TTS-1818-RL18	18"	18"	11"	90"	23.5"	36.5"	Left and Right	18"

\*Below drainboard

24" TRIPLE SINKS (TTS)



TTS-2424-R24



TTS-2424-RL24

STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- Wall bracket, drain, strainer, and overflow included
- Two sets of faucet holes 8" center

OPTIONAL ACCESSORIES (SEE PAGE 33)

- TDW-basket
- Casters

TRIPLE SINKS

Model	Bowl Size			Overall Size		
	L	W	H	L	W	H
TTS-2424-0	24"	24"	14"	77"	29.5"	36.5"

TRIPLE SINKS WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	L	W	H	L	W	H*	Side	Size
TTS-2424-L24	24"	24"	14"	98.5"	29.5"	36.5"	Left	24"
TTS-2424-R24	24"	24"	14"	98.5"	29.5"	36.5"	Right	24"
TTS-2424-RL24	24"	24"	14"	120"	29.5"	36.5"	Left and Right	24"

\*Below drainboard

SOILED DISH TABLES (TSDT)



Sink size: 20" x 20" x 6"

CLEAN DISH TABLES (TCDT)



STANDARD FEATURES

- **L: goes to the left of the dishwasher**
- **R: goes to the right of the dishwasher**
- Stainless steel legs with adjustable feet
- 3.5" drain included
- Available for deck or wall mount faucet
- TSDT-basket

FOR DECK MOUNT FAUCET

Model	L	W	H*
TSDT-3030-L	30"	30"	36.5"
TSDT-3030-R	30"	30"	36.5"
TSDT-3036-L	36"	30"	36.5"
TSDT-3036-R	36"	30"	36.5"
TSDT-3048-L	48"	30"	36.5"
TSDT-3048-R	48"	30"	36.5"
TSDT-3060-L	60"	30"	36.5"
TSDT-3060-R	60"	30"	36.5"
TSDT-3072-L	72"	30"	36.5"
TSDT-3072-R	72"	30"	36.5"

\*Height excludes 6.5" backsplash

FOR WALL MOUNT FAUCET

Model	L	W	H*
TSDT-3030-LWM	30"	30"	36.5"
TSDT-3030-RWM	30"	30"	36.5"
TSDT-3036-LWM	36"	30"	36.5"
TSDT-3036-RWM	36"	30"	36.5"
TSDT-3048-LWM	48"	30"	36.5"
TSDT-3048-RWM	48"	30"	36.5"
TSDT-3060-LWM	60"	30"	36.5"
TSDT-3060-RWM	60"	30"	36.5"
TSDT-3072-LWM	72"	30"	36.5"
TSDT-3072-RWM	72"	30"	36.5"

\*Height excludes 6.5" backsplash

STANDARD FEATURES

- Made with 16 gauge, 304 stainless steel
- Stainless steel legs with adjustable feet
- Welded reinforcement bar

Model	L	W	H*	Max Load
TCDT-3024-L	24"	30"	36.5"	230 lbs
TCDT-3024-R	24"	30"	36.5"	230 lbs
TCDT-3030-L	30"	30"	36.5"	240 lbs
TCDT-3030-R	30"	30"	36.5"	240 lbs
TCDT-3036-L	36"	30"	36.5"	245 lbs
TCDT-3036-R	36"	30"	36.5"	245 lbs
TCDT-3048-L	48"	30"	36.5"	250 lbs
TCDT-3048-R	48"	30"	36.5"	250 lbs
TCDT-3060-L	60"	30"	36.5"	260 lbs
TCDT-3060-R	60"	30"	36.5"	260 lbs
TCDT-3072-L	72"	30"	36.5"	275 lbs
TCDT-3072-R	72"	30"	36.5"	275 lbs

\*Height excludes 6.5" backsplash

SOILED DISH BASKETS



TDW-BASKET



TSDT-BASKET

STANDARD FEATURES

- 20 gauge, 304 stainless steel
- Perforated for better drainage
- Two sturdy handles for easy maneuvering

Model	L	W	H
TSDT-BASKET	20"	20"	4"
TDW-BASKET*	23.75"	23.75"	4"

\*For 24" x 24" dishwasher sink

24" SINGLE SINKS FOR DISHWASHERS (TSS)



TSS-2424-RDW

24" DOUBLE SINKS FOR DISHWASHERS (TDS)



TDS-2424-LDW

STANDARD FEATURES

- **L: left drainboard**
- **R: right drainboard**
- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- Centre drain included
- Optional: TDW-basket

SINGLE SINKS FOR DISHWASHERS

Model	Bowl Size			Overall Size			Drainboard	
	L	W	H	L	W	H*	Side	Size
TSS-2424-LDW	24"	24"	14"	50.75"	30"	36.5"	Left	24"
TSS-2424-RDW	24"	24"	14"	50.75"	30"	36.5"	Right	24"

\*Below drainboard

DOUBLE SINKS FOR DISHWASHERS

Model	Bowl Size			Overall Size			Drainboard	
	L	W	H	L	W	H*	Side	Size
TDS-2424-LDW	24"	24"	14"	74.5"	30"	36.5"	Left	24"
TDS-2424-RDW	24"	24"	14"	74.5"	30"	36.5"	Right	24"

\*Below drainboard



STAINLESS STEEL DISH WALL RACK (TWDR)



STANDARD FEATURES

- Made with 16 gauge, 430 stainless steel
- Drain on left or right
- Dish rack NOT included

Model	L	W	H	Drain	Baskets
TWDR-2221-R	21"	22"	28.5"	Right	1
TWDR-2221-L	21"	22"	28.5"	Left	1
TWDR-2242-R	42"	22"	28.5"	Right	2
TWDR-2242-L	42"	22"	28.5"	Left	2
TWDR-2263-R	63"	22"	28.5"	Right	3
TWDR-2263-L	63"	22"	28.5"	Left	3

HANDSINKS



THS-1



THS-SG



THS-AF



TPS-1617

HANDSINK STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Wall bracket and drain included

PEDESTAL STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Curved corners and rolled edges
- 8" backsplash with 45° return
- 2 pedals, 1.5" drain and gooseneck faucet included

Model	Description	Bowl Size			Overall Size		
		L	W	H	L	W	H
THS-1	Hand sink with 2 holes, 4" centered (faucet included)	14"	10"	5"	17"	15"	13"
THS-1-0	Hand sink with 2 holes, 4" centered (faucet not included)	14"	10"	5"	17"	15"	13"
THS-AF	Hand sink for automatic faucet (faucet not included)	14"	10"	5"	17"	15"	13"
THS-SG	Hand sink with splash guards (faucet included)	14"	10"	5"	17"	15"	13"
TPS-1617	Pedestal hand sink with 2 pedals (faucet included)	14"	10"	5"	17.25"	15.25"	34"

WHY THORINOX HANDSINKS?

Thorinox offers many handwashing station options for numerous applications from foodservice and grocery stores, to cafeterias, waiting rooms, schools and much more. Our hand sinks are known for their reliability and convenience, as well as their practical design.

Not only do these sinks help you keep your hands clean throughout the day, they themselves are also easy to clean and sanitize, keeping your work space safe. With a multitude of types and models to choose to from, we are confident in finding the perfect handwashing station for your needs.

Whether you are looking for a hands-free option or a standard gooseneck faucet, Thorinox has you covered!



SINK BOWLS (TSB)\*\*



\*\*SPECIAL ORDER ITEM – CONTACT A REPRESENTATIVE

STANDARD FEATURES

- Made with 16 gauge, 304 stainless steel
- 3.5" centre drain
- Ideal for welding into stainless steel counters
- Optional: available in 14 gauge, 304 stainless steel

Model	L	W	H
TSB-1016-10	16"	10"	10"
TSB-1016-14	16"	10"	14"
TSB-1616-10	16"	16"	10"
TSB-1818-12	18"	18"	12"
TSB-1818-14	18"	18"	14"
TSB-2020-10	20"	20"	10"
TSB-2020-14	20"	20"	14"
TSB-2424-12	24"	24"	12"
TSB-2424-14	24"	24"	14"

DROP-IN SINKS (TDIS)\*\*



\*\*SPECIAL ORDER ITEM – CONTACT A REPRESENTATIVE

STANDARD FEATURES

- Bowl: 18 gauge, 304 stainless steel
- Top: 16 gauge, 304 stainless steel
- 3.5" centre drain

Model	Bowl Size			Overall Size		
	L	W	H	L	W	H
TDIS-0909-5	9"	9"	5"	12"	14"	5"
TDIS-1011-6	10"	11"	6"	13"	16"	5"
TDIS-1110-6	11"	10"	6"	14"	15"	6"
TDIS-1014-5	10"	14"	5"	13"	19"	5"
TDIS-1410-5	14"	10"	5"	17"	15"	5"

MOP SINKS (TMS)



STANDARD FEATURES

- Made with 16 gauge, 304 stainless steel bowl
- Designed for 3" drain pipe
- Floor mounted

Model	Bowl Size			Overall Size		
	L	W	H	L	W	H
TMS-2126-10	20"	16"	6"	25"	21"	10"
TMS-2533-10	28"	20"	6"	33"	25"	10"
TMS-2126-16	20"	16"	12"	25"	21"	16"
TMS-2533-16	28"	20"	12"	33"	25"	16"

LEAD-FREE FAUCETS



DM-100-68



DM-200-S12



WM-100-55



WM-200-S8 | WM-200-S12

STANDARD FEATURES

- 20" brass riser pipe
- 55" or 68" flexible stainless steel hose, Santoprene inner pipe
- 6" wall bracket
- Includes check valve to prevent cross-flow
- Spray valve conforms to ANSI/ASTM F2324-03
- CSA and NSF approved
- Plumbing installation kit included
- 3-year parts warranty
- Optional low flow rate spray gun of 0.65/gpm

LEAD-FREE FAUCETS



WM-04-S6



WM-08-S8



WM-08-S12



WM-08-G6

STANDARD FEATURES

- 4" centre wall mount faucet
- 6" swing nozzle

STANDARD FEATURES

- 8" centre wall mount faucet
- 8" length swing nozzle

STANDARD FEATURES

- 8" centre wall mount faucet
- 12" length swing nozzle

STANDARD FEATURES

- 6" gooseneck faucet
- 8" centre wall mount faucet



WM-08-AF



WM-08-MP



DM-04-S6



DM-08-S8 | DM-08-S12

STANDARD FEATURES

- Gooseneck faucet
- Battery operated magic eye
- For THS-AF sink
- Mixing valve included

STANDARD FEATURES

- 8" centre wall mount faucet
- For mop sink

STANDARD FEATURES

- 4" centre deck mount faucet
- 6" swing nozzle

STANDARD FEATURES

- 8" centre deck mount faucet
- 8" or 12" swing nozzle

PLUMBING PARTS



98-EN



006S | 008S | 012S



98-A-0



98-H-44 | 98-H-55 |  
98-H-68



98-HD



98-PP



98-R



98-SVH



98-SV



98-V- C  
98-V-H



98-WB



P0133


Model	Description
98-H-44	44" stainless steel hose
98-H-68	68" stainless steel hose
98-H-55	55" stainless steel hose
006S	6" spout
008S	8" spout
012S	12" spout
P-0133	Gooseneck faucet
98-A-V	Connection valve – female thread
98-A0	Connection valve – male thread
98-HD	Lever handle repair kit
98-V	Cartridge set (hot & cold)
9814-M	Wall mount pantry faucet 8" centre – male inlets
9814-F	Wall mount pantry faucet 8" centre – female inlets
98-WB	Wall bracket for faucet
98-PP	Riser pipe
SSDV	Pedestal sink faucet

Model	Description
98-HTF	Spray valve repair kit
98-SW	Low flow rate spray valve (0.65 gpm)
98-SVH	Black handle for spray valve
98-V-C	Cartridge – cold
98-V-H	Cartridge – hot
98-SP	Coil spring
98-R	Ring for spray valve
98-EN	Elbow and nipple
98-ASWV	Swivel connector
98-SV	Spray valve
9803	Deck mount 8" centre pantry faucet - female inlets
ZZ-00	Connection fitting
FV-001	Valve for WM-08-AF
GR100	Mixing valve for WM-08-AF
HS420	Hose for WM-08-AF



ACCESSORIES


SINKS



TSS-18-BRACE | 20 | 24  
TDS-18-BRACE | 20 | 24  
TTS-18-BRACE | 20 | 24



T-SINK-LEG18-SS | 20 | 24




T-STRAINER



OVERFLOW



DRAIN-15



TWM-SINK



TLD



DRAIN-15



DRAIN-3.5

Model	Description
TSINK-LEG18-SS	Set of 4 stainless steel legs for 18" sink
TSINK-LEG20-SS	Set of 4 stainless steel legs for 20" sink
TSINK-LEG24-SS	Set of 4 stainless steel legs for 24" sink
TSS-18-BRACE	Set of "U" shaped reinforcement bars for 18" single sinks
TSS-20-BRACE	Set of "U" shaped reinforcement bars for 20" single sinks
TSS-24-BRACE	Set of "U" shaped reinforcement bars for 24" single sinks
TDS-18-BRACE	Set of "U" shaped reinforcement bars for 18" double sinks
TDS-24-BRACE	Set of "U" shaped reinforcement bars for 24" double sinks
TTS-18-BRACE	Set of "U" shaped reinforcement bars for 18" triple sinks
TTS-24-BRACE	Set of "U" shaped reinforcement bars fpr 24" triple sinks
T-STRAINER	Strainer
TWM-SINK18	Sink wall bracket for 18" sinks
TWM-SINK20	Sink wall bracket for 20" sinks

Model	Description
TWM-SINK24	Sink wall bracket for 24" sinks
BP-1.5	Brass pipe for 1.5" drain
DRAIN-15	1.5" diameter stainless steel drain
DRAIN-3.5	Drain for soiled dish table
OVERFLOW-08	8" stainless steel overflow
OVERFLOW-09	9" stainless steel overflow
OVERFLOW-10	10" stainless steel overflow
OVERFLOW-11	11" stainless steel overflow
OVERFLOW-12	12" stainless steel overflow
BRACE-I-CONNECTION	"I" shaped brace connector
BRACE-L-CONNECTION	"L" shaped brace connector
BRACE-T-CONNECTION	"T" shaped brace connector
TLD	Lever drain for TSS-2424-C / TSS-2430-C

ACCESSORIES

WORK TABLES



T-BULLETFEET-SS



T-BULLETFEET-GS



DSST-LEGS



DSST-CASTERS

Model	Description
DSST-2436-BGS	Set of 4 galvanized steel braces for DSST-2436-GS
DSST-2448-BGS	Set of 4 galvanized steel braces for DSST-2448-GS
DSST-2460-BGS	Set of 4 galvanized steel braces for DSST-2460-GS
DSST-2472-BGS	Set of 4 galvanized steel braces for DSST-2472-GS
DSST-2484-BGS	Set of 4 galvanized steel braces for DSST-2484-GS
DSST-2496-BGS	Set of 4 galvanized steel braces for DSST-2496-GS
DSST-3036-BGS	Set of 4 galvanized steel braces for DSST-3036-GS
DSST-3048-BGS	Set of 4 galvanized steel braces for DSST-3048-GS
DSST-3060-BGS	Set of 4 galvanized steel braces for DSST-3060-GS
DSST-3072-BGS	Set of 4 galvanized steel braces for DSST-3072-GS
DSST-3084-BGS	Set of 4 galvanized steel braces for DSST-3084-GS
DSST-3096-BGS	Set of 4 galvanized steel braces for DSST-3096-GS
DSST-2436-BSS	Set of 4 galvanized steel braces for DSST-2436-SS
DSST-2448-BSS	Set of 4 galvanized steel braces for DSST-2448-SS
DSST-2460-BSS	Set of 4 galvanized steel braces for DSST-2460-SS
DSST-2472-BSS	Set of 4 galvanized steel braces for DSST-2472-SS
DSST-2484-BSS	Set of 4 galvanized steel braces for DSST-2484-SS
DSST-2496-BSS	Set of 4 galvanized steel braces for DSST-2496-SS

Model	Description
DSST-3036-BSS	Set of 4 galvanized steel braces for DSST-3036-SS
DSST-3048-BSS	Set of 4 galvanized steel braces for DSST-3048-SS
DSST-3060-BSS	Set of 4 galvanized steel braces for DSST-3060-SS
DSST-3072-BSS	Set of 4 galvanized steel braces for DSST-3072-SS
DSST-3084-BSS	Set of 4 galvanized steel braces for DSST-3084-SS
DSST-3096-BSS	Set of 4 galvanized steel braces for DSST-3096-SS
DSST-CASTERS	Casters for DSST, DSTAND and Sinks (no brake)
DSST-CASTER-B	Casters for DSST worktables (with brake)
DSST-LEGS-GS	Set of four 32" galvanized steel legs
DSST-LEGS-SS	Set of four 32" stainless steel legs
DSST-LEGS36-GS	Set of 4 galvanized steel legs for 36" high table
DSST-LEGS36-SS	Set of 4 stainless steel legs for 36" high table
DSTAND-LEGS	Set of 4 stainless steel equipment stand legs
T-BULLETFEET-GS	Bulletfeet for galvanized steel tables
T-BULLETFEET-SS	Bulletfeet for stainless steel tables



DRACK-BAR-15



DRACK-BUMPER



DRACK-CASTERS



DRACK-COVER

Model	Description
DRACK-CASTERS	Casters for DRACK bun pan racks (no brake)
DRACK-CASTERS-B	Casters for DRACK bun pan racks (with brake)
DRACK-BUMPER	Bumper for ALU DRACK
DRACK-COVER	Protective cover for full size DRACK
BOLT-KIT	Set of 12 screws

Model	Description
LONG HEX BOLT	Hex bolt for DRACK
DRACK-BAR-15	Set of 6 bars (16.25" inside)
DRACK-BAR-18	Set of 6 bars (18.25" inside)
DRACK-BAR-20	Set of 6 bars (20.25" inside)