

Glass Door Merchandisers

CTH, FMH & RMH-Series



PROUDLY MANUFACTURED IN NORTH AMERICA

www.ojedausa.com

Discover ultimate versatility with Ojeda's exceptional range of glass door freezers and refrigerated merchandisers. Designed to elevate your retail environment, our equipment combines cutting-edge technology with sleek, modern aesthetics to showcase your products with clarity and efficiency. From spacious freezers that optimize pack out while enhancing product visibility to merchandisers that captivate customers with their stylish presentation, Ojeda ensures your offerings are displayed attractively and preserved at optimal temperatures. Attract more customers and boost sales by highlighting your products in an Ojeda freezer or refrigerated merchandiser, where quality, performance, and elegance converge seamlessly to redefine refrigeration standards in retail.

### **Features**



### **MAINTENANCE FREE CONDENSER**

The finless spiral condenser design prevents dust/dirt buildup allowing maximum long term efficiency.



### **HOT GAS EVAPORATION**

Hot gas heated drain pan for condensate evaporation that eliminates the need of floor drains or electric heaters.



### **ELECTRONIC TEMP CONTROL**

The Intelligent temperature control is programmed to ensure the correct operation of the equipment and maintain products at an optimum temperature.



### 120 Volt

All Ojeda models feature a 110/120 Volt system standard, ensuring hassle-free plug and play for our customers.



### STEEL CONSTRUCTION

Robust steel construction minimizes the use of plastic materials resulting in an environmentally friendly design.



### **LED LIGHTING**

LED lighting provides long lasting energy efficient lighting with minimal heat output.

### **FREEZERS**

Operation temperature -10°F to 0°F



| Freezer-Models | Dimensions |       |        | Net<br>Capacity Shelves |          | Shelf Dim |            | μп   | Amne | NEMA   | Crated   | Refrigerant |
|----------------|------------|-------|--------|-------------------------|----------|-----------|------------|------|------|--------|----------|-------------|
| Freezer-Models | Width      | Depth | Height | (cf)                    | Sileives | Width     | Depth      | ПР   | Amps | Config | Weight   | Remgerant   |
| CTFH-3         | 23.8"      | 24.3" | 31.1"  | 3                       | 2        | 18.2"     | 15.2"-8.2" | 1/6  | 4    | 5-15P  | 185 lbs. |             |
| FMH-12         | 24.8"      | 25.7" | 62.6"  | 8                       | 3        | 18.9"     | 15"        | 1/4+ | 4    | 5-15P  | 196 lbs. | R-290       |
| FMH-27         | 30.2"      | 32.1" | 80.8"  | 19                      | 5        | 23.9"     | 20.1"      | 1/3  | 5    | 5-15P  | 350 lbs. | 11 250      |
| FMH-49         | 52"        | 33.2" | 80.8"  | 38                      | 10       | 22.5"     | 22"        | 1/2  | 6    | 5-15P  | 550 lbs. |             |

<sup>\*</sup>Inches rounded up one decimal place. \*Specifics may change without notification.

<sup>\*</sup>CTFH-3 comes equipped with a cold wall evaporator & mechanical thermostat. \*FMH models uses an electric defrost.







# Glass Door Merchandisers CTH, FMH & RMH-Series

### **REFRIGERATORS**

Operation temperature 34°F to 40°F



CTRH-4



RMH-10SL



RMH-33PT



**RMH-8** 



**RMH-27** 



**RMH-40** 

| Merchandisers | Dimensions |       |        | Net<br>Capacity | Shelves  | Shelf Dim |           | НР   | Amna | NEMA   | Crated   | Refrigerant |
|---------------|------------|-------|--------|-----------------|----------|-----------|-----------|------|------|--------|----------|-------------|
| Models        | Width      | Depth | Height | (cf)            | Sileives | Width     | Depth     | пР   | Amps | Config | Weight   | Reinigerani |
| CTRH-4        | 23.4"      | 27.5" | 31.5"  | 4               | 2        | 20.1"     | 16.2-8.4" | 1/7  | 3.5  | 5-15P  | 185 lbs. |             |
| RMH-10SL      | 24"        | 19.4" | 59.6"  | 7               | 3        | 19.7"     | 14.2"     | 1/6  | 3.5  | 5-15P  | 246 lbs. |             |
| RMH-33PT      | 39.6"      | 27.2" | 56.5"  | 14              | 3        | 32.3"     | 18.9      | 1/6  | 3.5  | 5-20P  | 345 lbs. | R-290       |
| RMH-8         | 18.6"      | 25.1" | 77.9"  | 10              | 5        | 14.3"     | 17.2"     | 1/6  | 3.5  | 5-15P  | 292 lbs. | K-290       |
| RMH-27        | 30"        | 30.9" | 80.8"  | 23              | 5        | 25.7"     | 24"       | 1/4+ | 5    | 5-20P  | 341 lbs. |             |
| RMH-40        | 47.3"      | 32.3" | 80.8"  | 38              | 10       | 21"       | 22"       | 1/4+ | 5    | 5-20P  | 525 lbs. |             |

<sup>\*</sup>Inches rounded up one decimal place. \*Specifics may change without notification.

### Remember to explore all available **Accessories...**













- 460 Southport Commerce Blvd. Spartanburg, SC 29306
- Phone: 864-574-6004
- Toll Free: 1-888-532-2816
- sales@ojedausainc.com
- service@ojedausainc.com



## Deli Cases **RDCH**-Series



FAMILY OWNED SINCE 1948
PROUDLY MANUFACTURED IN NORTH AMERICA

www.ojedausa.com

Ojeda USA's versatile line of refrigerated curved glass deli display cases is designed to meet all your display needs with style and efficiency. These models offer the unique ability to seamlessly convert from refrigerated to ambient dry cases, providing flexibility for a wide range of products. Certified for open food display, they ensure fresh items safe and hygienic presentation. Low-velocity fans minimize the impact of the forced air system, ensuring even cooling while maintaining the freshness and quality of your items. Perfect for showcasing deli meats, cheeses, or baked goods, Ojeda USA's deli display cases combine functionality with an elegant, modern design.

### **Features**



### MAINTENANCE FREE CONDENSER

The finless spiral condenser design prevents dust/dirt buildup allowing maximum long term efficiency.



### **HOT GAS EVAPORATION**

Hot gas heated drain pan for condensate evaporation that eliminates the need of floor drains or electric heaters.



### **ELECTRONIC TEMP CONTROL**

The Intelligent temperature control is programmed to ensure the correct operation of the equipment and maintain products at an optimum temperature.



### 120 Volt

All RDCH models feature a 110/120 Volt system standard, ensuring hassle-free plug and play for our customers. An additional 5 amp electrical outlet is included, allowing for the use of a scale.



### **NON-REFRIGERATED OPTION**

The new RDCH line offers the flexibility to convert into a dry case, allowing it to adapt perfectly to your specific needs.



### **LED LIGHTING**

LED lighting in our deli cases is designed to elevate your display with long-lasting, energy-efficient illumination.









# Deli Cases **RDCH**-Series

## **DELI CASES**

Operation temperature 34°F to 40°F



RDCH-3



RDCH-4



RDCH-5



RDCH-6

| Refrigerated | Dimensions |       |        | Net                | Shelves | Shelf Dim |     | НР   | Amno   | NEMA   | Crated    | Refrigerant |
|--------------|------------|-------|--------|--------------------|---------|-----------|-----|------|--------|--------|-----------|-------------|
| Deli Cases   | Width      | Depth | Height | Capacity Shelves V | Width   | Depth     | пР  | Amps | Config | Weight | Remgerant |             |
| RDCH-3       | 37.3"      | 33.7" | 50.1"  | 10                 | 2       | 31.3"     | 15" | 1/6  | 4      | 5-15P  | 441 lbs.  |             |
| RDCH-4       | 49.3"      | 33.7" | 50.1"  | 14                 | 4       | 43.3"     | 15" | 1/5  | 4      | 5-15P  | 516 lbs.  | R-290       |
| RDCH-5       | 60.3"      | 33.7" | 50.1"  | 17                 | 6       | 54.3"     | 15" | 1/4+ | 5      | 5-15P  | 591 lbs.  | K-290       |
| RDCH-6       | 73.8"      | 33.7" | 50.1"  | 21                 | 6       | 67.8"     | 15" | 1/4+ | 5      | 5-15P  | 675 lbs.  |             |


<sup>\*</sup>Inches rounded up one decimal place. \*Specifics may change without notification.

### Remember to explore all available Accessories...

Are you looking to make your deli case stand out and catch customers' eyes? Our printing and graphics services can turn it into a striking marketing asset that draws attention.

Need to move your deli case easily? We offer 3 and 5-inch heavy-duty casters to help you easily reposition it.

Explore all our available accessories to enhance your deli case today!















- 460 Southport Commerce Blvd. Spartanburg, SC 29306
- Phone: 864-574-6004
- Toll Free: 1-888-532-2816
- sales@ojedausainc.com
- service@ojedausainc.com



# Open Air Merchandisers





**ALPA-120H** 

FAMILY OWNED SINCE 1948 PROUDLY MANUFACTURED IN NORTH AMERICA

www.ojedausa.com

Are you looking to enhance the operational convenience and efficiency of your convenience store or standalone setup? Look no further than our innovative application tailored specifically for these environments. Our open air product line offers a diverse array of different models that can bring flexibility and help promote your products. With impulse purchasing holding significant importance nowadays, our grab and go display designed solution is sure to meet your needs. Don't miss out on this opportunity to streamline your operations and boost your sales.

### **Features**



### MAINTENANCE FREE CONDENSER

The finless spiral condenser design prevents dust/dirt buildup allowing maximum long term efficiency.



### **NIGHT CURTAIN**

Standard pull down night curtain reduces energy consumption during periods of inactivity.



### **ELECTRONIC TEMP CONTROL**

The Intelligent temperature control is programmed to ensure the correct operation of the equipment and maintain products at an optimum temperature 34°F to 40°F.



### **120 Volt**

All Ojeda models feature a 110/120 Volt system standard, ensuring hassle-free plug and play for our customers.



### STEEL CONSTRUCTION

Robust steel construction minimizes the use of plastic materials resulting in an environmentally friendly design.



### LED LIGHTING

LED lighting provides long lasting energy efficient lighting with minimal heat output.

### **SLIM**-Models

Enhance any space with our Slim design featuring *LED lighting* in every shelf.

Operation temperature 34°F to 40°F



ALPA-55H SLIM




ALPA-77H SLIM



ALPA-120H SLIM

| Slim-Models    | Dimensions |       |        | Shelves  | Shelf Dim |       | HP    | Amps  | NEMA<br>Config | Crated   | Refrigerant |
|----------------|------------|-------|--------|----------|-----------|-------|-------|-------|----------------|----------|-------------|
| Silli-Models   | Width      | Depth | Height | Sileives | Width     | Depth | пР    | Anips | Config         | Weight   | Remgerant   |
| ALPA-55H SLIM  | 36.7"      | 23.6" | 61"    | 3        | 31"       | 12"   | 1/3   | 10    | 5-15P          | 415 lbs. |             |
| ALPA-77H SLIM  | 36.3"      | 23.1" | 80.2"  | 5        | 31"       | 12"   | 5/8   | 10    | 5-15P          | 512 lbs. | R-290       |
| ALPA-120H SLIM | 47.5"      | 23.1" | 80.2"  | 5        | 42.2"     | 12"   | 2X1/3 | 12    | 5-20P          | 600 lbs. |             |

<sup>\*</sup>Inches rounded up one decimal place. \*Specifics may change without notification.









## Open Air Merchandisers **ALPA-**Series

### **STANDARD**-Models

Our standard models boasts an impressive capacity with outstanding performance.

Operation temperature 34°F to 40°F



ALPA-36H SS



ALPA-55H



ALPA-99H



ALPA-77H



ALPA-120H



ALPA-120H SS




| Standard-Models | Dimensions |       |        | Chalusa | Shelf Dim |             | LUD   | A    | NEMA   | Crated   | Defrieswant |
|-----------------|------------|-------|--------|---------|-----------|-------------|-------|------|--------|----------|-------------|
|                 | Width      | Depth | Height | Shelves | Width     | Depth       | HP    | Amps | Config | Weight   | Refrigerant |
| ALPA-36H SS     | 26.3"      | 28.7" | 54.7"  | 2       | 22.5"     | 13.1"-15.1" | 1/2   | 10   | 5-15P  | 330 lbs. |             |
| ALPA-55H        | 35.8"      | 30.8" | 59.6"  | 3       | 31"       | 16.3"       | 1/3   | 10   | 5-15P  | 433 lbs. |             |
| ALPA-77H        | 35.4"      | 30.5" | 79.9"  | 5       | 31"       | 16.3"       | 2x1/4 | 10   | 5-20P  | 524 lbs. | R-290       |
| ALPA-99H        | 52.7"      | 30.8" | 61.9"  | 3       | 47.7"     | 16.3"       | 2X1/3 | 12   | 5-20P  | 615 lbs. | 1 230       |
| ALPA-120H       | 52.1"      | 30.5" | 79.9"  | 5       | 47.7"     | 16.3"       | 2X1/3 | 12   | 5-20P  | 652 lbs. |             |
| ALPA-120H SS    | 52.1"      | 30.5" | 79.9"  | 5       | 47.7"     | 16.3"       | 2X1/3 | 12   | 5-20P  | 652 lbs. |             |

<sup>\*</sup>Inches rounded up one decimal place. \*Specifics may change without notification. \*SS denotes Stainless Steel. \*ALPA-36H SS includes two shelves sizes.

### Remember to explore all available **Accessories...**

We understand that each customer has unique merchandiser requirements, which is why we offer a variety of accessories tailored to address different products.

Need a solution for hanging your product? Our Peg Bar system is ideal for this purpose. Looking to optimize your open air cooler and showcase products at room temperature? Our front and side merchandisers could be the perfect choice. Is your cooler in a location that needs to be locked after hours? No problem, our lockable security cage will ensure your products remain safely secured.



### Also available

- Peg Bar
- Reach-In Curtain
- Lockable Security Cage
- 6" Adjustable Legs
- Product Stop
- Front Merchandiser
- Side Merchandiser



"After getting the Ojeda Open Air Merchandiser in the store, our sales on water have nearly doubled! Before we were only selling about 60 bottles a day, and now we sell well over 100. The Alpa-120H model is perfect for our high volume store and keeps all the bottles at the perfect temperature."

> -Lauren, Manager for the Hoover Dam Gift Store Boulder City, Nevada









- 460 Southport Commerce Blvd. Spartanburg, SC 29306
- Phone: 864-574-6004
- Toll Free: 1-888-532-2816
- sales@ojedausainc.com
- service@ojedausainc.com